

Power cord option, 1x per PSU (2x PSU installed)		
Cable powercord rack, 1.8m, black, IEC 320 C14 -> C13 (10A plug)	T26139-Y1968-E180	T26139-Y1968-L180
Cable powercord rack, 2.5m, black, IEC 320 C14 -> C13 (10A plug)	T26139-Y1968-E250	T26139-Y1968-L250
Cable powercord rack, 4m, black, IEC 320 C14 -> C13 (10A plug)	T26139-Y1968-E100	T26139-Y1968-L10
Cable powercord (USA) 15A, 1.8m, black, NEMA 5-15 connector 498G -> C13 (plug), 15A, , rack or wall	T26139-Y1741-E90	T26139-Y1741-L90
Cable powercord (Taiwan), 1.8m, rack or wall	T26139-Y1757-E10	T26139-Y1757-L10
Cable powercord (Thailand), 1.8m, rack or wall	T26139-Y1753-E10	T26139-Y1753-L10
Cable powercord (D, A, B, F, NL, FIN, N, S, E, P, RUS, TR), 1.8m, grey		T26139-Y1740-L10
Cable powercord (UK, IR), 1.8m, grey		T26139-Y1744-L10
Cable powercord (I), 1.8m, grey		T26139-Y1745-L10
Cable powercord (DK), 1.8m, grey		T26139-Y1746-L10
Cable powercord (ISR), 2.5m, black		T26139-Y1747-L18
Cable powercord (AUS/NZ), 1.8m, grey		T26139-Y1748-L10
no power cord	T26139-Y3850-E10	

Region Kits, 1x per System		
Region Kit Europe, Contains warranty sheet and safety instructions in German, English, French, Spanish, Italian, Polish, Russian and Welsh language	S26361-F1452-E140	
Region Kit APAC/EMEA/India, Contains warranty sheet and safety instructions for APAC, EMEA and India	S26361-F1452-E100	
Region Kit America, Contains warranty sheet, registration hints and safety instructions for America	S26361-F1452-E130	



optical MTP/MTP cables can be used for 40GbE cabling:

D:FCKAB-MTP-C05-L	MTP cable 5m MTP-female MTP-female
D:FCKAB-MTP-C10-L	MTP cable 10m MTP-female MTP-female
D:FCKAB-MTP-C20-L	MTP cable 20m MTP-female MTP-female
D:FCKAB-MTP-C50-L	MTP cable 50m MTP-female MTP-female
D:FCKAB-MTP-C100-L	MTP cable 100m MTP-female MTP-female

CAT 6A S/STP RJ45 cables can be used for proper cabling:

S26361-F3417-L602: CAT 6A, RJ45 connector, 2m
S26361-F3417-L603: CAT 6A, RJ45 connector, 3m
S26361-F3417-L605: CAT 6A, RJ45 connector, 5m
S26361-F3417-L610: CAT 6A, RJ45 connector, 10m
S26361-F3417-L615: CAT 6A, RJ45 connector, 15m

End of PSWITCH 2048T

Top-of-Rack Ethernet Switch - PSWITCH 2048P

S26361-K1633-V101
PSWITCH 2048P
48x SFP+ Port
6x QSFP+ Port
No QSFP+ modules incl.
incl. 2x PSU installed (redundant)
incl. Rack Mount Kit
1U, port side exhaust airflow

S26361-F4530-E11
Mounting of RMK in asymmetrical rack incl. 1U support bracket.

S26361-F4530-E10
Fixing or attachment of RMK in symm. racks w/ support bracket.

S26361-F1647-E302
Mounting service for installation ex works
1x per Switch

S26361-F3986-E1
SFP Module 1000Base-T
SFP module for 1 Gbit
max. 100m
Ethernet CU cabling (RJ45)
max. 48x per switch

S26361-F3986-E2
SFP Module 1000Base-SX
SFP module for 1 Gbit
max. 550m with OM3 fiber
850 nm laser
Ethernet FO cabling
max. 48x per switch

S26361-F3986-E3
SFP+ Module MMF 10GbE LC
SR SFP+ module for 10 Gbit
max. 300m with OM3 fiber
850 nm laser
Ethernet FO cabling
max. 48x per switch

S26361-F3986-E4
SFP+ Module SMF 10GbE LC
LR SFP+ module for 10 Gbit
max. 10km with 9µm fiber
1310 nm laser
Ethernet FO cabling
max. 48x per switch

0 - 48x

IV:TWX CONNECTOR-PY
for FJ Twinax

S26361-F3989-E600 *
SFP+ active twinax cable
- customized twinax cable for full rack setup ex factory
- cable length is selected by requirement in the factory
- Fujitsu branded cable
max. 48x per switch

i separate orderable 1Gb Ethernet modules
S26361-F3986-L1 SFP Module 1000Base-T
S26361-F3986-L2 SFP Module 1000Base-SX

i separate orderable 10Gb Ethernet modules
S26361-F3986-L3 SFP+ Module MMF 10GbE LC
S26361-F3986-L4 SFP+ Module SMF 10GbE LC

i *) in SA only shown in cabling view

S26361-F3986-E40
QSFP+ Module MMF 40GbE MTP
SR QSFP+ module for 40 Gbit
max. 300m with OM3 fiber
850 nm laser
Ethernet MTP cabling
max. 6x per switch

i separate orderable 40Gb Ethernet modules
S26361-F3986-L40 QSFP+ Module MMF 40GbE LC

i

0 - 6x

IV:TWX CONNECTOR-40
for FJ MTP Twinax

S26361-F3986-E400 *
QSFP+ passive twinax cable
- customized twinax cable for full rack setup ex factory
- cable length is selected by requirement in the factory
- Fujitsu branded cable
max. 6x per switch

i *) in SA only shown in cabling view

Power cord option, 1x per PSU (2x PSU installed)		
Cable powercord rack, 1.8m, black, IEC 320 C14 -> C13 (10A plug)	T26139-Y1968-E180	T26139-Y1968-L180
Cable powercord rack, 2.5m, black, IEC 320 C14 -> C13 (10A plug)	T26139-Y1968-E250	T26139-Y1968-L250
Cable powercord rack, 4m, black, IEC 320 C14 -> C13 (10A plug)	T26139-Y1968-E100	T26139-Y1968-L10
Cable powercord (USA) 15A, 1.8m, black, NEMA 5-15 connector 498G -> C13 (plug),	T26139-Y1741-E90	T26139-Y1741-L90
Cable powercord (Taiwan), 1.8m, rack or wall	T26139-Y1757-E10	T26139-Y1757-L10
Cable powercord (Thailand), 1.8m, rack or wall	T26139-Y1753-E10	T26139-Y1753-L10
Cable powercord (D, A, B, F, NL, FIN, N, S, E, P, RUS, TR), 1.8m, grey		T26139-Y1740-L10
Cable powercord (UK, IR), 1.8m, grey		T26139-Y1744-L10
Cable powercord (I), 1.8m, grey		T26139-Y1745-L10
Cable powercord (DK), 1.8m, grey		T26139-Y1746-L10
Cable powercord (ISR), 2.5m, black		T26139-Y1747-L18
Cable powercord (AUS/NZ), 1.8m, grey		T26139-Y1748-L10
no power cord	T26139-Y3850-E10	

Region Kits, 1x per System		
Region Kit Europe, Contains warranty sheet and safety instructions in German, English, French, Spanish, Italian, Polish, Russian and Welsh language	S26361-F1452-E140	
Region Kit APAC/EMEA/India, Contains warranty sheet and safety instructions for APAC, EMEA and India	S26361-F1452-E100	
Region Kit America, Contains warranty sheet, registration hints and safety instructions for America	S26361-F1452-E130	

i optical LC/LC cables can be used for 10GbE

S26361-F3986-L500	Fiber-Kabel OM3, MMF, LC/LC 5m
D:FCKAB-OM4-C05L-L	FC-Cable OM4, MMF, 5m, LC/LC
D:FCKAB-OM4-C10L-L	FC-Cable OM4, MMF, 10m, LC/LC
D:FCKAB-OM4-C20L-L	FC-Cable OM4, MMF, 20m, LC/LC
D:FCKAB-OM4-C50L-L	FC-Cable OM4, MMF, 50m, LC/LC

optical MTP/MTP cables can be used for 40GbE cabling:

D:FCKAB-MTP-C05-L	MTP cable 5m MTP-female MTP-female
D:FCKAB-MTP-C10-L	MTP cable 10m MTP-female MTP-female
D:FCKAB-MTP-C20-L	MTP cable 20m MTP-female MTP-female
D:FCKAB-MTP-C50-L	MTP cable 50m MTP-female MTP-female
D:FCKAB-MTP-C100-L	MTP cable 100m MTP-female MTP-female


i separate orderable 40Gb Ethernet cables

S26361-F3986-L402	SFP+ passive Twinax Cable Fujitsu 2m
S26361-F3986-L405	SFP+ passive Twinax Cable Fujitsu 5m
S26361-F3986-L410	NOT supported

i separate orderable 10Gb Ethernet cables

S26361-F3989-L102	SFP+ active Twinax Cable Fujitsu 2m
S26361-F3989-L105	SFP+ active Twinax Cable Fujitsu 5m
S26361-F3989-L110	SFP+ active Twinax Cable Fujitsu 10m
S26361-F3873-L501	SFP+ active Twinax Cable Brocade 1m
S26361-F3873-L503	SFP+ active Twinax Cable Brocade 3m
S26361-F3873-L505	SFP+ active Twinax Cable Brocade 5m

End of PSWITCH 2048P



Power cord option, 1x per PSU (2x PSU installed)		
Cable powercord rack, 1.8m, black, IEC 320 C14 -> C13 (10A plug)	T26139-Y1968-E180	T26139-Y1968-L180
Cable powercord rack, 2.5m, black, IEC 320 C14 -> C13 (10A plug)	T26139-Y1968-E250	T26139-Y1968-L250
Cable powercord rack, 4m, black, IEC 320 C14 -> C13 (10A plug)	T26139-Y1968-E100	T26139-Y1968-L10
Cable powercord (USA) 15A, 1.8m, black, NEMA 5-15 connector 498G -> C13 (plug),	T26139-Y1741-E90	T26139-Y1741-L90
Cable powercord (Taiwan), 1.8m, rack or wall	T26139-Y1757-E10	T26139-Y1757-L10
Cable powercord (Thailand), 1.8m, rack or wall	T26139-Y1753-E10	T26139-Y1753-L10
Cable powercord (D, A, B, F, NL, FIN, N, S, E, P, RUS, TR), 1.8m, grey		T26139-Y1740-L10
Cable powercord (UK, IR), 1.8m, grey		T26139-Y1744-L10
Cable powercord (I), 1.8m, grey		T26139-Y1745-L10
Cable powercord (DK), 1.8m, grey		T26139-Y1746-L10
Cable powercord (ISR), 2.5m, black		T26139-Y1747-L18
Cable powercord (AUS/NZ), 1.8m, grey		T26139-Y1748-L10
no power cord	T26139-Y3850-E10	

Region Kits, 1x per System		
Region Kit Europe, Contains warranty sheet and safety instructions in German, English, French, Spanish, Italian, Polish, Russian and Welsh language	S26361-F1452-E140	
Region Kit APAC/EMEA/India, Contains warranty sheet and safety instructions for APAC, EMEA and India	S26361-F1452-E100	
Region Kit America, Contains warranty sheet, registration hints and safety instructions for America	S26361-F1452-E130	

separate orderable 40Gb Ethernet cables	
S26361-F3986-L402	QSFP+ passive Twinax Cable Fujitsu 2m
S26361-F3986-L405	QSFP+ passive Twinax Cable Fujitsu 5m
S26361-F3986-L410	NOT supported

optical MTP/MTP cables can be used for 40GbE cabling:	
D:FCKAB-MTP-C05-L	MTP cable 5m MTP-female MTP-female
D:FCKAB-MTP-C10-L	MTP cable 10m MTP-female MTP-female
D:FCKAB-MTP-C20-L	MTP cable 20m MTP-female MTP-female
D:FCKAB-MTP-C50-L	MTP cable 50m MTP-female MTP-female
D:FCKAB-MTP-C100-L	MTP cable 100m MTP-female MTP-female

End of PSWITCH 4032P

