

Power cord option, 1x per PSU (2x PSU installed)		
Cable powercord rack, 1.8m, black, IEC 320 C14 -> C13 (10A plug)	T26139-Y1968-E180	T26139-Y1968-L180
Cable powercord rack, 2.5m, black, IEC 320 C14 -> C13 (10A plug)	T26139-Y1968-E250	T26139-Y1968-L250
Cable powercord rack, 4m, black, IEC 320 C14 -> C13 (10A plug)	T26139-Y1968-E100	T26139-Y1968-L10
Cable powercord (USA) 15A, 1.8m, black, NEMA 5-15 connector 498G -> C13 (plug), 15A, rack or wall	T26139-Y1741-E90	T26139-Y1741-L90
Cable powercord (Taiwan), 1.8m, rack or wall	T26139-Y1757-E10	T26139-Y1757-L10
Cable powercord (Thailand), 1.8m, rack or wall	T26139-Y1753-E10	T26139-Y1753-L10
Cable powercord (D, A, B, F, NL, FIN, N, S, E, P, RUS, TR), 1.8m, grey		T26139-Y1740-L10
Cable powercord (UK, IR), 1.8m, grey		T26139-Y1744-L10
Cable powercord (I), 1.8m, grey		T26139-Y1745-L10
Cable powercord (DK), 1.8m, grey		T26139-Y1746-L10
Cable powercord (ISR), 2.5m, black		T26139-Y1747-L18
Cable powercord (AUS/NZ), 1.8m, grey		T26139-Y1748-L10
no power cord	T26139-Y3850-E10	

Region Kits, 1x per System		
Region Kit Europe, Contains warranty sheet and safety instructions in German, English, French, Spanish, Italian, Polish, Russian and Welsh language	S26361-F1452-E140	
Region Kit APAC/EMEA/India, Contains warranty sheet and safety instructions for APAC, EMEA and India	S26361-F1452-E100	
Region Kit America, Contains warranty sheet, registration hints and safety instructions for America	S26361-F1452-E130	




optical MTP/MTP cables can be used for 40GbE cabling:

S26361-F5294-L405	Fiber cable MTP/MTP 5m crossover, MMF
S26361-F5294-L410	Fiber cable MTP/MTP 10m crossover, MMF
D:FCXAB-MTP-C05-L	MTP cable 5m MTP-female MTP-female
D:FCXAB-MTP-C10-L	MTP cable 10m MTP-female MTP-female
D:FCXAB-MTP-C20-L	MTP cable 20m MTP-female MTP-female
D:FCXAB-MTP-C50-L	MTP cable 50m MTP-female MTP-female
D:FCXAB-MTP-C100-L	MTP cable 100m MTP-female MTP-female

CAT 6A S/STP RJ45 cables can be used for proper cabling:

S26361-F3417-L602: CAT 6A, RJ45 connector, 2m
S26361-F3417-L603: CAT 6A, RJ45 connector, 3m
S26361-F3417-L605: CAT 6A, RJ45 connector, 5m
S26361-F3417-L610: CAT 6A, RJ45 connector, 10m
S26361-F3417-L615: CAT 6A, RJ45 connector, 15m

End of PSWITCH 2048T



Power cord option, 1x per PSU (2x PSU installed)		
Cable powercord rack, 1.8m, black, IEC 320 C14 -> C13 (10A plug)	T26139-Y1968-E180	T26139-Y1968-L180
Cable powercord rack, 2.5m, black, IEC 320 C14 -> C13 (10A plug)	T26139-Y1968-E250	T26139-Y1968-L250
Cable powercord rack, 4m, black, IEC 320 C14 -> C13 (10A plug)	T26139-Y1968-E100	T26139-Y1968-L10
Cable powercord (USA) 15A, 1.8m, black, NEMA 5-15 connector 498G -> C13 (plug)	T26139-Y1741-E90	T26139-Y1741-L90
Cable powercord (Taiwan), 1.8m, rack or wall	T26139-Y1757-E10	T26139-Y1757-L10
Cable powercord (Thailand), 1.8m, rack or wall	T26139-Y1753-E10	T26139-Y1753-L10
Cable powercord (D, A, B, F, NL, FIN, N, S, E, P, RUS, TR), 1.8m, grey		T26139-Y1740-L10
Cable powercord (UK, IR), 1.8m, grey		T26139-Y1744-L10
Cable powercord (I), 1.8m, grey		T26139-Y1745-L10
Cable powercord (DK), 1.8m, grey		T26139-Y1746-L10
Cable powercord (ISR), 2.5m, black		T26139-Y1747-L18
Cable powercord (AUS/NZ), 1.8m, grey		T26139-Y1748-L10
no power cord	T26139-Y3850-E10	

Region Kits, 1x per System		
Region Kit Europe, Contains warranty sheet and safety instructions in German, English, French, Spanish, Italian, Polish, Russian and Welsh language	S26361-F1452-E140	
Region Kit APAC/EMEA/India, Contains warranty sheet and safety instructions for APAC, EMEA and India	S26361-F1452-E100	
Region Kit America, Contains warranty sheet, registration hints and safety instructions for America	S26361-F1452-E130	

i optical LC/LC cables can be used for 10GbE

S26361-F3986-L500	Fiber-Kabel OM3, MMF, LC/LC 5m
D:FCKAB-OM4-C05L-L	FC-Cable OM4, MMF, 5m, LC/LC
D:FCKAB-OM4-C10L-L	FC-Cable OM4, MMF, 10m, LC/LC
D:FCKAB-OM4-C20L-L	FC-Cable OM4, MMF, 20m, LC/LC
D:FCKAB-OM4-C50L-L	FC-Cable OM4, MMF, 50m, LC/LC

optical MTP/MTP cables can be used for 40GbE cabling:

S26361-F5294-L405	Fiber cable MTP/MTP 5m crossover, MMF
S26361-F5294-L410	Fiber cable MTP/MTP 10m crossover, MMF
D:FCKAB-MTP-C05-L	MTP cable 5m MTP-female MTP-female
D:FCKAB-MTP-C10-L	MTP cable 10m MTP-female MTP-female
D:FCKAB-MTP-C20-L	MTP cable 20m MTP-female MTP-female
D:FCKAB-MTP-C50-L	MTP cable 50m MTP-female MTP-female
D:FCKAB-MTP-C100-L	MTP cable 100m MTP-female MTP-female

i separate orderable 40Gb Ethernet cables

S26361-F3986-L402	QSFP+ passive Twinax Cable Fujitsu 2m
S26361-F3986-L405	QSFP+ passive Twinax Cable Fujitsu 5m
S26361-F3986-L410	NOT supported

i separate orderable 10Gb Ethernet cables

S26361-F3989-L102	SFP+ active Twinax Cable Fujitsu 2m
S26361-F3989-L105	SFP+ active Twinax Cable Fujitsu 5m
S26361-F3989-L110	SFP+ active Twinax Cable Fujitsu 10m
S26361-F3873-L501	SFP+ active Twinax Cable Brocade 1m
S26361-F3873-L503	SFP+ active Twinax Cable Brocade 3m
S26361-F3873-L505	SFP+ active Twinax Cable Brocade 5m

End of PSWITCH 2048P

Top-of-Rack Ethernet Switch - PSWITCH 4032P

S26361-K1660-V100
PSWITCH 4032P
32x QSFP+ Port
No QSFP+ modules incl.
incl. 2x PSU installed (redundant)
incl. Rack Mount Kit
1U, port side exhaust airflow

S26361-F4530-E11
Mounting of RMK in asymmetrical rack incl. 1U support bracket.

S26361-F4530-E10
Fixing or attachment of RMK in symm. racks w/o support bracket.

S26361-F1647-E302
Mounting service for installation ex works
1x per Switch

S26361-F3986-E40
QSFP+ Module MMF 40GbE MPO
SR QSFP+ module for 40 Gbit
max. 300m with OM3 fiber
850 nm laser
Ethernet MTP cabling
max. 32x per switch

S26361-F4053-E701
QSFP+ Module 40G SR4L MPO
SR QSFP+ module for 40 Gbit
max. 30m with OM3/4 fiber
850 nm laser
Ethernet MTP cabling
max. 32x per switch

S26361-F4053-E702
QSFP+ Module 40G SR4 MPO
SR QSFP+ module for 40 Gbit
max. 100m with OM3/4 fiber
850 nm laser
Ethernet MTP cabling
max. 32x per switch

i separate orderable 40Gb Ethernet modules
S26361-F3986-L40 QSFP+ Module MMF 40GbE MPO
S26361-F4053-L701 QSFP+ Transceiver 40G SR4L MPO
S26361-F4053-L702 QSFP+ Transceiver 40G SR4 MPO

0 - 32x

V:TWX CONNECTOR-40
for FJ MTP Twinax

S26361-F3986-E400 *
QSFP+ passive twinax cable
customized twinax cable for full rack setup ex factory
cable length is selected by requirement in the factory
Fujitsu branded cable
max. 6x per switch

i *) in SA only shown in cabling view

Power cord option, 1x per PSU (2x PSU installed)			
2x ↓ ↑	Cable powercord rack, 1.8m, black, IEC 320 C14 -> C13 (10A plug)	T26139-Y1968-E180	T26139-Y1968-L180
	Cable powercord rack, 2.5m, black, IEC 320 C14 -> C13 (10A plug)	T26139-Y1968-E250	T26139-Y1968-L250
	Cable powercord rack, 4m, black, IEC 320 C14 -> C13 (10A plug)	T26139-Y1968-E100	T26139-Y1968-L10
	Cable powercord (USA) 15A, 1.8m, black, NEMA 5-15 connector 498G -> C13 (plug)	T26139-Y1741-E90	T26139-Y1741-L90
	Cable powercord (Taiwan), 1.8m, rack or wall	T26139-Y1757-E10	T26139-Y1757-L10
	Cable powercord (Thailand), 1.8m, rack or wall	T26139-Y1753-E10	T26139-Y1753-L10
	Cable powercord (D, A, B, F, NL, FIN, N, S, E, P, RUS, TR), 1.8m, grey		T26139-Y1740-L10
	Cable powercord (UK, IR), 1.8m, grey		T26139-Y1744-L10
	Cable powercord (I), 1.8m, grey		T26139-Y1745-L10
	Cable powercord (DK), 1.8m, grey		T26139-Y1746-L10
	Cable powercord (ISR), 2.5m, black		T26139-Y1747-L18
	Cable powercord (AUS/NZ), 1.8m, grey		T26139-Y1748-L10
	no power cord	T26139-Y3850-E10	

Region Kits, 1x per System		
Region Kit Europe, Contains warranty sheet and safety instructions in German, English, French, Spanish, Italian, Polish, Russian and Welsh language	S26361-F1452-E140	
Region Kit APAC/EMEA/India, Contains warranty sheet and safety instructions for APAC, EMEA and India	S26361-F1452-E100	
Region Kit America, Contains warranty sheet, registration hints and safety instructions for America	S26361-F1452-E130	

i separate orderable 40Gb Ethernet cables		
S26361-F3986-L402	QSFP+ passive Twinax Cable Fujitsu 2m	
S26361-F3986-L405	QSFP+ passive Twinax Cable Fujitsu 5m	
S26361-F3986-L440	NOT supported	

i optical MTP/MTP cables can be used for 40GbE cabling:		
S26361-F5294-L405	Fiber cable MTP/MTP 5m crossover, MMF	
S26361-F5294-L410	Fiber cable MTP/MTP 10m crossover, MMF	
D:FCKAB-MTP-C05-L	MTP cable 5m MTP-female MTP-female	
D:FCKAB-MTP-C10-L	MTP cable 10m MTP-female MTP-female	
D:FCKAB-MTP-C20-L	MTP cable 20m MTP-female MTP-female	
D:FCKAB-MTP-C50-L	MTP cable 50m MTP-female MTP-female	
D:FCKAB-MTP-C100-L	MTP cable 100m MTP-female MTP-female	

End of PSWITCH 4032P

