

# Data Sheet

## FUJITSU Dot Matrix Printer DL7600 Pro

### Transactional Flatbed Dot Matrix

---

The FUJITSU Dot Matrix Printer DL7600 Pro is the first choice heavy duty printer for multi-part invoices, sales orders, stationery and other similar documents. This flat-bed printer uses multiple paper paths and is ideal for any application that requires carbon and carbonless copies. Besides excellent paper handling features, this 24-pin dot-matrix printer offers impressive high speed printing and up to 8 carbonless copies.

#### High-speed printing

- At 12 cpi, print speeds range from 216 cps for letter quality to 864 cps for high draft quality.

#### Barcode printing as standard

- At 12 cpi, print speeds range from 216 cps for letter quality to 864 cps for high draft quality.

#### Flat printing structure

- This allows for smoother paper feeding and improves the accuracy of print positioning, while the printing penetrates from the surface paper to the bottom paper in multiple batches. It is also effective when handling heavy loads of multiple paper.

#### A variety of paper paths

- 8 paper paths are available of which up to 4 forms can be loaded on the printer at the same time. This means that there is no need to bother changing the forms each time.

#### APTC and HCPP function

- Detecting paper thickness, adjusting head gap automatically and changing paper paths can be handled by using the application software or Windows driver even if several paper forms are loaded at the same time.



# Technical details

## Technical specifications

<b>Print head</b>	24 wire, impact dot matrix / wire diameter 0.21 mm
<b>Printing width</b>	136 columns
<b>Printing speed correspondence / report quality</b>	432 cps (12 cpi) / 360 cps (10 cpi)
<b>Printing speed draft quality</b>	648 cps (12 cpi) / 540 cps (10 cpi)
<b>Super high draft quality</b>	800 cps (10 cpi)
<b>Printing speed High-speed draft quality</b>	864 cps (12 cpi) / 720 cps (10 cpi)
<b>Printing speed letter quality</b>	216 cps (12 cpi) / 180 cps (10 cpi)
<b>Resolution</b>	360 x 360 dpi Maximum Graphics Resolution Under ESC/P Emulation only
<b>Number of copies</b>	Original + 7 carbonless copies (at high copy mode: original + 8 carbonless copies)
<b>Paper sizes</b>	Cut sheet: Width: 55~420 mm (2.2"~16.5") Length: 70~297 mm (2.76"~11.69") (70~420 mm (2.76"~16.5") for large cut sheet table) Continuous form: Width: 102~420 mm (4.0"~16.5") Length: over 102 mm (4.0")
<b>Paper thickness</b>	0.65 mm (0.256")
<b>Paper thickness adjust function</b>	Manual / auto
<b>Paper feeding continuous form</b>	Push tractor - front in, rear out / rear in, front out
<b>Paper feeding cut sheet</b>	Front in, front out / front in, rear out / rear in, front out / rear in, rear out
<b>Line feed speed</b>	50 ms per 1/6" line
<b>Form feed speed</b>	12" per second continuous feed
<b>Continuous form/cut sheet switch function</b>	manual / auto
<b>Printer interfaces</b>	Parallel + Serial: IEEE1284 Nibble Mode / RS232C 25-pin (depending on model) Parallel + USB: IEEE 1284 and USB 1.1 Type B (depending on model) LAN optional via LAN card
<b>Emulation</b>	Fujitsu DPL24C Plus, Epson ESC/P2, IBM® XL24E
<b>Character sets</b>	Code pages 437, 850, 851, 852, 855, 860, 862, 863, 865, 866, ISO 8859-1, ECMA94, USA, UK, German, French, Italian, Spanish, Swedish, Finnish, Norwegian, Danish 1 and 2, Hungarian 1 and 2, Slovenian 1 and 2, Mazowia 1 and 2, Polis 1 and 2, Latin 2 1 and 2, Latin P, PG-DHN, Elot 927, Lithuanian 1 and 2, Mik, Macedonian, PG-MAC, ABY, ABG, DEC GR, GREEK 11, HBROLD, HBR-DEC, ISO Turkish, ISO Latin, Kamenicky 1 and 2, Turkish 1 and 2, Elot 928, Cyrillic, RUSCII, Latin-9, Spanish1, Spanish2, Japan, Latin A, KOREA, LEGAL Windows Code Page 1250, Windows Code Page 1251, Windows Code Page 1252, IBM437, IBM851
<b>Barcodes / 2D codes</b>	Code 3 of 9 UPC Type A UPC Type A with check character Codabar (NW7) EAN13 EAN8 Industrial 2 of 5 Interleaved 2 of 5 Matrix 2 of 5 Code 128 QR code
<b>Resident / Bitmap fonts</b>	Courier 10, Prestige Elite 12, Boldface PS, Compressed, Draft 12, High-speed draft 12, OCR-B, OCR-A 10, Correspondence 10, PICA10
<b>Scalable fonts</b>	Courier, Nimbus Sans®, Timeless (Normal, Bold, Italic)
<b>Input buffer</b>	Maximum 128 KB
<b>Power consumption</b>	up to 275 W (average)
<b>Power consumption maximum</b>	up to 530 W
<b>Power consumption minimum</b>	1 W or less
<b>Rated voltage range</b>	Single Phase: 220-240 V AC ±10%

<b>Rated frequency range</b>	50 Hz - 60 Hz		
<b>Compliance</b>			
<b>Compliance notes</b>	Safety and EMI standard for Europe		
<b>Compliance link</b>	<a href="https://sp.ts.fujitsu.com/sites/certificates">https://sp.ts.fujitsu.com/sites/certificates</a>		
<b>MTBF (demonstrated)</b>	20,000 h		
<b>Printer life</b>	up to 7.5 million line-feed		
<b>Printer head life</b>	up to 500 million strokes (each wire)		
<b>Ink ribbon life</b>	18 million characters (ANK draft quality)		
<b>Dimensions (W x D x H)</b>	600 x 350 x 290		
<b>Weight</b>	Approx. 22 kg (48 lbs)		
<b>Acoustic noise level</b>	56 dBA (with sound proof cover)		
<b>Operating ambient temperature</b>	5°C to 38°C (41°F to 100°F) not condensing		
<b>Printer options</b>	Printer Ribbon Premium DL7600, Order code: CA05463-D807 (Please check packing item) Tractor Unit DL7x00, Order code: S26391-F1051-L903		
<b>LAN option</b>	10 Base-T, 100 Base-TX, TCP/IP Protocol (optional card needed)		
<b>Order code</b>			
	S26391-F1051-L406	EAN: 4057185513487	DL7600Pro Centronics / RS232 Europe
	S26391-F1051-L407	EAN: 4057185513494	DL7600Pro Centronics / USB Type B Europe
	S26391-F1051-L922	EAN: 4057185513548	Print Head DL7600Pro
	S26391-F1051-L923	EAN: 4057185657846	LAN board DL7400Pro / DL7600Pro
<b>Warranty</b>			
<b>Warranty period</b>	3 years (depending on country)		
<b>Warranty type</b>	Bring-In Service (depending on country)		
<b>Warranty Terms &amp; Conditions</b>	<a href="http://www.fujitsu.com/warranty">http://www.fujitsu.com/warranty</a>		
<b>Service Weblink</b>	<a href="http://www.fujitsu.com/emeia/products/product-support-services/">http://www.fujitsu.com/emeia/products/product-support-services/</a>		

# More information

## Fujitsu products, solutions & services

In addition to FUJITSU Dot Matrix Printer DL7600 Pro, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

### Computing Products

[www.fujitsu.com/global/products/computing/](http://www.fujitsu.com/global/products/computing/)

### Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

## More information

Learn more about FUJITSU Dot Matrix Printer DL7600 Pro, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.  
[www.fujitsu.com/emeia/products/computing/peripheral/accessories](http://www.fujitsu.com/emeia/products/computing/peripheral/accessories)

## Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



## Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html>  
Copyright 2019 Fujitsu Technology Solutions GmbH

## Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

## CONTACT

Fujitsu Technology Solutions GmbH  
Website: [www.fujitsu.com](http://www.fujitsu.com)  
2020-01-04 EM-EN

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html>  
Copyright 2019 Fujitsu Technology Solutions GmbH