

DATASHEET

FUJITSU ESPRIMO MOBILE X9525 NOTEBOOK

EXTRA CLASS OF PRODUCTIVITY

ESPRIMO MOBILE X9525

You don't want to accept any compromises and want the best possible graphics performance? The ESPRIMO Mobile X9525 is a lightweight alternative to the Desktop PC and offers top mobile performance. This notebook has a brilliant 39.1 cm (15.4-inch) WSXGA+ display as well as a NVIDIA graphics card for optimal visuals. Its modular bay provides the option of a second battery. Connectivity is ensured via a large number of interfaces and optional 3G/UMTS. Its new clear-line design helps the ESPRIMO Mobile X fit perfectly into your office environment.



LIMITLESS GRAPHICS PERFORMANCE

Top graphics performance and brilliant image quality to meet the highest demands.

- NVIDIA GeForce 9200M GS

UNLIMITED CONNECTIVITY

Top performance, connectivity and a selection of classic and new interfaces enable constant data access and high-level productivity.

- Intel® Centrino® 2 processor technology, UMTS/HSDPA, WLAN, Bluetooth, parallel and serial interface, E-SATA, PC card



ERGONOMIC WORKING

Relaxed easy working throughout the day.

- 39.1 cm (15.4-inch) WSXGA+ display, ergonomic keyboard with touchpad and optional touchstick and fingerprint

EXTREMELY RELIABLE

Stable housing and innovative functions, built to meet the highest requirements.



- ShockSensor, spill-proof keyboard, robust magnesium cover and housing



GREAT FLEXIBILITY

The family concept offers standardized accessory components for the ESPRIMO Mobile U, M, D, X series.

- Standardized port replicator, power supply unit and modular bay for optical drive, second battery or second hard disk drive



COMPONENTS

PROCESSOR	Intel® Core™2 Duo processor T9600 (2.8 GHz, 6 MB, 1066 MHz) Intel® Core™2 Duo processor P8800 (2.66 GHz, 3 MB, 1066 MHz) Intel® Core™2 Duo processor P8700 (2.53 GHz, 3 MB, 1066 MHz)
MEMORY MODULES	1 GB (1 module(s) 1 GB) DDR3, 1066 MHz, PC3-8500, SO DIMM 2 GB (1 module(s) 2 GB) DDR3, 1066 MHz, PC3-8500, SO DIMM
Turbo memory	Optional 4 GB
Supported capacity RAM (max.)	4 GB
Memory slots total	2
Memory slot type	DIMM (DDR3)
Memory notes	8 GB - with future memory modules.
HARD DISK DRIVES (INTERNAL)	320 GB, 5400 rpm, SATA, 2.5-inch S.M.A.R.T. 320 GB, 5400 rpm, FDE-4, 2.5-inch S.M.A.R.T. 160 GB, 7200 rpm, SATA, 2.5-inch S.M.A.R.T. 160 GB, 5400 rpm, SATA, 2.5-inch S.M.A.R.T.
Hard disk notes	ShockSensor for HDD shock protection One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software
WLAN (OPTIONAL)	Atheros Minicard b/g 802.11 b/g Intel® Wireless WiFi Link 5300 AGN 11/13ch
WIRELESS TECHNOLOGIES	
Antennas	3 Dual band WLAN antennas, 2 UMTS antennas
WLAN notes	Import and usage according to country-specific regulations.
UMTS/HSUPA (OPTIONAL)	Option UMTS GTM 382 (downlink 7.2 Mbit/s, uplink 2.0 Mbit/s)
DISPLAY	39.1 cm (15.4-inch); TFT; (WSXGA+); anti-glare display; 1680 x 1050 pixel
BLUETOOTH (OPTIONAL)	Bluetooth 2.1
MODULAR BAY OPTIONS	2nd battery 2nd hard disk drive DVD Super Multi Weight saver
Base unit	ESPRIMO Mobile X9525
GENERAL SYSTEM INFORMATION	
Chipset	Intel® PM45, ICH 9-ME
BIOS features	BIOS based on Phoenix TrustedCore Notebook
GRAPHICS	
Max. resolution external display	1920 x 1200 / true color / 60 Hz
Graphics brand name	NVIDIA® GeForce® 9200M GS
Graphics features	DualView (Windows® XP & Windows® Vista)
Dedicated video memory	256 MB (GDDR3 VRAM)
INTERFACES	
Memory card slots	1 (SD/MMC/MS/MSPro/XD)
ExpressCard slots	1
PC Card slot (Type I/II)	1
SIM card slot	1
Modem (RJ-11)	Optional
USB 2.0 total	4 (3x USB 2.0, 1x eSATA & USB port)
FireWire (IEEE1394)	1

INTERFACES

Serial (RS-232)	1
Parallel	1
VGA	1
Ethernet (RJ-45)	1
DC-in	1
Audio: line-in / microphone	1
Audio: line-out / headphone	1
Internal microphones	2
Docking connector for Port Replicator	1
Kensington Lock support	1

WIRED COMMUNICATION

Modem type	Optional: 56 K V.92 modem MDC1.5
LAN	Built-in 10/100/1000 MBit/s Intel® 82567 LM

KEYBOARD AND POINTING DEVICES

	Spill-resistant keyboard
	Number of keyboard keys: 86, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm
	Touchpad with two mouse buttons
	Second set of mouse buttons
	Application buttons

INPUT DEVICES (OPTIONAL)

	Optional: TouchStick
--	----------------------

MULTIMEDIA

Audio type	On board
Audio codec	Realtek ALC262
Audio features	Stereo speakers, Internal microphone (array)
Camera	Optional: Built-in webcam, 1.3 megapixel, VGA camera

POWER SUPPLY

AC adapter	20 V / 90 W (4.5 A)
Rated voltage range	100 - 240 V (AC Input)
Rated frequency range	50 - 60 Hz
1st battery	Li-Ion battery 8-cell, 5.200 mAh, 77 Wh
2nd battery (optional)	Li-Ion 6 cell, 3.800 mAh, 40 Wh
Battery features	Dynamic charge supported (rapid charge)
Runtime 1st battery	up to 5 h
Runtime 1st + 2nd battery	up to 7:45 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.

POWER CONSUMPTION

Power consumption note	See white paper Energy Consumption
Link to Energy White Paper	http://docs.ts.fujitsu.com/dl.aspx?id=34280e49-123a-4f6e-a100-4c26e7db7b00

DIMENSIONS / WEIGHT / ENVIRONMENTAL

Dimensions (W x D x H)	363 x 260 x 38 mm
Weight	2.85 kg
Weight notes	Actual weight may vary depending on configuration
Operating ambient temperature	5 - 35°C
Operating relative humidity	20 - 85 % (running)

OPERATING SYSTEM

Operating system optional preinstalled	Microsoft® Windows Vista® Home Basic Microsoft® Windows Vista® Business 32-bit TwinLoad Microsoft® Windows® XP Professional (DVD)
Operating system compatible	Microsoft® Windows® XP Professional
Operating system notes	Driver support for Microsoft® Windows® XP

ADDITIONAL SOFTWARE

Additional software (preinstalled)	Adobe Acrobat Reader Camera EasyGuide online user documentation Nero Essentials (burning software) Norton Internet Security (incl. Firewall) on Drivers & Utilities DVD for Microsoft Windows XP Drivers & Utilities DVD (DUDVD) Toshiba Bluetooth Stack (only with Windows Vista® or Windows® XP operating systems) Mobile Software Suite: Application Button Utility Wireless Selector Utility ShockSensor Utility Fan Control Utility Power Saving Utility
Additional software (optional)	Windows Vista® recovery media Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS) DVD playback software

MANAGEABILITY

Manageability features	DeskUpdate Driver management DeskView Migrate (optional) DeskView Control (optional)
Manageability type	DeskView 10.x client management including:
DeskView features	On/Offline remote client management Detailed system inventory management and reports BIOS Management Remote power management System notifications Security Remote Control DeskView Helpdesk Integration WoL (Wake on LAN)
Supported standards	PXE BootP (made4you) WMI
Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html

SECURITY

Physical security	Kensington Lock support
System security	Optional: Trusted platform module (TPM 1.2) Symantec Norton Internet Security (90 day test version)
User security	Hard disk password User and supervisor BIOS password Separate SmartCard slot Integrated Fingerprint Sensor SystemLock 2 BIOS SmartCard Security

COMPLIANCE

Germany	GS
Europe	CE CE!
USA/Canada	FCC Class B (depending on wireless configuration) UL cUL
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) ENERGY STAR® 5.0 Microsoft Operating Systems (HCT / HCL entry / WHQL) WiFi certified EPEAT® Silver
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx

PORTREPLICATOR INTERFACES (OPTIONAL)

DC-in	1
--------------	---

PORTREPLICATOR INTERFACES (OPTIONAL)

Power on switch	1
Audio: headphone	1
Audio: microphone	1
USB 2.0 total	4
VGA	1
DVI	1, DVI-D single link, maximal resolution 1920 x 1200 pixel (WUXGA)
Serial (RS-232)	1
Mouse / Keyboard (PS/2)	1
Ethernet (RJ-45)	1
Parallel	1
Kensington Lock support	2
eSATA	1

WARRANTY

Standard Warranty	1 year
Service level	Collect & Return Service / Bring-In Service (depending on country)

MAINTENANCE AND SUPPORT SERVICES - THE PERFECT EXTENSION

Recommended Service	3 years, On-site Service
Spare Parts availability	5 years
Service Weblink	http://ts.fujitsu.com/Supportservice

FUJITSU PLATFORM SOLUTIONS

In addition to Fujitsu ESPRIMO Mobile X9525, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure-as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

MORE INFORMATION

Learn more about Fujitsu ESPRIMO Mobile X9525, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
<http://ts.fujitsu.com/mobile>

FUJITSU GREEN POLICY INNOVATION

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at <http://www.fujitsu.com/global/about/environment/>



COPYRIGHTS

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions

DISCLAIMER

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner