

Data Sheet

FUJITSU Thin Client FUTRO L420

Remote Access to Performance

The FUJITSU FUTRO L420 meets a multitude of user and business needs. It is designed to handle standard office tasks and demanding, high-graphics applications over PCoIP. Dual-monitoring enables you to increase your productivity. As a smart zero client, the FUJITSU FUTRO L420 provides high security, easy management and zero noise, whilst being user-friendly and integrating easily into an existing VMware® network.

Virtual desktop infrastructure

Unrivalled user experience

- Desktop virtualization via PCoIP

Genuine workstation performance

Keep your data safe at the data center and safe space at your office at the same time

- Remote access to your workstation

Relaxed working

Quiet system for a pleasant working environment

- Passive cooling concept

Optimal security

Restricts the use of non-licensed software and the risk of virus infections

- Read-only file system, which can be switched off any time on short notice



Technical details Components

Mainboard

| | |
|-------------------------------|---|
| System-on-a-Chip | Teradici™ TERA2321 |
| Supported capacity RAM (max.) | 512 MB |
| Memory notes | DDR3 DRAM. 512 MB available free memory |
| LAN | 10/100/1,000 MBit/s |
| Audio features | Output: full 16-bit stereo sound, High Definition Audio serial link, single audio codec |

Interfaces

| | |
|-----------------------------|--|
| Audio: out (rear) | 1 |
| Audio: line-out / headphone | 1 |
| Audio: line-in / microphone | 1 |
| USB 2.0 total | 4 |
| USB front | 2 |
| USB rear | 2 |
| DVI | 2 (1x DVI-I and 1x DVI-D; integrated VGA can be used with DVI-VGA adapter) |
| Ethernet (RJ-45) | 1 |

Graphics

| | |
|----------------------|---|
| Imaging performance | 50 Mpps (VDI), 150 Mpps (WS) |
| TFT resolution (DVI) | 1,920 x 1,200 pixel (dual monitoring) 2,560 x 1,600 pixel (single monitoring); 2,560 x 1,600 requires Dual link DVI adapter (optional) |

Electrical values

| | |
|--|---|
| Power supply input | AC input 100 - 240 V (EU power cable included in shipment, other versions optionally available) |
| Rated frequency range | 50 Hz - 60 Hz |
| Maximum Power (internal test programm) | 19.95 W |
| Idle state power (EN 62623:2013) | 19.50 W |
| Off mode power (EN 50564:2011) | 0.27 W |
| Power supply output | 12 V, 3 A |
| Power consumption | |

Dimensions / Weight / Environmental

| | |
|-------------------------------|-------------------|
| Dimensions (W x D x H) | 45 x 130 x 150 mm |
| Operating position | Vertical |
| Weight | 0.6 kg |
| Operating ambient temperature | 10 - 35 °C |

Compliance

| | |
|-----------------------|--|
| Product | FUTRO L420 |
| Germany | GS |
| Europe | CE |
| USA/Canada | CSA FCC Class B UL |
| Global | RoHS (Restriction of hazardous substances) |
| Japan | VCCI |
| Russia | EAC |
| China | CCC |
| Australia/New Zealand | RCM |

Compliance

Compliance link <https://sp.ts.fujitsu.com/sites/certificates>

Miscellaneous

Remote Access Card CELSIUS RemoteAccess DC (optional)

Supported virtual infrastructure VMware® (PCoIP)

Warranty

Warranty period 2 years (depending on country)

Warranty type Bring-In Service (for countries within region EMEIA, for all other countries depending on local regulations)

Warranty Terms & Conditions <http://support.ts.fujitsu.com/warranty>

Product Related Services - the perfect extension

Recommended Service 9x5, Onsite Response Time: Next Business Day

Spare Parts availability 5 years after end of product life
5 years

Service Weblink <http://www.fujitsu.com/fts/services/support>

Recommended Accessories

Universal Monitor Stand



Save desk space without compromising performance or productivity with the Universal Monitor Stand that brings together a FUJITSU Desktop ESPRIMO Q mini PC or FUJITSU Thin Client FUTRO and a VESA compatible FUJITSU Display. For optimum ergonomics the height and tilt angle of the display can be adjusted, helping you to stay productive and comfortable, whilst hassle-free installation of the devices on the stand makes the life of your IT department easier.

Order Code:
S26361-F2601-L700

Mouse M520 black



The FUJITSU Accessory Mouse M520 black is an essential input device for PCs that works on nearly every surface and follows your hand movements smoothly and precisely. It features two buttons and a scroll wheel which also can be used as third button.

Order Code:
S26381-K467-L100

More information

Fujitsu products, solutions & services

In addition to FUJITSU Thin Client FUTRO L420, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Thin Client FUTRO L420, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
www.fujitsu.com/fts/FUTRO

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html>
Copyright 2019 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

Fujitsu Technology Solutions GmbH
Website: www.fujitsu.com/fts
2019-01-18 EM-EN

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html>
Copyright 2019 Fujitsu Technology Solutions GmbH