

Data Sheet

FUJITSU Thin Client FUTRO L420

Remote Access to Performance

The FUJITSU FUTRO L420 meets a multitude of user and business needs. It is designed to handle standard office tasks and demanding, high-graphics applications over PCoIP. Dual-monitoring enables you to increase your productivity. As a smart zero client, the FUJITSU FUTRO L420 provides high security, easy management and zero noise, whilst being user-friendly and integrating easily into an existing VMware® network.

Virtual desktop infrastructure

Unrivalled user experience

- Desktop virtualization via PCoIP

Genuine workstation performance

Keep your data safe at the data center and safe space at your office at the same time

- Remote access to your workstation

Relaxed working

Quiet system for a pleasant working environment

- Passive cooling concept

Optimal security

Restricts the use of non-licensed software and the risk of virus infections

- Read-only file system, which can be switched off any time on short notice



Technical details Components

Mainboard

System-on-a-Chip	Teradici™ TERA2321
Supported capacity RAM (max.)	512 MB
Memory notes	DDR3 DRAM. 512 MB available free memory
LAN	10/100/1,000 MBit/s
Audio features	Output: full 16-bit stereo sound, High Definition Audio serial link, single audio codec

Interfaces

Audio: out (rear)	1
Audio: line-out / headphone	1
Audio: line-in / microphone	1
USB 2.0 total	4
USB front	2
USB rear	2
DVI	2 (1x DVI-I and 1x DVI-D; integrated VGA can be used with DVI-VGA adapter)
Ethernet (RJ-45)	1

Graphics

Imaging performance	50 Mpps (VDI), 150 Mpps (WS)
TFT resolution (DVI)	1,920 x 1,200 pixel (dual monitoring) 2,560 x 1,600 pixel (single monitoring); 2,560 x 1,600 requires Dual link DVI adapter (optional)

Electrical values

Power supply input	AC input 100 - 240 V (EU power cable included in shipment, other versions optionally available)
Rated frequency range	50 Hz - 60 Hz
Maximum Power (internal test programm)	19.95 W
Idle state power (EN 62623:2013)	19.50 W
Off mode power (EN 50564:2011)	0.27 W
Power supply output	12 V, 3 A
Power consumption	

Dimensions / Weight / Environmental

Dimensions (W x D x H)	45 x 130 x 150 mm
Operating position	Vertical
Weight	0.6 kg
Operating ambient temperature	10 - 35 °C

Compliance

Product	FUTRO L420
Germany	GS
Europe	CE
USA/Canada	CSA FCC Class B UL
Global	RoHS (Restriction of hazardous substances)
Japan	VCCI
Russia	EAS
China	CCC
Australia/New Zealand	RCM

Compliance

Compliance link	https://sp.ts.fujitsu.com/sites/certificates
-----------------	---------------------------------------------------------------------------------------------------------

Miscellaneous

Remote Access Card	CELSIUS RemoteAccess DC (optional)
--------------------	------------------------------------

Supported virtual infrastructure	VMware® (PCoIP)
----------------------------------	-----------------

Warranty

Warranty period	2 years (depending on country)
-----------------	--------------------------------

Warranty type	Bring-In Service (for countries within region EMEA, for all other countries depending on local regulations)
---------------	-------------------------------------------------------------------------------------------------------------

Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
-----------------------------	---------------------------------------------------------------------------------------------

Product Related Services - the perfect extension

Recommended Service	X - 9x5, Onsite Response Time: Next Business Day
---------------------	--------------------------------------------------

Spare Parts availability	5 years after end of product life
--------------------------	-----------------------------------

Service Weblink	http://www.fujitsu.com/fts/services/support
-----------------	-------------------------------------------------------------------------------------------------------

Recommended Accessories

Universal Monitor Stand

Save desk space without compromising performance or productivity with the Universal Monitor Stand that brings together a FUJITSU Desktop ESPRIMO Q mini PC or FUJITSU Thin Client FUTRO and a VESA compatible FUJITSU Display. For optimum ergonomics the height and tilt angle of the display can be adjusted, helping you to stay productive and comfortable, whilst hassle-free installation of the devices on the stand makes the life of your IT department easier.

Order Code:
S26361-F2601-L700

Keyboard KBPC PX ECO

Fujitsu's KBPC PX ECO keyboard is the perfect contribution to Green IT. The keyboard is made out of 45% renewable raw material and comes with a free USB cable. In addition, the KBPC PX ECO offers first class comfort and ergonomics. It attracts attention with its impressive modern design and useful extras.

S26381-K341-L1** (**:
country specific variation)

More information

Fujitsu products, solutions & services

In addition to FUJITSU Thin Client FUTRO L420, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Thin Client FUTRO L420, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
www.fujitsu.com/fts/FUTRO

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html>
Copyright 2018 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

Fujitsu Technology Solutions GmbH
Website: www.fujitsu.com/fts
2018-03-05 EM-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html>
Copyright 2018 Fujitsu Technology Solutions GmbH