

# Data Sheet

## FUJITSU Thin Client FUTRO L420

### Remote Access to Performance

---

The FUJITSU FUTRO L420 meets a multitude of user and business needs. It is designed to handle standard office tasks and demanding, high-graphics applications over PCoIP. Dual-monitoring enables you to increase your productivity. As a smart zero client, the FUJITSU FUTRO L420 provides high security, easy management and zero noise, whilst being user-friendly and integrating easily into an existing VMware® network.

#### Virtual desktop infrastructure

Unrivalled user experience

- Desktop virtualization via PCoIP

#### Genuine workstation performance

Keep your data safe at the data center and safe space at your office at the same time

- Remote access to your workstation

#### Relaxed working

Quiet system for a pleasant working environment

- Passive cooling concept

#### Optimal security

Restricts the use of non-licensed software and the risk of virus infections

- Read-only file system, which can be switched off any time on short notice



# Technical details Components

## Mainboard

System-on-a-Chip	Teradici™ TERA2321
Supported capacity RAM (max.)	512 MB
Memory notes	DDR3 DRAM. 512 MB available free memory
LAN	10/100/1,000 MBit/s
Audio features	Output: full 16-bit stereo sound, High Definition Audio serial link, single audio codec

## Interfaces

Audio: out (rear)	1
Audio: line-out / headphone	1
Audio: line-in / microphone	1
USB 2.0 total	4
USB front	2
USB rear	2
DVI	2 (1x DVI-I and 1x DVI-D; integrated VGA can be used with DVI-VGA adapter)
Ethernet (RJ-45)	1

## Graphics

Imaging performance	50 Mpps (VDI), 150 Mpps (WS)
TFT resolution (DVI)	1,920 x 1,200 pixel (dual monitoring) 2,560 x 1,600 pixel (single monitoring); 2,560 x 1,600 requires Dual link DVI adapter (optional)

## Electrical values

Power supply input	AC input 100 - 240 V (EU power cable included in shipment, other versions optionally available)
Rated frequency range	50 Hz - 60 Hz
Maximum Power (internal test programm)	19.95 W
Idle state power (EN 62623:2013)	19.50 W
Off mode power (EN 50564:2011)	0.27 W
Power supply output	12 V, 3 A
Power consumption	

## Dimensions / Weight / Environmental

Dimensions (W x D x H)	45 x 130 x 150 mm
Operating position	Vertical
Weight	0.6 kg
Operating ambient temperature	10 - 35 °C

## Compliance

Product	FUTRO L420
Germany	GS
Europe	CE
USA/Canada	CSA FCC Class B UL
Global	RoHS (Restriction of hazardous substances)
Japan	VCCI
Russia	EAC
China	CCC
Australia/New Zealand	RCM

**Compliance**

Compliance link	<a href="https://sp.ts.fujitsu.com/sites/certificates">https://sp.ts.fujitsu.com/sites/certificates</a>
-----------------	---

**Miscellaneous**

Remote Access Card	CELSIUS RemoteAccess DC (optional)
--------------------	------------------------------------

Supported virtual infrastructure	VMware® (PCoIP)
----------------------------------	-----------------

**Warranty**

Warranty period	2 years (depending on country)
-----------------	--------------------------------

Warranty type	Bring-In Service (for countries within region EMEA, for all other countries depending on local regulations)
---------------	---

Warranty Terms & Conditions	<a href="http://www.fujitsu.com/warranty">http://www.fujitsu.com/warranty</a>
-----------------------------	---

**Product Support Services - the perfect extension**

Recommended Service	9x5, Onsite Response Time: Next Business Day
---------------------	--

Spare Parts availability	5 years after end of product life
--------------------------	-----------------------------------

	5 years
--	---------

Service Weblink	<a href="http://www.fujitsu.com/emeia/products/product-support-services/">http://www.fujitsu.com/emeia/products/product-support-services/</a>
-----------------	---

## Recommended Accessories

**Universal Monitor Stand**

Save desk space without compromising performance or productivity with the Universal Monitor Stand that brings together a FUJITSU Desktop ESPRIMO Q mini PC or FUJITSU Thin Client FUTRO and a VESA compatible FUJITSU Display. For optimum ergonomics the height and tilt angle of the display can be adjusted, helping you to stay productive and comfortable, whilst hassle-free installation of the devices on the stand makes the life of your IT department easier.

Order Code:  
S26361-F2601-L700

# More information

## Fujitsu products, solutions & services

In addition to FUJITSU Thin Client FUTRO L420, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

### Computing Products

[www.fujitsu.com/global/products/computing/](http://www.fujitsu.com/global/products/computing/)

### Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

## More information

Learn more about FUJITSU Thin Client FUTRO L420, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.  
[www.fujitsu.com/emeia/FUTRO](http://www.fujitsu.com/emeia/FUTRO)

## Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



## Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html>  
Copyright 2020 Fujitsu Technology Solutions GmbH

## Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

## Contact

Fujitsu Technology Solutions GmbH  
Website: [www.fujitsu.com](http://www.fujitsu.com)  
2020-05-25 EM-EN

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html>  
Copyright 2020 Fujitsu Technology Solutions GmbH