

Fujitsu recommends Windows 10 Pro.

# Data Sheet

## FUJITSU Notebook LIFEBOOK U727

### Ultra-Mobile Meets Ultra Secure

The FUJITSU Notebook LIFEBOOK U727, based on the 7th generation Intel® Core™ processor is a slim, light and stylish ultra-mobile notebook for business professionals who are always on the move. With its 31.8 cm (12.5-inch) and light weight of only 1.11 kg (2.44 lbs.) it provides excellent mobility. Ergonomic viewing is guaranteed with the anti-glare HD, FHD or optional FHD touch display options and the embedded palm vein or finger print sensor provide outstanding security. Smart design combines legacy interfaces like full-size VGA and easy upgradeability with a thin and durable housing. The common port replicator of the LIFEBOOK U family facilitates workplace sharing within today's modern workstyle.

#### Premium connectivity

Stay flexible and productive within a modern workplace environment

- Full set of interfaces with, full-size LAN connector, full-size VGA port and USB Type-C
- Embedded 4G/LTE, WLAN and Bluetooth

#### Excellent security for your business

Enhance your security with outstanding features to best protect your notebook and company data from unauthorized access

- Embedded palm vein or finger print sensor, Trusted Platform Module 2.0, integrated SmartCard reader

#### Elegant design and mobility

Manage your workday with premium notebooks providing ultimate convenience to maximize your productivity

- A remarkably slim 19 mm ultra-mobile notebook starting from 1.11 kg, HD or FHD display, anti-glare, FHD touch panel option, aluminum/magnesium housing and optional backlit keyboard

#### Family concept

Reduce your acquisition cost as well as the complexity of your IT equipment

- Shared components such as the same classic or USB Type-C port replicator, AC Adapter, keyboard layout, BIOS and bit image across the ultra-mobile LIFEBOOK U family

#### Convenient upgradeability

Direct access to key components reduces upgrade time and costs

- Battery, memory and internal storage can be changed easily



# Components

| Base unit                             | LIFEBOOK U727 non vPro  | LIFEBOOK U727 vPro   | LIFEBOOK U727 6th Gen   |
|---------------------------------------|---|--|---|
| <b>Operating systems</b>              |   |  |   |
| <b>Operating system pre-installed</b> | Windows 10 Pro. Fujitsu recommends Windows 10 Pro.<br>Windows 10 Home   | Windows 10 Pro. Fujitsu recommends Windows 10 Pro.<br>Windows 10 Home  | Windows 10 Pro. Fujitsu recommends Windows 10 Pro.<br>Windows 10 Home   |
| <b>Operating system compatible</b>    |   |  | Windows 7 Professional (available through downgrade rights from Windows 10 Pro)   |
| <b>Operating system notes</b>         | MS OS support information: Systems with 7th generation Intel processor receive support from Microsoft with Windows 10 Home / Windows 10 Pro only. For more information, please see MS Support Lifecycle.  | MS OS support information: Systems with 7th generation Intel processor receive support from Microsoft with Windows 10 Home / Windows 10 Pro only. For more information, please see MS Support Lifecycle. | Windows 10 Support: After the end of the product life FUJITSU will continue to test and support all upcoming Windows 10 releases for a period of maximum 5 years – depending on the available extension of hardware services through FUJITSU Warranty top ups. For details please see "FUJITSU Service Statement for Windows 10 Semi-Annual-Channel Support" at <a href="http://support.ts.fujitsu.com">http://support.ts.fujitsu.com</a> . |
|                                       | LIFEBOOK U727 non vPro  | LIFEBOOK U727 vPro   | LIFEBOOK U727 6th Gen   |
| <b>Processor</b>                      |   |  | Intel® Core™ i5-6200U processor (2.3 GHz, up to 2.8 GHz, 3 MB) *<br>Intel® Core™ i5-6300U processor (2.4 GHz, up to 3.0 GHz, 3 MB)  |
|                                       | *Processor only for retail, SMB, education and government   |  |   |
| <b>Memory modules</b>                 | 4 GB (1 module(s) 4 GB) DDR4, 2,133 MHz, SO DIMM<br>8 GB (1 module(s) 8 GB) DDR4, 2,133 MHz, SO DIMM<br>16 GB (1 module(s) 16 GB) DDR4, 2,133 MHz, SO DIMM  |  |   |
| <b>Hard disk drive</b>                | PCIe-SSD, 256 GB M.2, no PW support<br>PCIe-SSD, 512 GB M.2, no PW support<br>SSD SATA III, 1024 GB M.2 module, OPAL capable<br>SSD SATA III, 128 GB M.2 module<br>SSD SATA III, 256 GB M.2 module<br>SSD SATA III, 256 GB M.2 module, SED<br>SSD SATA III, 512 GB M.2 module, SED  |  |   |
| <b>Hard disk notes</b>                | One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.<br>Accessible capacity may vary, also depending on used software.<br>Up to 20 GB of HDD space is reserved for system recovery<br>Internal storage interface: S-ATA III or PCIe   |  |   |
|                                       | LIFEBOOK U727 non vPro  | LIFEBOOK U727 vPro   | LIFEBOOK U727 6th Gen   |
| <b>WLAN</b>                           |   |  | Intel® Dual Band Wireless-AC8260 11ac with integrated Bluetooth 4.2   |
| <b>3G/4G</b>                          |   |  | LTE Sierra Wireless EM7455 (Cat. 6) (Downlink speed up to 300 Mbit/s, Uplink speed up to 50 Mbit/s)   |
| <b>Display</b>                        | 31.8 cm (12.5-inch),LED backlight,(HD),Anti-glare display,magnesium,1,366 x 768 pixel,500:1,220 cd/m <sup>2</sup><br>31.8 cm (12.5-inch),LED backlight,(Full HD),Anti-glare IPS touchscreen,magnesium,1,920 x 1,080 pixel,700:1,260 cd/m <sup>2</sup><br>31.8 cm (12.5-inch),LED backlight,(Full HD),Anti-glare IPS display,magnesium,1,920 x 1,080 pixel,700:1,260 cd/m <sup>2</sup> |  |   |

**Multimedia**

|              |  |
|--------------|--|
| Camera       | Optional: Built-in webcam, HD (Microsoft® Lync™) |
| Camera notes | 720p, 1 megapixels, 1280 x 720                   |
| Microphone   | dual digital array microphone                    |

## Base unit

| Base unit | LIFEBOOK U727 non vPro | LIFEBOOK U727 vPro | LIFEBOOK U727 6th Gen |
|-----------|------------------------|--------------------|-----------------------|
|-----------|------------------------|--------------------|-----------------------|

**General system information**

|                               |  |  |  |
|-------------------------------|--|--|--|
| Chipset                       | Integrated   | Integrated   | Integrated   |
| Chipset notes                 | ---  | Supports iAMT 11.6<br>Intel® vPro™ requires Core i5-73xx & i7-76xx CPU, Intel WLAN 8265ac, TPM module  | Supports iAMT 11.0<br>Intel® vPro™ requires Core i5-63xx & i7-66xx CPU, Intel WLAN 8260ac, TPM module  |
| Supported capacity RAM (max.) | 32 GB  | 32 GB  | 32 GB  |
| Memory slots                  | 2 DIMM (DDR4)  | 2 DIMM (DDR4)  | 2 DIMM (DDR4)  |
| Memory notes                  | DDR4 - 2133 MHz  | DDR4 - 2133 MHz  | DDR4 - 2133 MHz  |
| LAN                           | 10/100/1,000 MBit/s Intel® I219V   | 10/100/1,000 MBit/s Intel® I219LM  | 10/100/1,000 MBit/s Intel® I219LM  |
| BIOS version                  | UEFI Specification 2.5   | UEFI Specification 2.5   | UEFI Specification 2.4   |
| BIOS features                 | InsydeH20 Bios   | InsydeH20 Bios   | InsydeH20 Bios   |
| Audio type                    | On board   | On board   | On board   |
| Audio codec                   | Realtek ALC255   | Realtek ALC255   | Realtek ALC255   |
| Audio features                | Stereo speakers  | Stereo speakers  | Stereo speakers  |
| MIL-STD tested                | Yes, selected MIL-STD-810G tests passed.<br>MIL-STD-810G test results are not a guarantee of future performance under identified test conditions.<br>Accidental damage is not covered under standard international limited warranty. | Yes, selected MIL-STD-810G tests passed.<br>MIL-STD-810G test results are not a guarantee of future performance under identified test conditions.<br>Accidental damage is not covered under standard international limited warranty. | Yes, selected MIL-STD-810G tests passed.<br>MIL-STD-810G test results are not a guarantee of future performance under identified test conditions.<br>Accidental damage is not covered under standard international limited warranty. |

**Display**

|               |  |  |  |
|---------------|--|--|--|
| Display notes | ISO 9241-307 - Pixel class II<br>HD - Viewing angle: Left/Right 45°, Top 20°, Bottom 40°; Color Gammut: 45%<br>FHD - Viewing angle: Left/Right 80°, Top 80°, Bottom 80°; Color Gammut: 50% | ISO 9241-307 - Pixel class II<br>HD - Viewing angle: Left/Right 45°, Top 20°, Bottom 40°; Color Gammut: 45%<br>FHD - Viewing angle: Left/Right 80°, Top 80°, Bottom 80°; Color Gammut: 50% | ISO 9241-307 - Pixel class II<br>HD - Viewing angle: Left/Right 45°, Top 20°, Bottom 40°; Color Gammut: 45%<br>FHD - Viewing angle: Left/Right 80°, Top 80°, Bottom 80°; Color Gammut: 50% |
|---------------|--|--|--|

**Graphics**

|   |  |  |  |
|---|--|--|--|
| Base unit                               | LIFEBOOK U727 non vPro   | LIFEBOOK U727 vPro   | LIFEBOOK U727 6th Gen  |
| TFT resolution (DisplayPort)            | up to 4,096 × 2,160  | up to 4,096 × 2,160  | up to 4,096 × 2,160  |
| TFT resolution (VGA)                    | up to 1,920 × 1,200  | up to 1,920 × 1,200  | up to 1,920 × 1,200  |
| TFT resolution (DVI on Port Replicator) | up to 1,920 × 1,200  | up to 1,920 × 1,200  | up to 1,920 × 1,200  |
| Graphics brand name                     | Intel® HD Graphics 620   | Intel® HD Graphics 620   | Intel® HD Graphics 520   |
| Graphics features                       | 3 Display Support  | 3 Display Support  | 3 Display Support  |
| Graphics notes                          | Shared memory depending on main memory size and operating system | Shared memory depending on main memory size and operating system | Shared memory depending on main memory size and operating system |

**Interfaces**

|                             |                                   |                                   |
|-----------------------------|-----------------------------------|-----------------------------------|
| DC-in                       | 1                                 | 1                                 |
| Audio: line-out / headphone | 1 (combo port with Audio line-in) | 1 (combo port with Audio line-in) |

**Interfaces**

|                                     |  |   |
|-------------------------------------|--|---|
| <b>Audio: line-in / microphone</b>  | 1 (combo port with Audio line-out)   | 1 (combo port with Audio line-out)  |
| <b>Internal microphones</b>         | 2x digital array microphones (optional)  | 2x digital array microphones (optional)   |
| <b>USB 3.1 Gen1 (USB 3.0) total</b> | 2x Type-A (1 with Anytime USB charge functionality)<br>1x Type-C (with Power Delivery functionality)   | 2x Type-A (1 with Anytime USB charge functionality)<br>1x Type-C (with Power Delivery functionality)  |
| <b>VGA</b>                          | 1  | 1   |
| <b>DisplayPort</b>                  | 1  | 1   |
| <b>Ethernet (RJ-45)</b>             | 1 (with status LED)  | 1 (with status LED)   |
| <b>Memory card slots</b>            | 1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 128GB) -<br>SD/microSD card : 2GB<br>- SDHC/microSDHC card : 32GB<br>- SDXC card : 512GB<br>- microSDXC card : 200GB (or 128GB)<br>Speed Class: up to UHS-I | 1 - SD/microSD card : 2GB<br>- SDHC/microSDHC card : 32GB<br>- SDXC card : 512GB<br>- microSDXC card : 200GB (or 128GB)<br>Speed Class: up to UHS-I |
| <b>SmartCard slot</b>               | 1 (optional)   | 1 (optional)  |
| <b>SIM card slot</b>                | 1 (only for models with integrated 4G/LTE module)  | 1 (only for models with integrated 4G/LTE module)   |

**Port Replicator interfaces (optional)**

|                                     |   |  |
|-------------------------------------|---|--|
|                                     | Model: NPR46  |  |
| <b>DC-in</b>                        | 1 (19V)   |  |
| <b>Power on switch</b>              | 1   |  |
| <b>Audio: headphone</b>             | 1   |  |
| <b>Audio: microphone</b>            | 1   |  |
| <b>USB 3.1 Gen1 (USB 3.0) total</b> | 4x Type-A<br>2x Type-C  |  |
| <b>DisplayPort</b>                  | 2   |  |
| <b>VGA</b>                          | 1   |  |
| <b>DVI</b>                          | 1   |  |
| <b>Ethernet (RJ-45)</b>             | 1 (10/100/1000)   |  |
| <b>Kensington Lock support</b>      | 1 (Portrep only, Portrep option with key lock to secure Portrep & System) |  |

**Keyboard and pointing devices**

|  |  |
|--|--|
|  | Keyboard w/o touchstick (spill-resistant)#Keyboard w/ touchstick#Backlight keyboard w/o touchstick (spill-resistant)<br>Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 1.7 mm<br>Multi gesture touchpad with two mouse buttons<br>Status LED<br>Power Button |
|--|--|

**Wireless technologies**

|                        |   |
|------------------------|---|
| <b>Antennas</b>        | 2 Dual band WLAN antennas, 2 LTE antennas optional          |
| <b>Bluetooth</b>       | v4.2  |
| <b>WLAN encryption</b> | WEP, WPA, WPA2  |
| <b>WLAN notes</b>      | Import and usage according to country-specific regulations. |
| <b>GPS</b>             | Embedded in 3G/4G module if configured with WWAN            |

**Power supply**

|                            |  |
|----------------------------|--|
| <b>AC Adapter</b>          | 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter<br>19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) 0-Watt AC Adapter technology<br>19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter |
| <b>Notes</b>               | 65W/80W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator  |
| <b>1st battery options</b> | Li-Ion battery 3-cell, 45 Wh   |
| <b>Battery features</b>    | Quick Charge: 80% in 1 h   |
| <b>Runtime 1st battery</b> | up to 10 h   |

**Power supply**

|                      |  |  |  |
|----------------------|--|--|--|
| <b>Battery notes</b> | Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to <a href="http://www.bapco.com">www.bapco.com</a> for additional details.<br>The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime. |  |  |
|----------------------|--|--|--|

**Noise emission**

|                       |                                     |                                     |                                     |
|-----------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| <b>Noise emission</b> | Please refer to the Eco Declaration | Please refer to the Eco Declaration | Please refer to the Eco Declaration |
|-----------------------|-------------------------------------|-------------------------------------|-------------------------------------|

**Dimensions / Weight / Environmental**

|                                      |   |   |  |
|--------------------------------------|---|---|--|
| <b>Dimensions (W x D x H)</b>        | 302 x 209 x 19.0 (non-touch and touch) mm         | 302 x 209 x 19.0 (non-touch and touch) mm |  |
|                                      | 11.89 x 8.23 x 0.75 (non-touch and touch) inch    |   |  |
| <b>Weight</b>                        | From 1.11 kg (non touch), 1.21kg (touch)          |   |  |
| <b>Weight (lbs)</b>                  | From 2.44 lbs (non touch), 2.67 (touch) lbs       |   |  |
| <b>Weight notes</b>                  | Weight may vary depending on actual configuration |   |  |
| <b>Operating ambient temperature</b> | 5 - 35 °C (41 - 95 °F)                            |   |  |
| <b>Operating relative humidity</b>   | 20 - 80 %   |   |  |

**Compliance with standards**

|                        |   |  |  |
|------------------------|---|--|--|
| <b>Germany</b>         | GS planned (Full HD Display only)   |  |  |
| <b>Europe</b>          | CE<br>CB  |  |  |
| <b>USA/Canada</b>      | FCC (depending on configuration)  |  |  |
| <b>Global</b>          | RoHS (Restriction of hazardous substances)<br>WEEE (Waste electrical and electronic equipment)<br>Microsoft Operating Systems (HCT / HCL entry / WHQL)<br>ENERGY STAR® 6.1<br>EPEAT® Gold (dedicated regions) (planned) |  |  |
| <b>China</b>           | CCC (depending on configuration)  |  |  |
| <b>Compliance link</b> | <a href="https://sp.ts.fujitsu.com/sites/certificates">https://sp.ts.fujitsu.com/sites/certificates</a>   |  |  |

**Additional Software**

|   |   |  |
|---|---|--|
| <b>Additional software (preinstalled)</b> | McAfee Multi Access Security (anti-virus and internet security software; 60 days trial version)<br>Waves MaxxAudio (audio enhancer)<br>Fujitsu Plugfree Network (network management utility)<br>Fujitsu Anytime USB Charge Utility<br>Fujitsu Battery Utility<br>Fujitsu Function Manager<br>Fujitsu DeskUpdate (driver and utility tool) | McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial pre-installed)<br>Waves MaxxAudio (audio enhancer)<br>Fujitsu Plugfree Network (network management utility)<br>Fujitsu Anytime USB Charge Utility<br>Fujitsu Battery Utility<br>Fujitsu Function Manager<br>Fujitsu DeskUpdate (driver and utility tool) |
| <b>Additional software (optional)</b>     | Microsoft Office (buy license to activate the pre-installed Microsoft Office)<br>CyberLink YouCam (webcam software)<br>Drivers & Utilities DVD (DUDVD)<br>Recovery DVD for Windows®   |  |

**Manageability**

|                                 |  |   |  |
|---------------------------------|--|---|--|
| <b>Manageability technology</b> | DeskUpdate Driver management<br>PXE 2.1 Boot code<br>Wake up from S5 (off mode)<br>WoL (Wake on LAN) | DeskUpdate Driver management<br>PXE 2.1 Boot code<br>Wake up from S5 (off mode)<br>WoL (Wake on LAN)<br>Intel® vPro™ technology<br>iAMT 11.6 (depending on processor) | DeskUpdate Driver management<br>PXE 2.1 Boot code<br>Wake up from S5 (off mode)<br>WoL (Wake on LAN)<br>iAMT 11.0 (depending on processor) |
| <b>Manageability software</b>   | DeskView Client<br>DeskView Instant BIOS Management  |   |  |

**Manageability**

|                            |  |
|----------------------------|--|
| <b>DeskView components</b> | Inventory Management<br>BIOS Management<br>Driver Management<br>Security Management<br>Alarm Management  |
| <b>Supported standards</b> | WMI (Windows Management Instrumentation)<br>PXE (Preboot Execution Environment)<br>DMI (Desktop Management Interface)<br>SMBIOS (System Management BIOS)<br>CIM (Common Information Model)<br>BootP (made4you) |
| <b>Manageability link</b>  | <a href="http://www.fujitsu.com/fts/manageability">http://www.fujitsu.com/fts/manageability</a>  |

**Security**

|                                 |   |   |   |
|---------------------------------|---|---|---|
| <b>System and BIOS Security</b> | Optional: Trusted Platform Module (TPM 2.0)<br>EraseDisk (optional)<br>Credential Guard Ready and Device Guard Capable (Windows 10, v. 1511)  | Optional: Trusted Platform Module (TPM 2.0)<br>EraseDisk (optional)<br>Credential Guard Ready and Device Guard Capable (Windows 10, v. 1511)  | Optional: Trusted Platform Module (TPM 2.0)<br>EraseDisk (optional)<br>Credential Guard Ready and Device Guard Capable (Windows 10, v. 1511)  |
| <b>User Security</b>            | Integrated palm vein sensor (optional)<br>Embedded fingerprint sensor (optional)<br>Access protection via internal SmartCard reader (optional)<br>Hard disk password<br>User and supervisor BIOS password<br>Workplace Protect (secure authentication solution) | Integrated palm vein sensor (optional)<br>Embedded fingerprint sensor (optional)<br>Access protection via internal SmartCard reader (optional)<br>Hard disk password<br>User and supervisor BIOS password<br>Workplace Protect (secure authentication solution) | Integrated palm vein sensor (optional)<br>Embedded fingerprint sensor (optional)<br>Access protection via internal SmartCard reader (optional)<br>Hard disk password<br>User and supervisor BIOS password<br>Workplace Protect (secure authentication solution) |

**Warranty**

|   |   |
|---|---|
| <b>Warranty period</b>                                  | 2 years (for countries within EMEA)   |
| <b>Warranty type</b>                                    | Bring-in Service / Collect & Return Service (depending on country)                          |
| <b>Warranty Terms &amp; Conditions</b>                  | <a href="http://support.ts.fujitsu.com/warranty">http://support.ts.fujitsu.com/warranty</a> |
| <b>Product Support Services - the perfect extension</b> |   |
| <b>Recommended Service</b>                              | 9x5, Onsite Response Time: Next Business Day  |
| <b>Spare Parts availability</b>                         | 5 years after end of product life   |
| <b>Service Weblink</b>                                  | <a href="http://ts.fujitsu.com/Supportservice">http://ts.fujitsu.com/Supportservice</a>     |

## Recommended Accessories

**Port Replicator for LIFEBOOK U7 and E5x8 family with key lock**



Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options.

Order Code:  
S26391-F1607-L209

**Port Replicator for LIFEBOOK U7 and E5x8 family with key lock**



Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options.

Order Code:  
S26391-F1607-L219

**USB Type-C Port Replicator**

The FUJITSU USB Type-C Port replicator is the perfect solution for connecting FUJITSU mobile clients with a single USB Type-C plug. It allows you to charge and transfer data at the same time via only one cable in order to support your first steps towards a clean desk environment. High speed data transfer through USB 3.1 and Gigabit LAN make it possible to be more flexible and work faster.

Order Code:  
S26391-F1667-L100

**Battery 4cell 50Wh**

The 4 cell 50 Wh battery requires a voltage of 14.4 V and has a capacity of 3490 mAh. The weight of the battery is 300 gms and the recharge time of the cell is 60 minutes for a 80% charge and 150 minutes for a complete 100% charge.

Order Code:  
S26391-F1606-L100

**Wireless Mouse WI200**

The Wireless Mouse WI200 uses the latest wireless 2.4 GHz technology, and a high-resolution 1000 dpi optical sensor to give you the precision and reliability you need. Sporting a compact design with a stylish black finish, the WI200 wireless mouse is well suited to all environments and to each user whether right or left handed.

Order Code:  
S26381-K462-L100

**Wireless Notebook Mouse WI410**

The Wireless Notebook Mouse WI410 is the perfect mouse for road warriors who don't want to bother with cables. It is compact enough to easily slip into a notebook bag or briefcase without getting in the way. It features two buttons and a scroll wheel which can also be used as a third button.

Order Code:  
S26381-K464-L100

**Ultra Slim Portable DVD Writer GP60NB60**

For independent working and entertainment on your business or private trips, Fujitsu offers the small external DVD drive designed to travel with you. Upgrade your notebook or PC with this external drive and use it wherever you are.

Order Code:  
S26341-F103-L142

**UC&C USB Value Headset**

The FUJITSU UC&C USB Value Headset is a lightweight bi-aural full-size stereo headset with high wearing comfort. This Lync-tested USB-Headset has an appropriate Inline-Controller which supports easy call management. A noise cancelling microphone facilitates undisturbing clear phone calls.

Order Code:  
S26391-F7139-L20

**MicroSaver Slim 2.0**

The new Fujitsu Kensington MicroSaver 2.0 slim features the patented T-Bar locking mechanism with carbon tempered steel core cable and an external braided steel sheath. The MicroSaver slim 2.0 is available with Kensington Master Access. This security solution allows you to manage and maintain a limitless number of locks with a master key.

Order Code:  
S26361-F1650-L202

**Fujitsu privacy filters**

Fujitsu privacy filters

Order Code:  
S26391-F6097-L363

**Privacy Filters**

To use privacy filters is a must in times of increased safety requirements. Fujitsu's Privacy Filters block unauthorized views on your screen while you are sitting in an external meeting or working in a train. The front view remains clear for the user's eyes only. The filters are easy to attach and what's more: They also protect your screen from small scratches and damages.

Order Code:  
S26391-F6098-L212

**Privacy Filters**

To use privacy filters is a must in times of increased safety requirements. Fujitsu's Privacy Filters block unauthorized views on your screen while you are sitting in an external meeting or working in a train. The front view remains clear for the user's eyes only. The filters are easy to attach and what's more: They also protect your screen from small scratches and damages.

Order Code:  
S26391-F6098-L312

**Messenger Bag 14**

The Messenger Bag protects notebooks with up to 14-inch screens. The back half of the bag has one compartment for your notebook, tablet or documents. The zipped compartments will keep your tablet, notebook and personal belongings safe at all times. A zipped front compartment allows quick access to your keys and mobile phone. An integral, extra-long, adjustable and anti-slip shoulder strap provides ergonomic shoulder support. Stand out from the crowd with this two-tone gray polyester bag, which is extremely robust and easy to clean when on the move. The design also includes a black leather flap that also protects your personal belongings with two concealed magnets.

Order Code:  
S26391-F1194-L171

**Sneaker Sleeve 12.5**

The Sneaker Sleeve 12.5 protects notebooks or tablets with up to 12.5-inch screens. The front half of the bag has dedicated compartments for your notebook, power cord, office supplies and personal items. The back half of the bag has an expanding, divided compartment for your files. It is designed to combine fashion and functionality.

Order Code:  
S26391-F1194-L201

**Display P24-9 TE**

The FUJITSU Display P24-9 TE is a widescreen, ultra-thin bezel display with 1920 x 1080 FHD resolution that combines future workplace concepts with advanced ergonomics ideal for intensive office work. The monitor has USB Type C interface for a tidy shared workplace and DaisyChain support to connect up to 2 displays easily.

Order Code:  
S26361-K1646-V140

**Wireless Keyboard Set LX901**

The Wireless Keyboard LX901 is a top of the line desktop solution for lifestyle orientated customers, who want only the best for their desk. This superb keyboard set offers ambitious users more functions and better features than a conventional interface device. It even includes 2.4 GHz technology and 128 AES encryption.

S26381-K565-L4\*\* (\*\*:  
Country specific variation)



## More information

### Fujitsu products, solutions & services

In addition to FUJITSU Notebook LIFEBOOK U727, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

#### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

#### Computing Products

[www.fujitsu.com/global/products/computing/](http://www.fujitsu.com/global/products/computing/)

#### Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

### More information

Learn more about FUJITSU Notebook LIFEBOOK U727, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.  
[www.fujitsu.com/fts/mobile](http://www.fujitsu.com/fts/mobile)

### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



### Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html>  
Copyright 2019 Fujitsu Technology Solutions GmbH

### Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

#### CONTACT

Fujitsu Technology Solutions GmbH  
Website: [www.fujitsu.com/fts](http://www.fujitsu.com/fts)  
2019-03-25 EM-EN

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html>  
Copyright 2019 Fujitsu Technology Solutions GmbH