

Fujitsu recommends Windows 11 Pro.

# Data Sheet

## Fujitsu Notebook LIFEBOOK U7512

### Ultra-Mobile Meets Ultra Secure

The Fujitsu LIFEBOOK U7512 is a modern slim & light notebook for business professionals. Based on the 12th generation Intel® Core™ processor, the 15.6-inch screen, light weight of 1.37 kg and an all-day battery runtime enable it to provide best portability. The outstanding security like PalmSecure™ makes the notebook to the perfect choice in today's modern workstyle.

#### Elegant design and enjoyable mobility

Manage your workday with premium notebooks providing ultimate convenience to maximize your productivity

- The remarkably slim 19.1 mm ultra-mobile notebook weighs only 1.37 kg.
- Enjoy the Intel® Iris® Xe Graphics with a FHD display.
- The outdoor-friendly anti-glare FHD touch panel comes with a narrow bezel design and complete magnesium warm silver housing.

#### Excellent security

Enhance your security with outstanding features to best protect your notebook and company data

- Integrated PalmSecure™ or fingerprint sensor
- Infrared Camera: Allows face recognition with Windows Hello
- Built-in Privacy Camera Shutter: Protecting your privacy
- SmartCard reader

#### Premium connectivity

Stay flexible and productive within a modern workplace environment

- Compact and versatile Intel® Thunderbolt™ 4 USB Type-C connector to charge your laptop, transfer files at fast speeds, connect external monitors and other peripherals
- Full set of interfaces with full-size LAN connector and HDMI
- Embedded 4G or 5G/LTE

#### Convenient upgradeability

Direct access to key components reduces upgrade time and costs

- Battery, memory and internal storage can be changed easily

#### Family concept

Reduce your acquisition cost as well as the complexity of your IT equipment

- Family port replicator for the whole LIFEBOOK E5 and U7 Series ensures ultimate flexibility and shared workplace concepts
- Shared components such as the USB Type-C port replicator, USB Type-C AC Adapter, BIOS and Bit Image across the ultra-mobile LIFEBOOK U7 family



# Components

|   |   |
|---|---|
| Base unit   | LIFEBOOK U7512  |
| <b>Operating systems</b>                            |   |
| Operating system pre-installed                      | Windows 11 Pro. Fujitsu recommends Windows 11 Pro for business.<br>Windows 11 Home<br>Windows 10 Pro. Fujitsu recommends Windows 11 Pro for business.   |
| Microsoft OS support information                    | Windows 11 requires for first device setup:<br>- Internet connectivity<br>- Microsoft account for Home editions or organizational account (e.g. ADD) for Pro editions<br>After product end of life, Fujitsu continues to test and support new Windows releases for max. 5 years, depending on extension of hardware services through warranty top ups.<br>For more details please visit our Fujitsu Service Statement under <a href="https://support.ts.fujitsu.com/IndexProdSupport.asp?lng=com&amp;OpenTab=">https://support.ts.fujitsu.com/IndexProdSupport.asp?lng=com&amp;OpenTab=</a> |
| <b>Processor</b>                                    |   |
|   | Intel® Core™ i7-1270P processor (12C, up to 4.8 GHz) **   |
|   | Intel® Core™ i7-1255U processor (10C, up to 4.7 GHz) *, ***   |
|   | Intel® Core™ i5-1250P processor (12C, up to 4.4 GHz) **   |
|   | Intel® Core™ i5-1245U processor (10C, up to 4.4 GHz) **   |
|   | Intel® Core™ i5-1240P processor (12C, up to 4.4 GHz) *, ***   |
|   | Intel® Core™ i5-1235U processor (10C, up to 4.4 GHz) *, ***   |
|   | Intel® Core™ i3-1215U processor (up to 4.4 GHz) *   |
|   | * Processor only for retail, SMB, education and government<br>** Processor supports Intel® vPro® Enterprise<br>***Processor supports Intel® vPro® Essential   |
| <b>Memory modules</b>                               |   |
|   | 4 GB (1 module(s) 4 GB) DDR4, 3,200 MT/s, SO DIMM   |
|   | 8 GB (1 module(s) 8 GB) DDR4, 3,200 MT/s, SO DIMM   |
|   | 16 GB (1 module(s) 16 GB) DDR4, 3,200 MT/s, SO DIMM   |
|   | 32 GB (1 module(s) 32 GB) DDR4, 3,200 MT/s, SO DIMM   |
| <b>Hard disk drives (internal)</b>                  |   |
|   | PCIe-SSD, 512 GB M.2 NVMe module, SED   |
|   | PCIe-SSD, 256 GB M.2 NVMe module, SED   |
|   | PCIe-SSD, 2 TB M.2 NVMe module, SED   |
|   | PCIe-SSD, 1 TB M.2 NVMe module, SED   |
| Hard disk notes                                     | Accessible capacity may vary, also depending on used software.  |
| <b>Interface add on cards/components (optional)</b> |   |
| 4G/5G (optional)                                    | Fibocom FM350-GL (5G Sub-6/cat.19) (Downlink speed 5G - 3740 MB/s, 4G - 1600 MB/s, Uplink speed 5G - 835 MB/s, 4G - 211 MB/s)<br>Quectel EM120R-GL (4G Cat.12) (Downlink speed 600 MB/s, Uplink speed 150 MB/s)   |
| <b>Display</b>                                      |   |
|   | 39.6 cm (15.6-inch), IPS, FHD, 1,920 x 1,080 pixel, Anti-glare multi-touch, 250 cd/m <sup>2</sup> (Touch), 700:1 (typ) (Touch)  |
|   | 39.6 cm (15.6-inch), IPS, FHD, 1,920 x 1,080 pixel, Anti-glare HDR, 500 cd/m <sup>2</sup> (FHD), 800:1 (typ) (FHD)  |
|   | 39.6 cm (15.6-inch), IPS, FHD, 1,920 x 1,080 pixel, Anti-glare display, 300 cd/m <sup>2</sup> (FHD), 1000:1 (typ) (FHD)   |
| <b>Multimedia</b>                                   |   |
| Camera  | Built-in webcam (HD) with Status LED<br>Built-in Infrared webcam (HD) with Status LED   |
| Camera notes  | 720p, 1 megapixels, 1280 x 720, with Privacy Camera Shutter   |
| Microphone  | dual digital array microphone   |

## Base unit

|                                   |  |
|-----------------------------------|--|
| Base unit                         | LIFEBOOK U7512   |
| <b>General system information</b> |  |
| Chipset                           | Integrated   |
| Supported capacity RAM (min.)     | 4 GB   |
| Supported capacity RAM (max.)     | 64 GB  |
| Memory slots                      | 2 SO DIMM (DDR4, 3200 MHz)   |
| Memory notes                      | Dual channel support   |
| LAN                               | 10/100/1,000 MBit/s Intel® I219LM  |
| Integrated WLAN                   | Intel WiFi 6E AX211 - WLAN, BT, SRD cat. 2   |
| BIOS version                      | UEFI Specification 2.8   |
| BIOS features                     | InsydeH2O BIOS   |
| Audio type                        | On board   |
| Audio codec                       | Realtek ALC257   |
| Audio features                    | 2x built-in speakers (2 W each), Stereo audio  |
| MIL-STD tested                    | Yes, selected MIL-STD-810H tests passed.<br>MIL-STD-810H test results are not a guarantee of future performance under identified test conditions.<br>Accidental damage is not covered under standard international limited warranty. |
| Color                             | Warm Silver  |
| Material                          | Magnesium  |

**Graphics**

|                     |   |
|---------------------|---|
| Base unit           | LIFEBOOK U7512  |
| Graphics brand name | Intel® UHD Graphics (with Single channel memory), Intel® Iris® Xe Graphics (with Dual channel memory) |
| Graphics notes      | Shared memory depending on main memory size and operating system                                      |

**Interfaces**

|                                       |  |
|---------------------------------------|--|
| Audio: line-in / line-out             | 1  |
| Internal microphones                  | 2x digital array microphones (optional)  |
| USB 3.2 Gen1 (5 Gbps) total           | 3x Type-A (1 with Anytime USB charge functionality)  |
| Thunderbolt™ 4 total                  | 2x Type-C with USB4 (40 Gbps, Power Delivery (15W), DP 1.4 out)  |
| HDMI                                  | 1 - Supports 4k@60Hz as specified in HDMI 2.0b   |
| Ethernet (RJ-45)                      | 1 (with status LED)  |
| Memory card slots                     | 1 microSD 3.0 Standard<br>microSD card<br>microSDHC card<br>microSDXC card<br>Speed Class: up to UHS-I |
| SmartCard slot                        | 1 (optional)   |
| SIM card slot                         | 1 (Nano-SIM, only for models with configuration WWAN ready or with 4G/5G LTE modules)                  |
| eSIM card                             | eSIM integrated in 4G/5G LTE Module  |
| Docking connector for Port Replicator | 1 - PR Model: NPR50  |
| Kensington Lock support               | 1 - Recommendation: Kensington's Micro Security Saver  |

**Port Replicator interfaces (optional)**

|                             | USB Type-C PR                                | Thunderbolt™ 4 PR            | Thunderbolt™ 4 PR            | Mechanical PR<br>Model: NPR50 |
|-----------------------------|--|------------------------------|------------------------------|-------------------------------|
| DC-in                       | 1 (19V/90W required)                         | 1 (20V/170W required)        | 1 (20V/170W required)        | 1 (19V/90W required)          |
| Power on switch             | 1  | 1                            | 1                            | 1                             |
| Audio: line-in / line-out   | 1  | 1                            | 1                            | 1                             |
| Audio: comments             | Combo jack for headset usage                 | Combo jack for headset usage | Combo jack for headset usage | Combo-Port                    |
| USB 3.2 Gen1 (5 Gbps) total | 3x Type-A - 5V/0.9A, 4.5W<br>1x Type-C - 15W | ---                          | ---                          | 4x Type-A<br>2x Type-C        |

**Port Replicator interfaces (optional)**

|                              |   |  |  |   |
|------------------------------|---|--|--|---|
| USB 3.2 Gen2 (10 Gbps) total | ---   | 2x Type-A - 5 V/0.9 A, 4.5 W<br>1x Type-A - 5 V/2.4 A, 12 W<br>2x Type-C - 5 V/1.5 A, 4.5 W<br>charging port   | 2x Type-A - 5 V/0.9 A, 4.5 W<br>1x Type-A - 5 V/2.4 A, 12 W<br>2x Type-C - 5 V/1.5 A, 4.5 W<br>charging port   | ---   |
| USB 4.0 Gen3 (20 Gbps) total | ---   | 1x Type-C - TBT4 up to 60 W (PD v2.0-1.1), 5-20 V/3.0 A upstream (PC), Intel AMT support (vPRO) to client<br>1x Type-C - TBT4 up to 15 W (PD v2.0-1.1), 5 V/3.0 A downstream, power output to peripheral | 1x Type-C - TBT4 up to 60 W (PD v2.0-1.1), 5-20 V/3.0 A upstream (PC), Intel AMT support (vPRO) to client<br>1x Type-C - TBT4 up to 15 W (PD v2.0-1.1), 5 V/3.0 A downstream, power output to peripheral | ---   |
| DisplayPort                  | 1x v1.2   | 2x v1.4++  | 2x v1.4++  | 2 (up to 2x 3840x2160 60Hz)                   |
| VGA                          | 1   | ---  | ---  | 1 (up to 1920x1200 6Hz)                       |
| HDMI text                    | 1 -Supports 4k@60Hz as specified in HDMI 2.0b   | 1 - supports 4k@60Hz as specified in HDMI 2.0b   | 1 - Supports 4k@60Hz as specified in HDMI 2.0b   | 1 -Supports 4k@60Hz as specified in HDMI 2.0b |
| Interface Notes              | 1x USB Type-C to Client - Up to 60 W (PD v2.0-1.1) power output to client or 4.5W input   | 1x USB Type-C to Client - Thunderbolt™ 4 up to 60 W (PD v2.0-1.1), 5-20V/3.0A upstream (PC), Intel AMT support (vPRO)  | 1x USB Type-C to Client - Thunderbolt™ 4 up to 60 W (PD v2.0-1.1), 5-20V/3.0A upstream (PC), Intel AMT support (vPRO)  | ---   |
| Kensington Lock support      | no  | 1  | 1  | 1 (lock Portrep only)                         |
| Ethernet (RJ-45)             | 1 (10/100/1000)   | 1 (10/100/1000 Mbit/s, 2,5 Gbps)   | 1 (10/100/1000 Mbit/s, 2,5 Gbps)   | 1 (10/100/1000)                               |
| Notes                        | Number of simultaneous used displays and its possible resolutions and frequencies depend on mobile system and display interface type.<br>Please consult always also the manual of the connected client. |  |  |   |

**Keyboard and pointing devices**

Spill-resistant keyboard with number block, Available with standard keyboard or backlit keyboard  
Number of keyboard keys: 106, Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm  
Multi gesture touchpad with two mouse buttons

**Wireless technologies**

|                    |   |
|--------------------|---|
| Antennas           | 2 Dual band WLAN antennas, 2+2 4G/5G antennas optional  |
| Bluetooth          | v5.3 hardware ready but may run at lower version due to OS limitation   |
| Integrated WLAN    | Intel WiFi 6E AX211 - WLAN, BT, SRD cat. 2  |
| WLAN encryption    | WPA/WPA2/WPA3 (Wi-Fi Protected Access)  |
| WLAN notes         | WiFi 6E is supported by Windows 11 OS only - Windows 10 OS supports WiFi 6 only.<br>Import and usage according to country-specific regulations. |
| LTE/UMTS/GPS notes | Optional  |
| Integrated WWAN    | (5G) LTE Fibocom FM350-GL (Sub-6/cat.19) - eSIM integrated - UMTS,LTE,5G<br>(4G) LTE Quectel EM120R-GL (Cat.12) - eSIM integrated - UMTS,LTE    |
| NFC                | No  |
| GPS                | Embedded in 4G/5G module if configured with WWAN  |

**Power supply**

|                     |  |
|---------------------|--|
| AC Adapter          | 20 V / 65 W (3.25 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Type-C AC-Adapter slim&light  |
| AC Adapter          | 20 V / 65 W (3.25 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Type-C AC-Adapter standard  |
| 1st battery         | Lithium polymer battery 4-cell, 65 Wh, 4,280 mAh   |
| Battery features    | Quick Charge: 80% in 1h  |
| Runtime 1st battery | 10h 40min (up to)  |
| Battery notes       | Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2018. Refer to <a href="http://www.bapco.com">www.bapco.com</a> for additional details.<br>The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime. |

**Noise emission**

|                |                                     |
|----------------|-------------------------------------|
| Noise emission | Please refer to the Eco Declaration |
|----------------|-------------------------------------|

**Dimensions / Weight / Environmental**

|                               |   |
|-------------------------------|---|
| Dimensions (W x D x H)        | 357 x 230 x 19.1 mm<br>14.06 x 9.06 x 0.75 inch   |
| Weight                        | 1.37 kg (starting from)                           |
| Weight (lbs)                  | starting from 3.02 lbs                            |
| Weight notes                  | Weight may vary depending on actual configuration |
| Operating ambient temperature | 5 - 35 °C (41 - 95 °F)                            |
| Operating relative humidity   | 20 - 80 %   |

**Compliance**

|                 |   |
|-----------------|---|
| Product         | LIFEBOOK U7512  |
| Model           | 7U15A3  |
| Germany         | GS (planned)  |
| Europe          | CE<br>CB  |
| USA/Canada      | FCC (depending on configuration)  |
| Global          | TCO Certified 9.0<br>ENERGY STAR® 8.0<br>EPEAT® Gold (dedicated regions)                                |
| China           | CCC (depending on configuration)  |
| Compliance link | <a href="https://sp.ts.fujitsu.com/sites/certificates">https://sp.ts.fujitsu.com/sites/certificates</a> |

**Additional Software**

|                                    |   |
|------------------------------------|---|
| Additional software (preinstalled) | Microsoft Office (1 month trial for new Microsoft® Office 365 customers. Buy Microsoft Office.)<br>McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial pre-installed)<br>Fujitsu Plugfree Network (network management utility)<br>Fujitsu Anytime USB Charge Utility<br>Fujitsu Function Manager<br>Fujitsu Battery Utility<br>Fujitsu DeskUpdate (driver and utility tool) |
|------------------------------------|---|

|                                |   |
|--------------------------------|---|
| Additional software (optional) | Drivers & Utilities DVD (DUDVD)<br>Recovery DVD for Windows®<br>Nero Essentials XL<br>Microsoft® Office Professional 2021<br>Microsoft® Office Home and Business 2021<br>(Need to buy license to activate the pre-installed Microsoft Office. Purchase and activation only in the region in which it was acquired.) |
|--------------------------------|---|

**Manageability****Security**

|                          |  |
|--------------------------|--|
| Physical Security        | Kensington Lock support  |
| System and BIOS Security | User and supervisor BIOS password<br>EraseDisk   |
| User Security            | Embedded fingerprint sensor (optional)<br>Embedded PalmSecure® sensor (optional)<br>Smartcard reader (optional)<br>TPM 2.0<br>Hard disk password |

**Warranty**

|                             |   |
|-----------------------------|---|
| Warranty period             | 2 years (for countries within EMEA)   |
| Warranty type               | Bring-in Service / Collect & Return Service (depending on country)            |
| Warranty Terms & Conditions | <a href="http://www.fujitsu.com/warranty">http://www.fujitsu.com/warranty</a> |






**Warranty**

|                   |  |
|-------------------|--|
| Digital bug fixes | Subject to availability and following their generic release for the product, bug fixes and function-preserving patches for product-related software (firmware) can be downloaded from the technical support at: <a href="https://support.ts.fujitsu.com/">https://support.ts.fujitsu.com/</a> free of charge by entering the respective product serial number. For application software supplied together with the product, please directly refer to the support websites of the respective software manufacturer. |
|-------------------|--|

**Product Support - the perfect extension**

|                          |   |
|--------------------------|---|
| Recommended Service      | 9x5, Onsite Response Time: Next Business Day  |
| Spare Parts availability | at least 5 years after shipment, for details see <a href="https://support.ts.fujitsu.com/">https://support.ts.fujitsu.com/</a>                |
| Service Weblink          | <a href="http://www.fujitsu.com/emeia/products/product-support-services/">http://www.fujitsu.com/emeia/products/product-support-services/</a> |

## Recommended Accessories

|                      |   |   |                                  |
|----------------------|---|---|----------------------------------|
| USB-C Travel Hub     |    | Connect to your peripherals. Adapt to the task on demand. The Fujitsu Accessory USB-C Travel Hub supports you to get your peripheral devices connected easily. Multiply your USB ports to connect your peripherals as well as your external display via DisplayPort or HDMI or VGA. You can also charge your external USB devices without the need of any additional charger. Take the USB-C Travel Hub with you wherever you go - you don't want to miss it in future. | Order Code:<br>S26391-F6007-L153 |
| Car Adapter USB-C-QC |  | One Car Adapter fits all. Independent of your mobile device charging method this car adapter will fulfill all major requirements and standards for fast charging vendorbrand-independent notebooks and all mobile devices. The Car Adapter USB-C-QC supports USB PD with PPS, Quick Charge (QC), Apple- and Samsung charge.   | Order Code:<br>S26391-F2613-L630 |
| CANVAS ANDERSON 15   |  | The PLEVIER CANVAS ANDERSON 15 leather and canvas case is a compact and classic carrier for on the go. Available for notebooks up to 15 inches with two compartments and two accessory sections, protection for your device ensured. A subtle design canvas and nappa leather shade.  | Order Code:<br>S26391-F1193-L68  |
| Prestige Trolley 17  |  | The Fujitsu Prestige Trolley 17 protects and transports notebooks with up to 17 inch screens, along with clothes and toiletries. It is the perfect companion in a city environment or for overnight stays with four spacious compartments. Smooth running wheels and a telescopic handle ensure convenience, while the central section protects your notebook with shock-absorbing foam.  | Order Code:<br>S26391-F1194-L130 |
| Prestige Backpack 16 |  | The Fujitsu Prestige Backpack 16 protects notebooks with up to 16-inch displays. It contains one large main compartments, two elastic mesh side pocket and three front bays with zipper. The padded back compartment provides protection for your notebook, while the other sections store power adaptors and office supplies. Padded shoulder straps and back cushions provide comfort on the move.  | Order Code:<br>S26391-F1194-L137 |

---

Wireless Mouse WI860 BTC



The Wireless Mouse WI860 BTC can be paired with up to 3 different clients, 2x Bluetooth and 1x wireless USB Type-C dongle. With the blue optical sensor, it works on nearly all surfaces with an 3-step adjustable DPI selector (800/1600/2400). The mouse charges wirelessly through Qi or by USB Type-C cable. A utility button on the side is programmable. The default functions are optimized for Teams calls.

Order Code:  
S26381-K474-L100

# More information

## Fujitsu products, solutions & services

In addition to Fujitsu Notebook LIFEBOOK U7512, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

### Computing Products

[www.fujitsu.com/global/products/computing/](http://www.fujitsu.com/global/products/computing/)

### Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

## More information

Learn more about Fujitsu Notebook LIFEBOOK U7512, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.  
[www.fujitsu.com/emeia/products/computing/pc/notebooks/index.html](http://www.fujitsu.com/emeia/products/computing/pc/notebooks/index.html)

## Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.

Please find further information at <http://www.fujitsu.com/global/about/environment>



## Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <https://www.fujitsu.com/global/about/resources/terms/>  
Copyright 2024 Fujitsu Technology Solutions GmbH

## Disclaimer

Please note that the data sheet reflects the technical specification with the maximum selection of components for the named system and not the detailed scope of delivery. The scope of delivery is defined by the selection of components at the time of ordering.

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

The overall product has been designed and manufactured for general office use, regular personal use and ordinary industrial use.

## Contact

Fujitsu Technology Solutions GmbH  
Website: [www.fujitsu.com](http://www.fujitsu.com)  
2024-04-06 EM-EN

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <https://www.fujitsu.com/global/about/resources/terms/>  
Copyright 2024 Fujitsu Technology Solutions GmbH