

# Data Sheet

## FUJITSU PRAID CP400i - 8 port 12Gb/s SAS, 6Gb/s SATA

PRAID CP400i - 8 port 12Gb/s SAS, 6Gb/s SATA MegaRAID based on LSI SAS 3008

The RAID concept (Redundant Array of Independent Disks) refers to several independent hard disks which form a large logical drive when switched together.

Redundancy information is calculated from several data blocks (except for RAID 0) and saved distributed to the individual hard disks. Your operating system no longer accesses the individual hard disks, but the array.

The actual objective of the RAID concept is to increase availability and prevent downtimes in the event of a hard disk failure. However, the theoretical security of the RAID concept is only as good as the RAID controller used. Benefit from the Fujitsu RAID controllers where technology, experience and practical implementation all ensure the security that your company needs in the event of an emergency.

increased read/write performance thanks to its RAID 0, 1, 10, 5, 50 implementation. The RAID5 performance of CP400i is suitable for entry requirements. Higher performance is provided by PRAID EP400i and EP420i with 1GB and 2GB Write Back cache.

Benefit from the close alignment of the RAID hardware system and the ServerView® RAID Manager software which offers fast initialization for quick array setup.

Enjoy the world of easy configuration – and the time and cost efficiency that you have been searching for.



### PRAID CP400i - 8 port 12Gb/s SAS, 6Gb/s SATA

The Fujitsu PRAID CP400i SAS/SATA controller card based on the LSI SAS3008 allows latest RAID technology at affordable prices with low power consumption. The PRAID CP400i MegaRAID entry controller card offer users a straight-forward solution that includes essential RAID levels and uncomplicated configuration options.

The PRAID CP400i enables to connect to combinations of SATA and SAS hard disk drives and SSD solid state drives, allowing for storage configurations that optimize cost, performance and robust data protection. The CP400i enables

Main Features	Benefits
<ul style="list-style-type: none"> <li>■ 12Gb/s SAS ports</li> <li>■ PCIe 3.0 x8 (backward compatible to PCIe 2.0)</li> <li>■ LSISAS3008 12Gb/s</li> <li>■ User RAID Management</li> </ul>	<ul style="list-style-type: none"> <li>■ Connect up to 8 SAS / SATA devices (SSD, HDD)</li> <li>■ Extends the PCIe data rates up to 8.0 GT/s per lane</li> <li>■ RAID levels 0, 1, 10, 5, 50 for more data security</li> <li>■ Fully supported by PRIMERGY ServerView RAID Manager</li> </ul>

# Technical details

## Technical details

<b>Controller Silicon</b>	LSI SAS3008			
<b>Controller type</b>	RAID Ctrl.			
<b>Operating system pre-installed</b>	Information to released operating systems can be found in the server datasheets. Details can be found in the released drivers list on the support portal.			
<b>Released drivers list link</b>	<a href="http://support.ts.fujitsu.com/Download/Index.asp">http://support.ts.fujitsu.com/Download/Index.asp</a>			
<b>Number of ports</b>	8 ports int.			
<b>Connector internal</b>	2x SFF8643 (Mini-SAS HD)			
<b>Data transfer rate up to</b>	12 Gbit/s			
<b>Bus interface</b>	PCIe 3.0 x8			
<b>RAID Management</b>	Fully supported by PRIMERGY ServerView RAID Manager (AURA) for RAID management			
<b>Key RAID Data Protection Feature</b>	RAID levels 0, 1, 10, 5, 50 RAID Level Migration (RLM) Auto resume after loss of system power during array rebuild or reconstruction Fixed stripe size of 64kB Fast initialization for quick array setup Check Consistency for background data integrity - Make Data Consistent (MDC) Patrol read for media scanning and repairing 16 logical drive support Configuration on Disk (COD) S.M.A.R.T support			
<b>RAID level</b>	0, 1, 1E, 10, 5, 50			
<b>RAID cache backup unit</b>	No FBU support			
<b>Interface technology</b>	SAS/SATA			
<b>Order code</b>	<b>Product Name</b>	<b>Height of bracket</b>	<b>Number of Connectors</b>	<b>Related product</b>
S26361-F3842-E1	PRAID CP400i	Matching to system	2	PRIMERGY Server

## Compliance

<b>Compliance notes</b>	According to the corresponding system
<b>Compliance link</b>	<a href="https://sp.ts.fujitsu.com/sites/certificates">https://sp.ts.fujitsu.com/sites/certificates</a>

# More information

## Fujitsu products, solutions & services

In addition to Fujitsu with PRAID CP400i - 8 port 12Gb/s SAS, 6Gb/s SATA, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

### Computing Products

[www.fujitsu.com/global/products/computing/](http://www.fujitsu.com/global/products/computing/)

### Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

## More information

Learn more about FUJITSU Server PRAID CP400i - 8 port 12Gb/s SAS, 6Gb/s SATA, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. [www.fujitsu.com/primergy](http://www.fujitsu.com/primergy)

## Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



## Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html>  
Copyright 2020 FUJITSU LIMITED

## Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

## Contact

Fujitsu Limited  
Website: [www.fujitsu.com/primergy](http://www.fujitsu.com/primergy)  
2020-09-02 WW-EN

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html>  
Copyright 2020 FUJITSU LIMITED