

Data Sheet

Fujitsu STYLISTIC Q7310

Tablet Mobility Meets Notebook Productivity

The FUJITSU Tablet STYLISTIC Q7310 is a highly durable and secure 2-in-1 detachable that meets the demands of today's mobile professionals. Its 33.8 cm (13.3-inch) FHD anti-glare display comes with pen and touch support. The latest 10th generation Intel® Core™ i7 processor technology ensure excellent performance, even when you're on the go.

Combined tablet mobility and notebook productivity in one device
Allows you to be productive even in unconventional working environments

- Highly durable 2-in-1 detachable with reinforced corners
- Robust housing which is MIL-STD-810H tested
- Port caps that protect the interfaces from water spills (IP42 compliant)
- Optional backlit keyboard dock with LAN and charging port
- Optional TPU cover for more robustness
- Always connected and instantly ready thanks to the new Modern Standby technology

Ultimate Security Options

Secure your device from unauthorized access

- IR Camera supporting Windows Hello (secureBIO)
- Fingerprint sensor
- Smartcard reader
- Kensington lock support

Convenience at work

Enjoy the viewing angle of a large screen even when you are mobile

- 33.8 cm (13.3-inch) Full HD anti-glare touch display
- Supporting pen with 4K pressure levels
- Pen garage with inductive charging function

Long battery life

All-day battery life lets you be productive even when you are on the move

- Up to 10 hours of battery backup

Lean and agile

More freedom to work from anywhere at anytime

- Weight starting at 796 grams, the device offers you ultimate portability



Components

Base unit	STYLISTIC Q7310
Operating systems	
Operating system pre-installed	Windows 10 Pro. Fujitsu recommends Windows 10 Pro for business. Windows 10 Home
Operating system compatible	Windows 10
Operating system notes	Windows 10 Support: After the end of the product life Fujitsu will continue to test and support all upcoming Windows 10 releases for a period of maximum 5 years – depending on the available extension of hardware services through Fujitsu Warranty top ups. For details please see “Fujitsu Service Statement for Windows 10 Semi-Annual-Channel Support” at http://support.ts.fujitsu.com .
	Intel® Core™ i7-10610U processor (4 Cores / 8 Threads, 1.9 GHz, up to 4.8 GHz) Intel® Core™ i5-10310U processor (4 Cores / 8 Threads, 1.6 GHz, up to 4.1 GHz) Intel® Core™ i5-10210U processor (4 Cores / 8 Threads, 1.6 GHz, up to 4.1 GHz) * Processor only for retail, SMB, education and government
Memory	8 GB onboard Memory LPDDR3 16 GB onboard Memory LPDDR3 No DIMM
WLAN	Intel WiFi 6 AX201 & BT5
Bluetooth	V5.1
SSD PCIe, 1024 GB, M.2 module	
SSD PCIe, 512 GB, M.2 module	
SSD PCIe, 256 GB, M.2 module	
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery
Interface add on cards/components (optional)	
	LTE Sierra Wireless EM7455 (Cat. 6) (Downlink speed up to 300 Mbit/s, Uplink speed up to 50 Mbit/s)
4G/ LTE (optional)	LTE Sierra Wireless EM7421 (Cat. 7) (Downlink speed up to 300 Mbit/s, Uplink speed up to 150 Mbit/s)
	33.8 cm (13.3-inch), IPS, FHD, 1,920 x 1,080 pixel, Anti-glare display, 400 cd/m ² , 1500:1
Multimedia	
Camera	Front: HD Cam (0.9MP) with LED Front: IR Cam (0.9MP) supporting Windows Hello with LED Rear: 5M with LED

Base unit

Base unit	STYLISTIC Q7310
General system information	
Chipset	Integrated in CPU
Supported capacity RAM (min.)	8 GB
Supported capacity RAM (max.)	16 GB
Memory slots	LPDDR3 (2133 MHz)
Memory notes	8 GB onboard or 16 GB onboard LPDDR3 (2,133 MHz)

General system information

LAN notes	LAN connector via optional keyboard dock, cradle or optional USB adapter cable, virtual MAC address
Integrated WLAN	Intel WiFi 6 AX201 with integrated BT 5.1
BIOS version	UEFI Specification 2.7
BIOS features	InsydeH2O BIOS
Audio type	On board
Audio codec	Realtek ALC255
Audio features	Built-in array microphone, 2x built-in speakers (stereo)
Waterproof / Spillproof	IP42
MIL-STD tested	Yes, selected MIL-STD-810H tests passed. MIL-STD-810H test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.

Display

Diagonal Size	33.8 cm (13.3-inch)
Display Technology	IPS
Display type	Anti-glare touchscreen
Display Resolution type	FHD
Resolution (native)	1,920 x 1,080 pixel
Aspect ratio	16:9
Brightness - typical	400 cd/m ²
Contrast - typical	1500:1
Viewing angle (h/v) - typical	178°/178°
Display notes	Wide-view high-bright LED display (for enhanced outdoor viewing) Integrated ambient light sensor for automatic backlight adjustment to the working environment. Toughened glass
Sensors	Ambient Light Sensor Compass Gyroscope Proximity
Digitizer / Touch Technology	Wacom Digitizer for pen (AES) input plus capacitive 10 finger multi-touch screen
Ambient light sensor	Integrated
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight

Graphics

Base unit	STYLISTIC Q7310
TFT resolution (HDMI)	up to 4,096 x 2,160 @ 60 Hz
TFT resolution (VGA)	1,920 x 1,200 pixel
Graphics brand name	Intel® UHD Graphics
Graphics features	3 Display Support (2 external, 1 internal) HDCP support DirectX® 12 OpenGL® 4.5
Graphics notes	Shared memory depending on main memory size and operating system 3D accelerator

Interfaces

DC-in	1
Audio: line-out / headphone	1 (combo port with Audio line-in)
Audio: line-in / microphone	1 (combo port with Audio line-out)
Internal microphones	2x digital array microphones
USB 2.0 total	1
USB 3.2 Gen1 (5 Gbps) total	1 x Type-A
USB 3.2 Gen2 (10 Gbps) total	1 x Type-C
USB Type-C	1 with power delivery
HDMI	1
Ethernet (RJ-45)	-

Interfaces

Memory card slots	1 (USH-I) SD 3.0 Standard SD/microSD card: 2GB SDHC/microSDHC card: 32GB SDXC/microSDXC card: 2TB
SmartCard slot	optional
SIM card slot	1 (MicroSIM - only for models with integrated 4G/LTE)
Interface Module notes	LAN and VGA available via conversion cable., Ethernet via conversion cable (USB to RJ-45)
Docking connector for Port Replicator	1
Kensington Lock support	1

Cradle (Charging or Functional)

	Cradle
DC-in	1 (19V)
Audio: line-in	1
Audio: line-out	1
USB 3.2 Gen1 (5 Gbps) total	3
DisplayPort	1
VGA	1
Kensington Lock support	1
Ethernet (RJ-45)	1 (10/100/1000)

Wireless technologies

Antennas	2x dual band for WLAN, 2x for LTE, Bluetooth shared with WLAN
Integrated WLAN	Intel WiFi 6 AX201 with integrated BT 5.1
WLAN encryption	WPA/WPA2/WPA3 (Wi-Fi Protected Access)
WLAN notes	Import and usage according to country-specific regulations.
Integrated LTE or UMTS	LTE Sierra wireless EM7421 (Cat7)
LTE/UMTS/GPS notes	Including GPS functionality Import and usage according to country-specific regulations. LTE Connection Manager (if configured with 4G/LTE)
GPS	Embedded in 4G module if configured with WWAN

Power supply

AC adapter	19 V / 65 W (3.42 A) 20 V / 65 W (3.25 A) Type C
Notes	65W AC Adapter for usage with system/ min. 90W AC Adapter for usage with Cradle
Rated voltage range	100 V - 240 V (AC Input)
Rated frequency range	50 Hz - 60 Hz
1st battery	Li-Ion battery 3-cell, 38 Wh, 38 Wh
Battery features	Quick Charge: 80% in 1h
Runtime 1st battery	10 h
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2018. Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.

Dimensions / Weight / Environmental

Dimensions (W x D x H)	315 x 200.9 x 10.5 mm 12.4 x 0.79 x 0.42 inch
Weight	from 0.796 kg slate only, weight of keyboard docking from 0.568 kg
Weight (lbs)	from 1.75 lbs slate only, weight of keyboard docking from 1.25 lbs
Weight notes	Weight may vary depending on actual configuration
Operating ambient temperature	5 - 35 °C (41 - 95 °F); Packed -10 - 60 °C (14 - 140 °F)
Operating relative humidity	Running: 20 - 80% (relative humidity); Packed: 20 - 80% (relative humidity)
Product	STYLISTIC Q7310

Model	7Q13A1
Germany	GS
Europe	CE CB
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) TCO Certified 8.0 (depending on configuration) MIL-STD-810H tested EPEAT® Silver (dedicated regions)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates

Additional Software

Additional software (preinstalled)	Adobe® Reader® (pdf reader) CyberLink YouCam (webcam software) Fujitsu Display Manager Fujitsu DeskUpdate (driver and utility tool) ShockSensor Utility Power Saving Utility Fujitsu Plugfree Network (network management utility) EasyGuide online user documentation Microsoft Office (1 month trial for new Microsoft® Office 365 customers. Buy Microsoft Office.)
Additional software (optional)	Recovery DVD for Windows® Drivers & Utilities DVD (DUDVD) optional CyberLink PowerDVD BD (playback software for Blu-ray Disc™) CyberLink PowerDVD DVD (playback software for DVD) CyberLink YouCam (webcam software) Nero (backup and burning software)

Manageability

Security	
Physical Security	Kensington Lock support
System and BIOS Security	Absolute Persistence® technology capable BIOS EraseDisk Trusted Platform Module (TPM 2.0)
User Security	Embedded fingerprint sensor (optional) Smartcard reader (optional) Hard disk password User and supervisor BIOS password SystemLock BIOS SmartCard security

Warranty

Warranty period	2 years (for countries within EMEA)
Warranty type	Bring-in Service / Collect & Return Service (depending on country)
Product Support - the perfect extension	
Recommended Service	9x5, Onsite Response Time: Next Business Day
Spare Parts availability	at least 5 years after shipment, for details see https://support.ts.fujitsu.com/

Recommended Accessories

USB Type-C Port Replicator 2		Connect to your peripherals. Adapt to the task on demand. The universal USB Type-C interface supports you to get your peripheral devices connected easily. Multiply your USB ports to connect your peripherals as well as your external display via HDMI, DisplayPort or VGA. You also can charge your external USB devices without the need of any additional charger.	Order Code: S26391-F3327-L100
STYLISTIC Q7311, Q7310 and STYLISTIC Q5010 Family Cradle		Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu’s docking options.	Order Code: S26391-F3397-L100
USB Type-C AC Adapter		Recharge your notebook or tablet at work, at home or on the road with this USB Type-C power source easily.	Order Code: S26391-F3326-L502
LAN Conversion Cable (USB to LAN) for STYLISTIC Q		The FUJITSU USB Type-A to LAN Conversion Cable enables you to connect your compatible STYLISTIC Tablet to a wired network connection. GBit-LAN via USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification. (Picture similar to product)	Order Code: S26391-F3398-L840
USB-C Hub 4 Ports		Fujitsu offers the first most powerful USB-C hybrid usage hub, following industrial requirements as well as being ready for office desktop usage. The USB-C Hub 4 Ports from Fujitsu makes connecting all of your USB peripherals a quick and simple process. SuperSpeed USB Type-C makes data transfer to and from external storage faster than ever. The hub dynamically selects the optimal speed for each device, giving you more bandwidth where you need it automatically.	Order Code: S26391-F6099-L404
AES Pen		Take your creativity to the next level, with the most natural pen experience with the AES Pen with replacement stylus tips. With pen nibs that are very thin, you can experience the writing and signing behavior of an ink pen. The pen fits in the device’s integrated pen garage.	Order Code: S26391-F3389-L500
Car Adapter USB-C-QC		One Car Adapter fits all. Independent of your mobile device charging method this car adapter will fulfill all major requirements and standards for fast charging vendorbrand-independent notebooks and all mobile devices. The Car Adapter USB-C-QC supports USB PD with PPS, Quick Charge (QC), Apple- and Samsung charge.	Order Code: S26391-F2613-L630
Bumper Case Kit		The protective bumper case kit is designed to prevent damages to your STYLISTIC Q7. Openings of the cover allow you to access all ports and buttons whilst the hand strap on the back of the case gives you a firm grip while working with your tablet outside the office. The integrated stand solution enhances your productivity.	Order Code: S26391-F3396-L200
Folio Cover STYLISTIC Q7311/ Q7310		The Folio Cover for the STYLISTIC Q7311 and Q7310 is a thin, tailored protective sleeve for your Fujitsu tablet. It keeps the device safe from damage on the go, and brings a touch of style to your daily work. It can even be used as a stand if you need to display a presentation or watch a clip and fits even the device is connected to its keyboard dock. Inclination stand style 120 to 150 degree	Order Code: S26391-F3509-L100
Backlit Keyboard Dock for STYLISTIC Q7311		Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu’s docking options.	S26391-F3399-L2**

More information

In addition to Fujitsu STYLISTIC Q7310, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures
With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products
www.fujitsu.com/global/products/computing/

Software
www.fujitsu.com/software/

More information

Learn more about Fujitsu STYLISTIC Q7310, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
<http://ts.fujitsu.com>

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

Contact

Address: x-xx-x, street, city, state, ZIP code, country
Phone: xx-xxxx-xxxx
Fax : xx-xxxx-xxxx
Email: xxx.xxxxx@xx.fujitsu.com
Website: [www.fujitsu.com/\[country\]](http://www.fujitsu.com/[country])
2023-08-02 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions