

Fujitsu recommends Windows 10 Pro.

# Data Sheet

## FUJITSU Tablet STYLISTIC Q739

### Tablet Mobility Meets Notebook Productivity

The FUJITSU Tablet STYLISTIC Q739 is a highly durable and secure 2-in-1 detachable that meets the demands of today's mobile professionals. Its 33.8 cm (13.3-inch) FHD anti-glare display with pen and touch support, and 8th generation Intel® Core™ i7 processor technology ensure excellent performance, even when you're on the go.

#### Tablet mobility and notebook productivity in one device

Allows you to be productive even in unconventional working environments

- Highly durable 2 in 1 detachable with reinforced corners, powered by the latest 8th generation Intel processor
- Durability is Military Standard MIL-STD-810G compliant
- Additional backlit keyboard dock with LAN and charging port
- Optional TPU cover for more robustness
- Family concept: Uses the same cradle as STYLISTIC Q509 and STYLISTIC V727

#### Convenience at work

Enjoy the viewing angle of a large screen even when you are mobile

- 33.8 cm (13.3-inch) Full HD anti-glare display and pen input, supporting 4K pressure levels
- Pen garage with inductive charging functionality

#### Lean and agile

More freedom to work from anywhere at anytime

- Weight starting at 780 grams, the device offers you ultimate portability

#### Long battery life

All-day battery life lets you be productive even when you are on the move

- Up to 10 hours of battery backup



# Components

<b>Base unit</b>	STYLISTIC Q739
<b>Operating systems</b>	
<b>Operating system pre-installed</b>	Windows 10 Pro
<b>Operating system compatible</b>	Windows 10
<b>Operating system notes</b>	Windows 10 Support: After the end of the product life FUJITSU will continue to test and support all upcoming Windows 10 releases for a period of maximum 5 years – depending on the available extension of hardware services through FUJITSU Warranty top ups. For details please see "FUJITSU Service Statement for Windows 10 Semi-Annual-Channel Support" at <a href="http://support.ts.fujitsu.com">http://support.ts.fujitsu.com</a> .
<b>Processor</b>	
	Intel® Core™ i7-8665U processor (4 Cores / 8 Threads, 1.9 GHz, up to 4.8 GHz)
	Intel® Core™ i5-8365U processor (4 Cores / 8 Threads, 1.6 GHz, up to 4.1 GHz)
	Intel® Core™ i5-8265U processor (4 Cores / 8 Threads, 1.6 GHz, up to 3.9 GHz) *
	*Processor only for retail, SMB, education and government
<b>Hard disk drives (internal)</b>	
	SSD SATA III, 1024 GB, M.2 module, OPAL capable
	SSD SATA III, 512 GB, M.2 module, OPAL capable
	SSD SATA III, 256 GB, M.2 module, OPAL capable
	SSD SATA III, 256 GB, M.2 module
<b>Hard disk notes</b>	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal storage interface: S-ATA III (6Gbit/s)
<b>Interface add on cards/components (optional)</b>	
<b>3G/4G (optional)</b>	LTE Sierra Wireless EM7455 (Cat. 6) (Downlink speed up to 300 Mbit/s, Uplink speed up to 50 Mbit/s)
<b>WLAN (optional)</b>	Intel® Dual Band Wireless-AC9560 11ac with integrated Bluetooth 5.0
<b>Display</b>	33.8 cm (13.3-inch), IPS, (Full HD), Anti-glare display, magnesium, 1,920 x 1,080 pixel, 1000:1, 330 cd/m <sup>2</sup>
<b>Multimedia</b>	
<b>Camera</b>	Front camera 2 megapixel, rear camera 5 megapixel with autofocus and photo LED

# Base unit

<b>Base unit</b>	STYLISTIC Q739
<b>General system information</b>	
<b>Chipset</b>	Integrated in CPU
<b>Supported capacity RAM (max.)</b>	16 GB
<b>Memory slots</b>	LPDDR3 (2133 MHz)
<b>LAN notes</b>	LAN connector via optional keyboard dock, cradle or optional USB adapter cable
<b>Integrated WLAN</b>	Intel Dual Band Wireless-AC9560NV with integrated BT 5.0
<b>BIOS version</b>	UEFI Specification 2.5
<b>BIOS features</b>	InsydeH20 Bios
<b>Audio type</b>	On board
<b>Audio codec</b>	Realtek ALC255
<b>Audio features</b>	Built-in array microphone, 2x built-in speakers (stereo)

**General system information**

<b>MIL-STD tested</b>	Yes, selected MIL-STD-810G tests passed. MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.
-----------------------	--

**Display**

<b>Display</b>	33.8 cm (13.3-inch), IPS, Full HD, Anti-glare touchscreen, 1,920 x 1,080 pixel, 330 cd/m <sup>2</sup>
<b>Display notes</b>	Wide-view high-bright LED display (for enhanced outdoor viewing). With magnesium display lid. Integrated ambient light sensor for automatic backlight adjustment to the working environment.
<b>Sensors</b>	Ambient Light Sensor Compass Gyroscope Proximity
<b>Aspect ratio</b>	16:9
<b>Brightness - typical</b>	330 cd/m <sup>2</sup>
<b>Digitizer / Touch Technology</b>	Wacom Digitizer for pen (AES) input plus capacitive 10 finger multi-touch screen
<b>Ambient light sensor</b>	Integrated
<b>Ambient light sensor notes</b>	While enabled, the ambient light sensor automatically adjusts the display backlight
<b>Viewing angle (h/v) - typical</b>	160°/160°

**Graphics**

<b>Base unit</b>	STYLISTIC Q739
<b>TFT resolution (VGA)</b>	1,920 x 1,200 pixel
<b>Graphics brand name</b>	Intel® HD Graphics 620
<b>Graphics features</b>	HDCP support DirectX® 12 OpenGL® 4.4 3 Display Support (2 external, 1 internal)
<b>Graphics notes</b>	Shared memory depending on main memory size and operating system 3D accelerator

**Interfaces**

<b>DC-in</b>	1
<b>Audio: line-out / headphone</b>	1 (combo port with Audio line-in)
<b>Audio: line-in / microphone</b>	1 (combo port with Audio line-out)
<b>USB 3.1 Gen1 (USB 3.0) total</b>	1
<b>USB 3.1 Gen2 total</b>	1 (USB Type C)
<b>USB Type-C</b>	1 with power delivery
<b>micro HDMI</b>	1
<b>Ethernet (RJ-45)</b>	1
<b>Memory card slots</b>	1 - SD/microSD card : 2GB - SDHC/microSDHC card : 32GB - SDXC card : 512GB - microSDXC card : 200GB (or 128GB) Speed Class: up to UHS-I
<b>SmartCard slot</b>	optional
<b>SIM card slot</b>	1 (MicroSIM - only for models with integrated 4G/LTE)
<b>Interface Module notes</b>	LAN and VGA available via conversion cable., Ethernet via conversion cable (USB to RJ-45)

**Cradle (Charging or Functional)**

<b>DC-in</b>	1 (19V)
<b>Audio: line-in</b>	1
<b>Audio: line-out</b>	1
<b>USB 3.1 Gen1 (USB 3.0) total</b>	3
<b>DisplayPort</b>	1
<b>VGA</b>	1
<b>Kensington Lock support</b>	1

**Cradle (Charging or Functional)**

<b>Interface Module notes</b>	If USB 3.0 or 2.0 is supported, is determined by the technological base of the product.
-------------------------------	---

**Wireless technologies**

<b>Antennas</b>	2x dual band for WLAN, 2x for LTE, Bluetooth shared with WLAN
-----------------	---

<b>Integrated WLAN</b>	Intel Dual Band Wireless-AC9560NV with integrated BT 5.0
------------------------	--

<b>WLAN encryption</b>	WEP, WPA, WPA2
------------------------	----------------

<b>WLAN notes</b>	Import and usage according to country-specific regulations.
-------------------	---

<b>LTE/UMTS/GPS notes</b>	Including GPS functionality Import and usage according to country-specific regulations.
---------------------------	--

<b>GPS</b>	Embedded in 3G/4G module if configured with WWAN
------------	--

**Power supply**

<b>AC adapter</b>	19 V / 65 W (3.42 A)
-------------------	----------------------

<b>1st battery</b>	Lithium Polymer battery 3-cell, 38 Wh, 38 Wh
--------------------	--

<b>Battery features</b>	Quick Charge: 80% in 1 h
-------------------------	--------------------------

<b>Runtime 1st battery</b>	up to 10.50h (Productivity Workload MobileMark® 2014)
----------------------------	---

<b>Battery notes</b>	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to <a href="http://www.bapco.com">www.bapco.com</a> for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.
----------------------	--

**Dimensions / Weight / Environmental**

<b>Dimensions (W x D x H)</b>	315 x 200.9 x 9.7 mm 12.4 x 0.79 x 0.38 inch
-------------------------------	---

<b>Weight</b>	from 0.796 kg slate only, weight of keyboard docking from 0.568 kg
---------------	--

<b>Weight (lbs)</b>	from 1.75 lbs slate only, weight of keyboard docking from 1.25 lbs
---------------------	--

<b>Weight notes</b>	Weight may vary depending on actual configuration
---------------------	---

<b>Operating ambient temperature</b>	5 - 35 °C (41 - 95 °F); Packed -15 - 60 °C (5 - 140 °F)
--------------------------------------	---

<b>Operating relative humidity</b>	Running: 20 - 85%; Packed 8 - 85% (relative humidity, non-condensing)
------------------------------------	---

<b>Product</b>	STYLISTIC Q739
----------------	----------------

<b>Model</b>	PQ13B
--------------	-------

<b>Compliance link</b>	<a href="https://sp.ts.fujitsu.com/sites/certificates">https://sp.ts.fujitsu.com/sites/certificates</a>
------------------------	---

**Additional Software**

<b>Additional software (preinstalled)</b>	Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool) Microsoft Office (1 month trial for new Microsoft® Office 365 customers. Buy Microsoft Office.) McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial pre-installed)
---	---

<b>Additional software (optional)</b>	Microsoft Office (buy license to activate the pre-installed Microsoft Office) CyberLink YouCam (webcam software) Drivers & Utilities DVD (DUDVD) Recovery DVD for Windows®
---------------------------------------	---

**Manageability**

<b>Manageability technology</b>	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) Intel® vPro™ technology WoL (Wake on LAN) iAMT 11.6 (depending on processor)
---------------------------------	---

<b>Manageability software</b>	DeskView Client DeskView Instant BIOS Management
-------------------------------	---

**Manageability**

<b>DeskView components</b>	Inventory Management BIOS Management Driver Management Security Management Alarm Management
<b>Supported standards</b>	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)
<b>Manageability link</b>	<a href="http://www.fujitsu.com/fts/manageability">http://www.fujitsu.com/fts/manageability</a>

**Security**

<b>Physical Security</b>	Kensington Lock support
<b>System and BIOS Security</b>	Absolute Persistence® technology capable BIOS EraseDisk (optional) Trusted Platform Module (TPM 2.0)
<b>User Security</b>	Embedded fingerprint sensor (optional) Smartcard reader (optional) Hard disk password User and supervisor BIOS password SystemLock BIOS SmartCard security Workplace Protect (secure authentication solution)

**Warranty**

<b>Warranty period</b>	2 years (for countries within EMEA)
<b>Warranty type</b>	Bring-in Service / Collect & Return Service (depending on country)
<b>Warranty Terms &amp; Conditions</b>	<a href="http://www.fujitsu.com/warranty">http://www.fujitsu.com/warranty</a>
<b>Product Support Services - the perfect extension</b>	
<b>Recommended Service</b>	9x5, Onsite Response Time: Next Business Day
<b>Spare Parts availability</b>	5 years after end of product life
<b>Service Weblink</b>	<a href="http://www.fujitsu.com/emeia/products/product-support-services/">http://www.fujitsu.com/emeia/products/product-support-services/</a>

## Recommended Accessories

**USB Type-C Port Replicator**

The FUJITSU USB Type-C Port replicator is the perfect solution for connecting FUJITSU mobile clients with a single USB Type-C plug. It allows you to charge and transfer data at the same time via only one cable in order to support your first steps towards a clean desk environment. High speed data transfer through USB 3.1 and Gigabit LAN make it possible to be more flexible and work faster.

Order Code:  
S26391-F1667-L100

**STYLISTIC Q & STYLISTIC V Cradle**

Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options.

Order Code:  
S26391-F3147-L100

**USB to VGA Conversion Cable**

The FUJITSU USB to VGA Conversion Cable enables you to view content from your compatible STYLISTIC Tablet when the available projector or external display has a VGA connector. This adapter is perfect for salespeople and others who often find themselves making presentations in a wide variety of environments. (Picture similar to product)

Order Code:  
S26391-F1418-L810

**LAN Conversion Cable (USB to LAN) for STYLISTIC Q and STYLISTIC V**

The FUJITSU USB to LAN Conversion Cable enables you to connect your compatible STYLISTIC Tablet to a wired network connection. GBit-LAN via USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification. (Picture similar to product)

Order Code:  
S26391-F1418-L840

**AES Pen with replacement stylus tips**

Take your creativity to the next level, with the most natural pen experience with the AES Pen with replacement stylus tips. With pen nibs that are very thin, you can experience the writing and signing behavior of an ink pen.

Order Code:  
S26391-F3149-L500

**Bumper Case Kit**

The protective bumper case kit is designed to prevent damages to your STYLISTIC Q738. Openings of the cover allow you to access all ports and buttons whilst the hand strap on the back of the case gives you a firm grip while working with your tablet outside the office.

Order Code:  
S26391-F3146-L200

**Back-lit Key Board Dock**

Enjoy the benefits of a physical back-lit keyboard dock connection which is more reliable and hassle free. With the attached keyboard dock you get the ability to prop the tablet up and fold it over the tablet's screen to protect it, especially when you are mobile. Order code : S26391-F3149-L22\* Keyboard Dock (all versions)

S26391-F3149-L22\* (\* country specific version)

# More information

## Fujitsu products, solutions & services

In addition to FUJITSU Tablet STYLISTIC Q739, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

### Computing Products

[www.fujitsu.com/global/products/computing/](http://www.fujitsu.com/global/products/computing/)

### Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

## More information

Learn more about FUJITSU Tablet STYLISTIC Q739, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.  
[www.fujitsu.com/emeia/products/computing/pc/tablets](http://www.fujitsu.com/emeia/products/computing/pc/tablets)

## Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



## Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html>  
Copyright 2019 Fujitsu Technology Solutions GmbH

## Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

## Contact

Fujitsu Technology Solutions GmbH  
Website: [www.fujitsu.com](http://www.fujitsu.com)  
2019-11-01 EM-EN

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html>  
Copyright 2019 Fujitsu Technology Solutions GmbH