

Fujitsu recommends Windows 10 Pro.

# Data Sheet

## FUJITSU Tablet STYLISTIC V535 Industrial

### Tough Tablet for Hard Work

The FUJITSU Tablet STYLISTIC V535 enables new levels of productivity in industrial settings. It is made for rough environments thanks to a water and dust resistant yet lightweight design and combined with a 21.0 cm (8.3-inch) display with toughened glass. Ultimate connectivity and navigation options like 4G/LTE, NFC, GPS and GLONASS as well as a long battery runtime let you stay connected wherever you are. Easy integration and security are enabled due to Windows 8.1 and TPM. The Fujitsu Smart Shell concept is designed to fit to individual industrial requirements.

#### Made for rough and tough environments

Discover new levels of productivity in industrial and retail settings.

- Rugged water and dust resistant design based on IP65 rating, MIL-STD 810G tested for durability, drop resistant up to 1.8 m (with rugged frame), medical wipeable and with an extended temperature range for outdoor use.

#### Highly adaptable for industrial use

Individualization to industry- and customer-specific requirements.

- The Fujitsu Smart Shell concept includes a Smart Shell for Mounting to match industrial and transportation use. In addition to that, a Smart Shell with SmartCard reader does not only allow enhanced secure authentication, it also allows the user to read electronic patient cards in healthcare. A Smart Shell for retail is ready to hold a Chip & PIN reader to enable ePayment solutions. A cradle provides maximum comfort in the office.

#### Ultimate usability

Full-day productivity.

- Bright IPS display with toughened glass and multi-touch support, even with gloves. Combined with a battery runtime of up to 6.5 hours. Built-in cameras and microphones allow easy collaboration.

#### Enterprise connectivity and navigation embedded.

Access to data from everywhere, even enabling professional and highly accurate navigation.

- Optionally embedded 4G/LTE, NFC for real-time warehousing or contactless authentication, as well as GPS and GLONASS for highest navigation flexibility and accuracy.



# Components

<b>Base unit</b>	STYLISTIC V535 - 128 GB	STYLISTIC V535 - LTE - 128 GB
<b>Operating systems</b>		
<b>Operating system pre-installed</b>	Windows 10 Pro	Windows 10 Pro
<b>Operating system compatible</b>	Windows 8.1 Pro (available through downgrade rights from Windows 10 Pro)	Windows 8.1 Pro (available through downgrade rights from Windows 10 Pro)
<b>Hard disk drives</b>		
<b>Hard disk</b>	128 GB eMMC	
<b>Hard disk notes</b>	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Up to 20 GB of HDD space is reserved for system recovery Accessible capacity may vary, also depending on used software.	
<b>Multimedia</b>		
<b>Camera</b>	Front camera 2.0 megapixel, rear camera 8.0 megapixel with autofocus and light	

## Base unit

<b>Base unit</b>	STYLISTIC V535 - 128 GB	STYLISTIC V535 - LTE - 128 GB
<b>General system information</b>		
<b>Processor</b>	Intel® BayTrail-T™ SoC, Quad Core Intel® Atom™ Processor Z3795 (2.4 GHz, 2 MB)	
<b>Chipset</b>	Intel® BayTrail-T™ SoC	
<b>Supported capacity RAM</b>	4 GB	
<b>Memory slots</b>	LPDDR3-1067 (1066MHz)	
<b>Memory notes</b>	Disclaimer: Up to 1 GB may not be available with 32-bit operating systems due to system resource requirements if system is preinstalled with 4 GB RAM	
<b>LAN notes</b>	GBit-LAN via USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification.	
<b>Integrated WLAN</b>	WLAN 802.11 a/b/g/n	
<b>BIOS features</b>	BIOS Flash EPROM Unified Extensible Firmware Interface (UEFI)	
<b>Audio features</b>	2x internal microphones, 2x built-in speakers (stereo)	
<b>Waterproof / Spillproof</b>	IP65	
<b>Drop resistant</b>	up to 1 m or up to 1.8 m (with rugged frame)	
<b>Dustproof</b>	IP65	
<b>Disinfectable</b>	yes (with medical wipes)	
<b>MIL-STD tested</b>	Yes, selected MIL-STD-810G tests passed. MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.	
<b>Display</b>		
<b>Display</b>	21.0 cm (8.3-inch), IPS, (WUXGA), Glare, 1,920 x 1,200 pixel, 800:1,400 cd/m <sup>2</sup>	21.0 cm (8.3-inch), IPS, (WUXGA), Glare, 1,920 x 1,200 pixel, 800:1,400 cd/m <sup>2</sup>
<b>Display notes</b>	toughened glass	toughened glass
<b>Sensors</b>	3-axis Accelerometer Compass Gyroscope Ambient Light Sensor	3-axis Accelerometer Compass Gyroscope Ambient Light Sensor Proximity

<b>Display</b>		
Aspect ratio	16:10	16:10
Brightness - typical	400 cd/m <sup>2</sup>	400 cd/m <sup>2</sup>
Contrast - typical	800:1	800:1
Digitizer / Touch Technology	Multi-touch up to 10 fingers, active pen support	Multi-touch up to 10 fingers, active pen support
Ambient light sensor	Integrated	Integrated
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight	While enabled, the ambient light sensor automatically adjusts the display backlight
Viewing angle (h/v) - typical	160°/160°	160°/160°
<b>Graphics</b>		
Base unit	STYLISTIC V535 - 128 GB	STYLISTIC V535 - LTE - 128 GB
Max. resolution external display	up to 1,080p (1,920 x 1,080 pixel) via cradle or optional cable accessory	up to 1,080p (1,920 x 1,080 pixel) via cradle or optional cable accessory
Graphics features	Dual Display support (1x external, 1x internal) DirectX® 11 support Open GL® 3.2	Dual Display support (1x external, 1x internal) DirectX® 11 support Open GL® 3.2
<b>Interfaces</b>		
DC-in	1 (micro USB)	1 (micro USB)
Audio: line-out / headphone	1 (combo port with Audio line-in)	1 (combo port with Audio line-in)
Audio: line-in / microphone	1 (combo port with Audio line-out)	1 (combo port with Audio line-out)
Internal microphones	2 (digital)	2 (digital)
USB 2.0 total	1	1
USB 3.1 Gen1 (USB 3.0) total	3 (on optional cradle)	3 (on optional cradle)
VGA	via optional adapter cable HDMI to VGA only for cradle	via optional adapter cable HDMI to VGA only for cradle
HDMI	1 1 (on optional cradle or via optional adapter cable)	1 1 (on optional cradle or via optional adapter cable)
Ethernet (RJ-45)	(on optional cradle or via optional adapter cable)	(on optional cradle or via optional adapter cable)
Memory card slots	1 MicroSD (SD up to 2GB / SDHC up to 32GB / SDXC up to 64GB)	1 MicroSD (SD up to 2GB / SDHC up to 32GB / SDXC up to 64GB)
SmartCard slot	optional via SmartCard Shell	optional via SmartCard Shell
SIM card slot	---	1 (MicroSIM - only for models with integrated 4G/LTE module (optional))
<b>Wireless technologies</b>		
Antennas	2x dual band WLAN/BT, 1x NFC for dedicated module	
Bluetooth	Bluetooth 4.0	
Integrated WLAN	WLAN 802.11 a/b/g/n	
WLAN notes	Import and usage according to country-specific regulations.	
Integrated LTE or UMTS		Huawei ME936 LTE with integrated GPS
LTE/UMTS/GPS notes	Including GPS functionality Import and usage according to country-specific regulations.	LTE (800, 2600 MHz) Including GPS functionality
NFC	Yes	
GPS	AzureWave GPS-S23	
<b>Power supply</b>		
AC adapter	12V / 36W (3A)	
Rated voltage range	100 V - 240 V (AC Input)	
Rated frequency range	50 Hz - 60 Hz	
1st battery	Lithium polymer battery 2-cell, 16.48Wh, 4425 mAh	
Runtime 1st battery	up to 6.5h	
Battery charging time	3h via Cradle, 5h via USB charger	

**Power supply**

<b>Battery notes</b>	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity slightly decreases with every charging cycle and over the lifetime.
----------------------	--

**Dimensions / Weight / Environmental**

<b>Dimensions (W x D x H)</b>	227.8 x 12.5 x 150.1 mm 8.97 x 0.49 x 5.91 inch
<b>Weight</b>	from 540 g
<b>Weight (lbs)</b>	from 1.19 lbs
<b>Operating ambient temperature</b>	-10 - 50° C / -23.3° - 122° F
<b>Operating relative humidity</b>	10 - 90 % (relative humidity)
<b>Temperature and humidity notes</b>	During operation in the temperature range below 0°C battery will not be charged and LCD may react slowly. During operation in the temperature range above +45°C battery charging may be limited and camera noise may be increased

**Compliance**

<b>Product</b>	STYLISTIC V535 Industrial
<b>Europe</b>	CE! EN 60950
<b>Global</b>	IT-Eco-Declaration RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) ENERGY STAR® 6.0 EPEAT® Gold (in USA and Canada only)
<b>Russia</b>	GOST
<b>Compliance link</b>	<a href="https://sp.ts.fujitsu.com/sites/certificates">https://sp.ts.fujitsu.com/sites/certificates</a>

**Additional Software**

<b>Additional software (preinstalled)</b>	Adobe® Reader® (pdf reader) CyberLink YouCam (webcam software) Power Saving Utility Fujitsu Display Manager
<b>Additional software (optional)</b>	Drivers & Utilities DVD (DUDVD) Recovery DVD

**Manageability**

<b>Manageability technology</b>	PXE 2.1 Boot code
<b>Manageability link</b>	<a href="http://www.fujitsu.com/fts/manageability">http://www.fujitsu.com/fts/manageability</a>

**Security**

<b>Physical Security</b>	Kensington Lock on cradle or port replicator	Kensington Lock on Cradle
<b>System and BIOS Security</b>	Trusted platform module (TPM 1.2)	Trusted platform module (TPM 1.2)
<b>User Security</b>	BIOS security User and supervisor BIOS password	BIOS security User and supervisor BIOS password

**Warranty**

<b>Warranty period</b>	2 years (for countries within EMEA)
<b>Warranty type</b>	Bring-in Service / Collect & Return Service (depending on country)
<b>Warranty Terms &amp; Conditions</b>	<a href="http://support.ts.fujitsu.com/warranty">http://support.ts.fujitsu.com/warranty</a>

**Product Related Services - the perfect extension**

<b>Recommended Service</b>	- 9x5, Onsite Response Time: Next Business Day
<b>Spare Parts availability</b>	3 years after end of product life
<b>Service Weblink</b>	<a href="http://ts.fujitsu.com/Supportservice">http://ts.fujitsu.com/Supportservice</a>

## Recommended Accessories

---

### Car Adapter USB



Frequent travelers need to charge their mobile devices anywhere. Simply plug the FUJITSU Car Adapter USB into the cigarette lighter socket and instantly feel the benefits of this device. This lightweight, easy to use FUJITSU Car Adapter USB maybe small, but its performance certainly isn't. It will keep your tablet PC and other mobile devices charged anywhere a 12 V power supply is available whether that be in your car or motor home.

Order Code:  
S26391-F2613-L617

---

Order Code:  
S26391-F6097-L362

## More information

### Fujitsu products, solutions & services

In addition to FUJITSU Tablet STYLISTIC V535 Industrial, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

#### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

#### Computing Products

[www.fujitsu.com/global/products/computing/](http://www.fujitsu.com/global/products/computing/)

#### Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

### More information

Learn more about FUJITSU Tablet STYLISTIC V535 Industrial, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. [www.fujitsu.com/fts/tabletpc](http://www.fujitsu.com/fts/tabletpc)

### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



### Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html>  
Copyright 2018 Fujitsu Technology Solutions GmbH

### Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

#### CONTACT

Fujitsu Technology Solutions GmbH  
Website: [www.fujitsu.com/fts](http://www.fujitsu.com/fts)  
2018-07-04 EM-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html>  
Copyright 2018 Fujitsu Technology Solutions GmbH