FUJITSU

DATASHEET
FUJITSU SLIM MOBILE EXPRESS DVB-T
ACCESSORIES

"PLUG & FORGET" INVISIBILITY BRINGS YOU A UNIQUE & CONVENIENT TV WATCHING EXPERIENCE

Receiving digital TV wherever you want: with the new Slim Mobile Express DVB-T. Once you plug in this unique "Plug & Forget" ExpressCard 34 mm tuner; then, you need not to remove it from the slot again! You could also travel up to 140 km/h without any comprise of TV signal quality.

- Invisible "Plug & Forget" ExpressCard 34 mm design
- Innovative 34mm-to-54mm stabilizer
- Watch and record DVB-T TV on your computer
- HDTV ready
- NorDig certified RF sensitivity
- MHEG-5 support in UK digital teletext service
- Ultra portable ExpressCard 34mm interface
- Electronic Program Guide (EPG) support
- Digital subtitle support
- Fully compliant with Win XP, MCE, Vista and Windows 7

SLIM MOBILE EXPRESS DVB-T

TECHNICAL SPECIFICATIONS

	Antenna Input (IEC to MMCX) ExpressCard 34 mm Interface NorDig Support - compliant with NorDig Unified specifications in RF sensitivity Digital subtitle support Picture-in-Picture (PIP) / Picture-out-of-Picture (POP) Power Channel Scan Capability EPG (Electronic Program Guide) MHEG-5 Support (UK Digital Teletext Service) Wake Up Recording from stand-by (S3) / Hibernate (S4) Mode Record TV programs in MPEG-2 / H.264 format Experience the best in digital home with actual Microsoft operating systems
Required interface	ExpressCard

SYSTEM REQUIREMENTS

	For timeshift and recording in MPEG-2: Intel® Pentium® 2.4 Ghz (Hyper-Threading) / AMD Athlon™ XP 2400+ / Intel® Pentium® Mobile 1.3 GHz For HDTV (MPEG-2) only: VGA card supports DirectX 9.0c and DXVA (HDTV) HDTV will only function when the TV signal is in HDTV format For H.264 recording (SDTV) only: Pentium® 4 2.8 GHz (Hyper-Threading) or equivalent General: Min. VGA card supports DirectX 9.0c Min. 256 MB RAM Min. 200 MB available free disk space Sound Card
Required interface	ExpressCard
Software support (Operating system)	Microsoft® Windows® XP Microsoft® Windows® XP Media Center Edition 2005 Microsoft® Windows Vista®

COMPLIANCE

Europe	CE
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx

DIMENSIONS / WEIGHT

Dimensions (W x D x H)	34 x 4 x 72 mm
Weight	15 g

PACKAGE CONTENT

	Slim Mobile Express DVB-T Antenna (IEC connector) Adapter (IEC to MMCX) 54mm-to-34mm Stabilizer Installation CD Quick Installation Guide, Safety booklet, Helpdesk flyer

ORDER CODE

	S26391-F7125-L2 / EAN: 4049699119965

FUJITSU PLATFORM SOLUTIONS

In addition to Fujitsu Slim Mobile Express DVB-T, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

MORE INFORMATION

Learn more about Fujitsu Slim Mobile Express DVB-T, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
http://ts.fujitsu.com/accessories

FUJITSU GREEN POLICY INNOVATION

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT.
Please find further information at http://www.fujitsu.com/global/about/environment/

COPYRIGHTS

DISCLAIMER

CONTACT

FUJITSU Technology Solutions
Website: http://ts.fujitsu.com
2010-04-21 CE-EN