

# Data Sheet

## Fujitsu USB Display Adapter Plus

USB-to-video connectivity for displays

---

This USB Display Adapter Plus enables you to connect one more display or projector to a computer with a USB 2.0 port. For desktop users adding an extra monitor via USB, connection is easier than ever. No more having to open the computer chassis to install an internal video card. Once the auto-installation (no driver-CD needed) is complete, the USB-attached monitor soon wakes up. No function key hassle to swap to a second monitor.

### Convenient USB-to-Video

- Add-on monitor, LCD or projector through a single USB 2.0 port

### Hot Plug

- Add or remove monitor without system reboot

### Small and Slim

- Work with all VGA / DVI-I displays

### High Resolution Output

- Up to 2048x1152

### Video Streaming

- Up to 1080p and up to 6 USB display adapters to work simultaneously



# USB Display Adapter Plus

## Base unit

Required interface	USB 2.0
Data Rates	up to 480 Mbps
DisplayLink	Certified
Color	Black/anthracite

Supported refresh rate (16 bit color depth)	640 x 480 pixel: 60, 72, 75, 85 Hz 800 x 600 pixel: 56, 60, 72, 75, 85 Hz 1,024 x 768 pixel: 60, 70, 75, 85 Hz 1,280 x 768 pixel: 60, 75, 85 Hz 1,280 x 1,024 pixel: 60, 75, 85 Hz 1,366 x 768 pixel: 60 Hz 1,680 x 1,050 pixel: 60 Hz 1,280 x 720 pixel: 60 Hz 1,280 x 800 pixel: 60, 70, 85 Hz 1,400 x 1,050 pixel: 60, 75, 85 Hz 1,600 x 1,200 pixel: 60 Hz 1,920 x 1,080 pixel: 60 Hz 1,920 x 1,200 pixel: 60 Hz 2,048 x 1,080 pixel: 60 Hz 2,048 x 1,152 pixel: 60 Hz
---	--

Supported refresh rate (32 bit color depth)	640 x 480 pixel: 60, 72, 75, 85 Hz 800 x 600 pixel: 56, 60, 72, 75, 85 Hz 1,024 x 768 pixel: 60, 70, 75, 85 Hz 1,280 x 768 pixel: 60, 75, 85 Hz 1,280 x 1,024 pixel: 60, 75, 85 Hz 1,366 x 768 pixel: 60 Hz 1,680 x 1,050 pixel: 60 Hz 1,280 x 720 pixel: 60 Hz 1,280 x 800 pixel: 60, 70, 85 Hz 1,400 x 1,050 pixel: 60, 75, 85 Hz 1,600 x 1,200 pixel: 60 Hz 1,920 x 1,080 pixel: 60 Hz 1,920 x 1,200 pixel: 60 Hz 2,048 x 1,080 pixel: 60 Hz 2,048 x 1,152 pixel: 60 Hz
---	--

## Ethernet (RJ-45)

Power supply	Bus-powered
USB downstream	USB Type A
USB upstream	USB Mini-B male connector
VGA	1 x DVI (DVI to VGA adapter included)

Required interface	USB 2.0
System requirements	System requirements (for DVD): CPU at 2.0 GHz or higher 1024 MB of RAM 30MB available hard disk space VGA monitor, min. 800 * 600 res. at least one USB 2.0 port
Supported operating systems	Windows® XP Windows Vista® Windows 7 Windows 8

## Connectivity

USB downstream	USB Type A
USB upstream	USB Mini-B male connector

<b>Data Rates</b>	up to 480 Mbps
<b>Device Classification</b>	
<b>Power consumption</b>	430 mA
<b>Devis Classification</b>	
<b>Compliance link</b>	<a href="https://sp.ts.fujitsu.com/sites/certificates">https://sp.ts.fujitsu.com/sites/certificates</a>
<b>Miscellaneous</b>	
<b>Dimensions (W x D x H)</b>	54 x 17.8 x 84.3 mm
<b>Weight</b>	0,238 kg
<b>Operating ambient temperature</b>	10 - 40 °C
<b>Storage ambient temperature</b>	-10 - 80 °C
<b>Operating relative humidity</b>	10 - 85 % (non condensing)
<b>Package content</b>	
	USB Display Adapter USB-A to Mini USB-B cable, black, 1 m Quick Installation Guide DVI to VGA adapter
S26391-F6099-L400	EAN: 4049699164705
<b>Warranty period</b>	2 years (depending on country)
<b>Warranty type</b>	Bring-In / Send-In Service (depending on country)

## More information

In addition to Fujitsu USB Display Adapter Plus, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

### Computing Products

[www.fujitsu.com/global/products/computing/](http://www.fujitsu.com/global/products/computing/)

### Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

### More information

Learn more about Fujitsu USB Display Adapter Plus, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.  
<http://ts.fujitsu.com>

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.  
For further information see [http://ts.fujitsu.com/terms\\_of\\_use.html](http://ts.fujitsu.com/terms_of_use.html)  
Copyright © Fujitsu Technology Solutions

### Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

### Contact

Address: x-xx-x, street, city, state, ZIP code, country  
Phone: xx-xxxx-xxxx  
Fax : xx-xxxx-xxxx  
Email: xxx.xxxxx@xx.fujitsu.com  
Website: [www.fujitsu.com/\[country\]](http://www.fujitsu.com/[country])  
2018-12-18 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.  
For further information see [http://ts.fujitsu.com/terms\\_of\\_use.html](http://ts.fujitsu.com/terms_of_use.html)  
Copyright © Fujitsu Technology Solutions