

# Data Sheet

## FUJITSU Accessories USB Type-C Port Replicator

Be connected anywhere at anytime

The FUJITSU USB Type-C Portreplicator is the perfect solution for connecting FUJITSU mobile clients with a single USB Type-C plug. It allows you to charge and transfer data at the same time via only one cable in order to support your first steps towards a clean desk environment. High speed data transfer through USB 3.1 and Gigabit LAN make it possible to be more flexible and work faster.

### Features

- Power delivery to Fujitsu mobile clients
- Displayport / HDMI / VGA
- On/off button with resume support
- USB-Typ C and type-A interfaces
- PXE boot
- MAC address setting
- Wake on LAN

### Usability

- Gain instant access to your input devices, LAN and all peripherals with one USB plug independent of system, vendor and hardware
- Keep your peripherals plugged-in
- Having a clean desk with only one cable to your mobile client

### Reliability

- High quality, stability, and everything you need from one source
- Works perfectly with FUJITSU clients



# USB Type-C Port Replicator

## Technical specifications

<b>Required interface</b>	USB-type C interface (minimum PD requirement Rev2.0 Ver1.1.)
<b>Notes</b>	The product is tested and released for dedicated FUJITSU notebooks only Reporting model name: NPR44
<b>LED</b>	LED on: system connected to USB-type C portreplicator is S0 state LED blinking: system connected to USB-type C portreplicator is S3 state LED off: system connected to USB-type C portreplicator is either off, not connected, not powered, S4/S5/G3
<b>Color</b>	Black

## Interfaces

<b>Ethernet (RJ-45)</b>	1 x Gigabit LAN WoL-(S3)-Support WoL-(S3/S4/S5/G3)-Support according to FUJITSU-Client, refer Handbook
<b>Network settings</b>	PXE boot (port replicator MAC only) MAC address setting (WIN OS)
<b>Button</b>	1 x button resume from S3 (S4/S5/G3 depending on FUJITSU client, consult manual)
<b>DC-in</b>	19V / 90W required
<b>USB Type-C (to Devices)</b>	1 x USB 3.1 Gen1, up to 5V/3A power output
<b>USB Type-C (to PC/Tablet)</b>	1 x USB 3.1 Gen1, up to 60 W power output (5V, 9V, 12V, 15V, 20V) / 3A Power input 5V/0.9A
<b>USB Type-A</b>	3 x USB 3.1 Gen1, up to 5V/0,9A power output
<b>USB Type-C cable</b>	Full featured FUJITSU USB-type C cable with e-marker, lengths: 1m
<b>DisplayPort</b>	1 x ver. 1.2 resolution up to 4096 x 2160 @24Hz / 3840 x 2160@30Hz depending on system and only one connected display
<b>HDMI</b>	1 resolution up to 4096 x 2160 @24Hz / 3840 x 2160@30Hz depending on system and only one connected display
<b>VGA</b>	1 x resolution up to 1920 x 1200 @60Hz depending on system and connected display
<b>Audio</b>	1 x combo jack for headsets
<b>Notes</b>	Number of simultaneous used displays and its possible resolutions and frequencies depend on mobile system and display interface type. Please consult always also the manual of the related client.  Display interfaces HDMI / DP: resolution up to 4096 x 2160 @24Hz / 3840 x 2160@30Hz for only one connected external display Max resolution on two simultaneously used external displays in combination with internal display: 1920x1080p60Hz Max resolution on three simultaneously used external displays in combination with internal display: 1600x900p60 or 1280x1024p60Hz VGA: support on USB type-C port replicator only if not used on client

## System requirements

<b>Required interface</b>	USB-type C interface (minimum PD requirement Rev2.0 Ver1.1.)
<b>Ethernet (RJ-45)</b>	1 x Gigabit LAN WoL-(S3)-Support WoL-(S3/S4/S5/G3)-Support according to FUJITSU-Client, refer Handbook

## Compliance

<b>Europe</b>	CE
<b>USA/Canada</b>	FCC Class B
<b>Japan</b>	VCCI JATE
<b>Compliance link</b>	<a href="https://sp.ts.fujitsu.com/sites/certificates">https://sp.ts.fujitsu.com/sites/certificates</a>

## Dimensions / Weight / Environmental

<b>Dimensions (W x D x H)</b>	219 x 75 x 22,9 - 26 mm
-------------------------------	-------------------------

---

**Dimensions / Weight / Environmental**

---

<b>Cable length</b>	1 m
<b>Weight</b>	approx. 330g w/o cable / AC adapter

---

**Package content**

---

USB Type-C Port Replicator  
3-pin AC-adapter 19V/90W USB-C cable

---

**Order information**

---

S26391-F1667-L100      EAN: 4057185780698

---

**Warranty**

---

**Warranty Terms & Conditions**      <http://www.fujitsu.com/warranty>

---

**Service Weblink**      <http://www.fujitsu.com/emeia/products/product-support-services/>

---

# More information

## Fujitsu products, solutions & services

In addition to FUJITSU Accessory USB Type-C Port Replicator, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

### Computing Products

[www.fujitsu.com/global/products/computing/](http://www.fujitsu.com/global/products/computing/)

### Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

## More information

Learn more about FUJITSU Accessory USB Type-C Port Replicator, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. [www.fujitsu.com/emeia/products/computing/peripheral/accessories](http://www.fujitsu.com/emeia/products/computing/peripheral/accessories)

## Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



## Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html>  
Copyright 2019 Fujitsu Technology Solutions GmbH

## Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

## CONTACT

Fujitsu Technology Solutions GmbH  
Website: [www.fujitsu.com](http://www.fujitsu.com)  
2019-11-01 EM-EN

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html>  
Copyright 2019 Fujitsu Technology Solutions GmbH