

Data Sheet Fujitsu Wireless USB Display Adapter Accessories Connectivity

More connectivity for additional displays - the solution for a tidy desk

The Wireless USB Display Adapter enables you to connect one more display or projector to any computer with a USB 2.0 port. It's hot pluggable within a 15 m radius with no function key hassle during setup so you can enjoy more desktop area and have more applications visible at one time.

Features:

- Add-on LCD display or projector through a single USB 2.0 port send screen data directly from your laptop to a base station with DVI or VGA outputs
- Audio and 2 x USB for keyboard and mouse
- Resolution up to 2048 x 1152
- Transfer rate up to 110 Mbps
- Two usage modes:
- Extended mode to widen your display size
- Mirror mode to use the bigger screen while maintaining a smaller version on the notebook screen as well

Usability:

- Hot plug, add or remove monitor without system reboot
- Resumes from hibernation and suspend modes
- Designed to be uses in two positions: horizontal and vertical (e.g. mounted on the wall)





Wireless USB Display Adapter

Wireless connectivity from notebook/PC to projectors, flat TVs and monitors DVI / VGA video support, 32-bit True Color depth for high quality images Resolution 1920 x 1080 / 1920 x 1200 / 2044 x 1152 Audio support through 3.5mm audio jack, 16-bit Stereo sound
Audio support through 3.5mm audio jack, 16-bit Stereo sound
Quick setup with pre-associated (paired) adapters 128-bit AES security
Visual Content Type Expected Range [m]
Presentation slides / still pictures <15m
Internet web pages / SD content <15m
up to 15m
USB 2.0
60.000 h
3.168 to 4.752 GHz (WiMedia band group 1)
3
build in antenna
up to 110 Mbps
Black/silver
2
100-240V, 50/60Hz
CE
CE!
https://sp.ts.fujitsu.com/sites/certificates/
Host adapter: 63.7mm
Device adapter: 68.9mm
Docking station: 102.4 x Host adapter: 21.0mm
Device adapter: 21.0mm
Docking station: 79.9 x Host adapter: 10.3mm
Device adapter: 10.3mm
Docking station: 28.3 mm
Total weight: 118 g (host 15 g, device 14 g, docking station 89 g)
0 - 35°C
-15 - 60°C
20 - 75 %
USB 2.0
When using Windows XP:
For office use, productivity, web browsing etc.: At least 1.6 GHz Atom or Celeron processor and 512 MB memory
For full screen video, 720p playback etc.: At least 1.8GHz Core2Duo processor and 1 GB memory
When using Windows Vista/ Windows 7:
For office use, productivity, web browsing etc.: At least 1.6GHz Atom or Celeron processor and 1 GB memory
For full screen video, 720p playback etc.: At least 1.8GHz Core2Duo processor and 1 GB memory
Genuine Windows [®] XP
Genuine Windows Vista® Genuine Windows® 7

Package content

1x Host adapter 1x Device adapter 1x Display docking station Software Drivers Windows Vista/7/XP 1x DVI to VGA adapter 1x Power supply unit SVDC PC (EU/UK plug)

Order information

S26391-F7138-L300 EAN: 4049699138362

More information

Fujitsu platform solutions

In addition to Fujitsu Wireless USB Display Adapter, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu Wireless USB Display Adapter, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

http://ts.fujitsu.com/accessories

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT.

Please find further information at http://www. fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see http://ts.fujitsu. com/terms_of_use.html

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

Contact

FUJITSU Technology Solutions Website: http://ts.fujitsu.com 2011-11-10 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see http://ts.fujitsu.com/terms_of_use.html Copyright © Fujitsu Technology Solutions