

Data Sheet

Fujitsu Display B22-8 WE Neo

Widescreen 55.9 cm (22-inch) Advanced Ergonomic Display
Ideal for offices that require ergonomic workspaces and energy savings

The FUJITSU Display B22-8 WE Neo is a widescreen display with 1680 x 1050 resolution and a 6-in-1 stand with an integrated cable guide that helps promote ergonomics and a clean desk experience. DisplayView™ software also helps in remote management of displays ideal for medium- and large-sized businesses that want to save on energy costs.

The display provides a 22-inch screen with 16:10 aspect ratio at WXSGA+ resolution, which is ideal for office applications that need more screen real estate.

The 5-in-1 stand base with its integrated cable guide enables users to adjust height, tilt, swivel and rotate monitor display as per their comfort.

The ergonomic stand with its height adjust with 345° swivel, 35° rear tilt, 90° rotation and 45 mm picture over desk allows for an enhanced flexibility.

The flexible connectivity options with DisplayPort, USB, DVI and Analog interfaces ensure you have a complete package that meets all your business requirements.

The environmental-friendly LED technology with highly efficient energy saving functions, like ECO Operation mode and ECO standby, help you save on costs.

The DisplayView manageability software enables you to configure your monitor for remote management, administrative tasks and much more.

The space saving housing with integrated speakers and cable management allow for a clean desk experience.



Technical details

Special features

5-in-1 Stand
Eco button for Eco mode and 3-coloured Eco status LED
Pivot
24/7 usage
DisplayView™ Software
Integrated speakers

Ergonomic stand

Stand	5-in-1 Stand
Height adjust range	130 mm
Picture height over desk (min)	45 mm
Rotation to portrait	90°
Tilt angle	-5° / +35°
Swivel angle	345°

Picture performance

Panel and backlit	TN/LED
Screen Surface Treatment	3H hard coating, Anti-glare
Contrast - typical	1000:1
Contrast - advanced	20,000,000:1
Response time typical	5 ms
Viewing angle (h/v) - typical	178°/170° CR5:1, 170°/160° CR10:1
Color performance	16.7 million colors
Brightness - typical	250 cd/m2

Size and resolution

Aspect ratio	16:10
Diagonal Size	55.9 cm (22-inch)
Resolution (native)	1,680 x 1,050 pixel
Resolution (interpolated)	1,440 x 900 pixel, 1,280 x 1,024 pixel, 1,024 x 768 pixel, 800 x 600 pixel, 640 x 480 pixel
Picture size	474 x 296 mm
Pixel Pitch	0.282 mm

Frequencies

Horizontal	30 - 82 kHz
Vertical	56 - 76 Hz
Frequencies - bandwidth	165 Mhz

Connectivity

DisplayPort	1 x DisplayPort
DVI	1 x DVI-D (HDCP)
VGA/D-SUB	1 x D-SUB
Audio signal output	3.5 mm stereo phone jack for head phone
Audio sound output	2 x 1.5 W
Audio signal input	3.5 mm stereo phone jack
USB downstream	2 x USB 2.0
USB upstream	1 x USB

Ease-of-use menu

Direct Access Keys	Brightness, ECO, Input, Mode, Audio, Menu
Languages	Arabic, Czech, Danish, Dutch, English, Finnish, French, German, Italian, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish, Turkish, Japanese, Chinese simply, Chinese traditional
Brightness / Contrast	Brightness, Contrast, Black level, Auto level, ACR
Mode	sRGB, Office, Photo, Video, Low Blue Light
Color	5000K, 6500K, 7500K, Native, Custom Color (R,G,B)
OSD	Language, OSD-Timeout, OSD rotation

Image adjust	Clock, Phase, H-Position, V-Position, Expansion, Sharpness
Audio	Mute, Volume, Input for DP interface
Information	Model name, Serial number, Signal input, Resolution/mode, Display mode , Color Temperature, Eco Status, ACR Status
Advanced settings	DDC/CI, Factory Recall
Power consumption (typical)	
Soft switch off	0.19 W
Power save mode	0.22 W
Operating with EPA settings	10.51 W
Total Energy Consumption (ETEC)	33.48 kWh/year
Operating maximum brightness	22 W
Power supply	integrated
Power notes	Speakers off, USB not connected ETEC and EPA refer to ENERGY STAR® 8.0
Electrical values	
Rated voltage range	100 V - 240 V
Rated frequency range	50 Hz - 60 Hz
Compliance	
Model	B22W-7
Global	ENERGY STAR® 8.0, EPEAT® Bronze (dedicated regions), Zero bright and dark pixel faults, Subpixel faults according to ISO9241-307 (Pixel fault class I), TÜV Flicker Free Certified, TÜV Low Blue Light Certified, TCO Certified
Europe	EN 62368-1, CE certification according to EC Directive 2004/108/EEC, RoHS, WEEE, IT-Eco-Declaration
Germany	TÜV GS
Russia	EAC
Singapore	S-Mark
South Korea	KC, E-Standby
Taiwan	BSMI
USA/Canada	FCC Class B, cUL
Compliance link	https://sp.ts.fujitsu.com/sites/certificates
Dimensions / Weight / Environmental	
Dimension without stand (W x D x H)	513.5 x 65 x 345.6 mm 20.22 x 2.56 x 13.61 inch
Dimension with stand (W x D x H)	513.5 x 212.7 x 359.3 mm 20.22 x 8.37 x 13.61 inch
Weight (unpacked)	5.36 kg 11.82 lbs
Weight (Monitor only)	3.38 kg 7.45 lbs
Operating ambient temperature	5 - 35 °C (41 - 95 °F)
Operating relative humidity	10 - 85 % (non condensing)
Miscellaneous	
Miscellaneous	VESA DDC/ CI, Flat Display Mounting Interface VESA MIS-D 100 C, Kensington lock prepared
Color	Marble grey
Additional Software	
Additional software (optional)	WINDOWS WHQL driver DisplayView Suite
Additional software (notes)	Use of accompanying and/or additional Software is subject to proactive acceptance of the respective License Agreements /EULAs/ Subscription and support terms of the Software manufacturer as applicable for the relevant Software whether preinstalled or optional. The software may only be available bundled with a software support subscription which – depending on the Software - may be subject to separate remuneration.

Package content

Display delivered accessories	DisplayPort data cable 1.8 m DVI-D Data cable 1.8 m Audio cable 1.8 m USB-cable 1.8 m (USB-A to USB-B) Power cable for wall socket (Euro-Schuko-Type CEE7) 1.8 m Quickstart flyer Safety notes
-------------------------------	--

Display delivered accessories notes	Data cables and audio cable detachable on display User manual and DisplayView Software is available via download Please note: cable length may vary by +/- 5 cm.
-------------------------------------	--

Packaging dimension (mm)	
--------------------------	--

Weight (packed)	7.42 kg
-----------------	---------

Weight (packed) (lbs)	16.36 lbs
-----------------------	-----------

Order information

Order Code	S26361-K1653-V140
------------	-------------------

EAN Code	4059595470480
----------	---------------

Country specific order code	BDL:K1653V141-UK - with UK power cable, mandatory for Arabian countries
-----------------------------	---

Accessories information	Further helpful options: Stands and Mounting kits: http://www.fujitsu.com/fts/products/computing/peripheral/accessories/desktop/ums/index.html Available Adapters: http://globalsp.ts.fujitsu.com/dmsp/Publications/public/pos-connectivity.pdf
-------------------------	---

Warranty

Warranty period	3 years (depending on country)
-----------------	--------------------------------

Warranty Terms & Conditions	http://www.fujitsu.com/warranty
-----------------------------	---

Digital bug fixes	Subject to availability and following their generic release for the product, bug fixes and function-preserving patches for product-related software (firmware) can be downloaded from the technical support at: https://support.ts.fujitsu.com/ free of charge by entering the respective product serial number. For application software supplied together with the product, please directly refer to the support websites of the respective software manufacturer.
-------------------	--

Spare Parts availability	at least 7 years after shipment, for details see https://support.ts.fujitsu.com/
--------------------------	--

Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/
-----------------	---

More information

Fujitsu products, solutions & services

In addition to Fujitsu Display B22-8 WE Neo, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu Display B22-8 WE Neo, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
www.fujitsu.com/emeia/products/computing/peripheral/displays

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.

Please find further information at <http://www.fujitsu.com/global/about/environment>



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <https://www.fujitsu.com/global/about/resources/terms/>
Copyright 2023 Fujitsu Technology Solutions GmbH

Disclaimer

Please note that the data sheet reflects the technical specification with the maximum selection of components for the named system and not the detailed scope of delivery. The scope of delivery is defined by the selection of components at the time of ordering.

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

The overall product has been designed and manufactured for general office use, regular personal use and ordinary industrial use.

CONTACT

Fujitsu Technology Solutions GmbH
Website: www.fujitsu.com
2024-02-08 EM-EN

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <https://www.fujitsu.com/global/about/resources/terms/>
Copyright 2023 Fujitsu Technology Solutions GmbH