

# Data Sheet

## FUJITSU Display B22-8 WE Neo

Widescreen 55.9 cm (22-inch) Advanced Ergonomic Display  
Ideal for offices that require ergonomic workspaces and energy savings

The FUJITSU Display B22-8 WE Neo is a widescreen display with 1680 x 1050 resolution having a 5-in-1 stand with an integrated cable guide that helps promote ergonomics and a clean desk experience. DisplayView™ software also helps in remote management of displays ideal for medium- and large-sized businesses that want to save on energy costs.

22-inch with 16:10 aspect ratio at WXSGA+ resolution ideal for office applications that need more screen real estate

5-in-1 stand base with integrated cable guide that enables users to adjust height, tilt, swivel and rotate monitor display as per their comfort

Ergonomic stand with height adjust with 345° swivel, 35° rear tilt, 90° rotation and 45 mm picture over desk for enhanced flexibility

Flexible connectivity options with DisplayPort, USB, DVI and Analog interfaces ensure you have a complete package that meets all your business requirements

Environmental-friendly LED technology with highly efficient energy saving functions like ECO Operation mode and ECO standby helping you save on costs

DisplayView manageability software enables you to configure your monitor for remote management, administrative tasks and much more

Space saving housing with integrated speakers and cable management for a clean desk experience



# Technical details

## Special features

5-in-1 Stand, Eco button for Eco mode and 3-coloured Eco status LED, Pivot, 24/7 usage, DisplayView™ IT Suite, Integrated speakers

## Ergonomic stand

Stand	5-in-1 Stand
Height adjust range	130 mm
Picture height over desk (min)	45 mm
Rotation to portrait	90°
Tilt angle	-5° / +35°
Swivel angle	345°

## Picture performance

Panel and backlit	TN/LED
Screen Surface Treatment	3H hard coating, Anti-glare
Contrast - typical	1000:1
Contrast - advanced	20,000,000:1
Response time typical	5 ms
Viewing angle (h/v) - typical	178°/170° CR5:1, 170°/160° CR10:1
Color performance	16.7 million colors (Hi-FRC)
Brightness - typical	250 cd/m2

## Size and resolution

Aspect ratio	16:10
Diagonal Size	55.9 cm (22-inch)
Resolution (native)	1,680 x 1,050 pixel
Resolution (interpolated)	1,440 x 900 pixel, 1,280 x 1,024 pixel, 1,024 x 768 pixel, 800 x 600 pixel, 640 x 480 pixel
Picture size	474 x 296 mm
Pixel Pitch	0.282 mm

## Frequencies

Horizontal	30 - 82 kHz
Vertical	56 - 76 Hz
Frequencies - bandwidth	165 Mhz

## Connectivity

DisplayPort	1 x DisplayPort
DVI	1 x DVI-D (HDCP)
VGA/D-SUB	1 x D-SUB
Audio signal output	3.5 mm stereo phone jack for head phone
Audio signal input	3.5 mm stereo phone jack
Audio sound output	2 x 1.5 W
USB downstream	2 x USB 2.0
USB upstream	1 x USB

## Ease-of-use menu

Direct Access Keys	Brightness, ECO, Input, Mode, Audio, Menu
Languages	Arabic, Czech, Danish, Dutch, English, Finnish, French, German, Italian, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish, Turkish, Japanese, Chinese simply, Chinese traditional
Brightness / Contrast	Brightness, Contrast, Black level, Auto level, ACR
Mode	sRGB, Office, Photo, Video, Low Blue Light
Color	5000K, 6500K, 7500K, Native, Custom Color (R,G,B)
OSD	Language, OSD-Timeout, OSD rotation
Image adjust	Clock, Phase, H-Position, V-Position, Expansion, Sharpness
Audio	Mute, Volume, Input for DP interface

<b>Information</b>	Model name, Serial number, Signal input, Resolution/mode, Display mode , Color Temperature, Eco Status, ACR Status
<b>Advanced settings</b>	DDC/CI, Factory Recall
<b>Power consumption (typical)</b>	
<b>Soft switch off</b>	0,16 W
<b>Power save mode</b>	0.19 W
<b>Operating with EPA settings</b>	12.54 W
<b>Total Energy Consumption (ETEC)</b>	39.53 kWh/year
<b>Operating maximum brightness</b>	22 W
<b>Power supply</b>	integrated
<b>Power notes</b>	Speakers off, USB not connected ETEC and EPA refer to ENERGY STAR® 7.0
<b>Electrical values</b>	
<b>Rated voltage range</b>	100 V - 240 V
<b>Rated frequency range</b>	50 Hz - 60 Hz
<b>Compliance</b>	
<b>Europe</b>	Energy Efficiency Class: A+, EN 60950, CE certification according to EC Directive 2004/108/EEC, RoHS, WEEE, IT-Eco-Declaration
<b>Model</b>	B22W-7
<b>Germany</b>	TÜV GS
<b>Russia</b>	EAC
<b>USA/Canada</b>	FCC Class B, cUL
<b>Australia/New Zealand</b>	(on customer request)
<b>South Korea</b>	KC#E-Standby
<b>Singapore</b>	S-Mark
<b>Taiwan</b>	BSMI
<b>China</b>	CCC
<b>Saudi Arabia</b>	SASO
<b>Global</b>	TCO Certified Displays 7.0, ENERGY STAR® 7.0, EPEAT® Gold (dedicated regions), Zero bright and dark pixel faults, Subpixel faults according to ISO9241-307 (Pixel fault class I), TÜV Flicker Free Certified, TÜV Low Blue Light Certified
<b>Compliance link</b>	<a href="https://sp.ts.fujitsu.com/sites/certificates">https://sp.ts.fujitsu.com/sites/certificates</a>
<b>Dimensions / Weight / Environmental</b>	
<b>Dimension without stand (W x D x H)</b>	513.5 x 65 x 345.6 mm 20.22 x 2.56 x 13.61 inch
<b>Dimension with stand (W x D x H)</b>	513.5 x 212.7 x 359.3 mm 20.22 x 8.37 x 13.61 inch
<b>Weight (packed)</b>	7.42 kg 16.36 lbs
<b>Weight (unpacked)</b>	5.36 kg 11.82 lbs
<b>Weight (Monitor only)</b>	3.38 kg 7.45 lbs
<b>Operating ambient temperature</b>	5 - 35 °C (41 - 95 °F)
<b>Operating relative humidity</b>	10 - 85 % (non condensing)
<b>Miscellaneous</b>	
<b>Miscellaneous</b>	VESA DDC/ CI, Flat Display Mounting Interface VESA MIS-D 100 C, Kensington lock prepared
<b>Color</b>	Marble grey

**Package content**

<b>Display delivered accessories</b>	DisplayPort data cable 1.8 m DVI-D Data cable 1.8 m Audio cable 1.8 m USB-cable 1.8 m (USB-A to USB-B) Power cable for wall socket (Euro-Schuko-Type CEE7) 1.8 m Quickstart flyer Safety notes
--------------------------------------	--

<b>Display delivered accessories notes</b>	Data cables and audio cable detachable on display User manual and DisplayView Software is available via download Please note: cable length may vary by +/- 5 cm.
--	--

**Order information**

<b>Order Code</b>	S26361-K1653-V140
-------------------	-------------------

<b>EAN Code</b>	4059595470480
-----------------	---------------

<b>Country specific order code</b>	BDL:K1653V140-UK - with UK power cable, mandatory for Arabian countries BDL:K1653V140-CHN - with China power cable and CEL, mandatory for China BDL:K1653V140-ID - with Import label, mandatory for Indonesia (on demand) BDL:K1653V140-INT - W/o power cable, mandatory for countries where import with EU cable is not allowed
------------------------------------	---

<b>Accessories information</b>	Further helpful options: Stands and Mounting kits: <a href="http://www.fujitsu.com/fts/products/computing/peripheral/accessories/desktop/ums/index.html">http://www.fujitsu.com/fts/products/computing/peripheral/accessories/desktop/ums/index.html</a> Available Adapters: <a href="http://globalsp.ts.fujitsu.com/dmsp/Publications/public/pos-connectivity.pdf">http://globalsp.ts.fujitsu.com/dmsp/Publications/public/pos-connectivity.pdf</a>
--------------------------------	---

**Warranty**

<b>Warranty period</b>	3 years (depending on country)
------------------------	--------------------------------

<b>Warranty type</b>	Collect & Return Service (depending on country specific requirements)
----------------------	---

<b>Warranty Terms &amp; Conditions</b>	<a href="http://support.ts.fujitsu.com/warranty">http://support.ts.fujitsu.com/warranty</a>
--	---

<b>Spare Parts availability</b>	5 years after end of product life
---------------------------------	-----------------------------------

<b>Service Weblink</b>	<a href="http://www.fujitsu.com/fts/services/support">http://www.fujitsu.com/fts/services/support</a>
------------------------	---

# More information

## Fujitsu products, solutions & services

In addition to FUJITSU Display B22-8 WE Neo, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

### Computing Products

[www.fujitsu.com/global/products/computing/](http://www.fujitsu.com/global/products/computing/)

### Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

## More information

Learn more about FUJITSU Display B22-8 WE Neo, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.  
<http://www.fujitsu.com/fts/displays>

## Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



## Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html>  
Copyright 2018 Fujitsu Technology Solutions GmbH

## Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

## Contact

Fujitsu Technology Solutions GmbH  
Website: [www.fujitsu.com/fts](http://www.fujitsu.com/fts)  
2018-12-18 EM-EN

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html>  
Copyright 2018 Fujitsu Technology Solutions GmbH