

Data Sheet

FUJITSU Storage ETERNUS CS200c S4

Integrated Backup Appliance for the Digital World



ETERNUS CS Data Protection Appliances

Data protection appliances from Fujitsu simplify and consolidate backup and archive infrastructures. Fujitsu specializes in mapping the right technology for individual needs depending on your business size. Our appliances offer advanced capabilities such as deduplication, replication, archiving and cross media mix, thus mitigating risk, minimizing downtime and protecting business against cyber-attack.

ETERNUS CS200c S4

The FUJITSU Storage ETERNUS CS200c Powered by Commvault® simplifies data protection and management in a single integrated solution for the digital world. Industry-leading software from Commvault is perfectly aligned with powerful Fujitsu system technology providing excellent features for business efficiency and continuity. The solution addresses the challenges in protecting business applications, virtualized, converged and hyper-converged environments and facilitates compliance with regulations.

The pre-loaded and pre-configured appliance enables the hassle-free setup of a comprehensive data protection environment and reduces the implementation time by 60 %. ETERNUS CS200c with the integrated Commvault Software provides comprehensive functionality including backup, archiving, deduplication, disaster recovery, replication, snapshot, tape and cloud support to radically simplify data management across its lifecycle.



Features & Benefits

| Main Features | Benefits |
|-----------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Integrates correctly-sized system technology and leading data protection software | <ul style="list-style-type: none">■ Easy and fast deployment, simple to purchase■ Maximizes resources■ Budget security |
| Backup, archiving and deduplication capabilities within one appliance | <ul style="list-style-type: none">■ Managing the complete data lifecycle efficiently■ Reduces network requirements and storage costs |
| Protects a wide range of applications, virtual and hyper-converged infrastructures with a single integrated solution | <ul style="list-style-type: none">■ Increases availability and recoverability meeting highest RTO/RPO demands■ Cuts cost and downtime |

Key characteristics

ETERNUS CS200c – Data Protection in a box

- The ETERNUS CS200c is a complete data protection infrastructure in a box. Using Commvault Software the appliance serves as a standardized platform for the backup and archiving of data from physical and virtual environments. The solution is designed to meet customer demands for easy planning, deployment, operation as well as the requests for a unified backup solution across large or distributed enterprises.
- The ETERNUS CS200c is equipped with fast hard disks and flash storage to boost backup and deduplication performance. The solution offers a broad range of models and licensing options.
- The appliance setup is easy thanks to the pre-loaded appliance image and automated deployment support. The central management console with GUI and remote access is used to track, index, schedule, and perform data transfer. The unified management makes backup administration and scheduling quite easy and eliminates multiple management points. It also reduces risks, cuts costs and frees up administration resources.
- The ETERNUS CS200c is ideal for companies of all sizes looking for a data protection solution in a box, for consolidating backup infrastructures, for enterprises with branch offices/subsidiaries and for easy data backup in specific areas, such as VM environments (traditional, converged, hyper-converged), MS Exchange or Desktop/Laptop clients.
- The appliance is ideally suited as backup solution for FUJITSU Integrated System PRIMEFLEX. For more information about PRIMEFLEX see: www.fujitsu.com/primeflex.

ETERNUS CS200c - Data Protection Software

- The Appliance Software of the ETERNUS CS200c is based on technology-leading Commvault software and is closely coupled with powerful Fujitsu system technology. The ETERNUS CS200c combines all the advantages of an integrated appliance with the flexibility of a dedicated backup software license. The appliance comes with pre-installed software and you can freely select out of all available Commvault software license flavors, among them capacity, pure VM infrastructure or per user. The licensing is always perpetual offering highest investment protection.
- Modern backup, recovery, archiving, and data management capabilities protect ever-growing data volumes, efficiently manage information assets, and quickly find, recover and access data. The software provides data deduplication at the source (client server) or the target (ETERNUS CS200c) dramatically reducing storage capacity and cost. The appliance offers application support for Windows, Linux/Unix, VMware, Hyper-V, Oracle, SAP and more. Furthermore, the software delivers native support for more than 40 cloud storage providers across public and private clouds among them Azure, AWS, Google, Oracle, VMware.
- The hardware snapshot management converts time-consuming manual tasks into automated, repeatable and consistent operations for a wide range of storage arrays including Fujitsu Storage ETERNUS arrays. Deep application and virtual machine integration provides rapid, automated recovery of critical workloads meeting recovery time objectives (RTO) and recovery point objectives (RPO).
- Choose the tape attachment to copy or move not frequently used, cold data from the appliance disk storage to FUJITSU Storage ETERNUS LT tape system. Tape storage as low cost media provides offline backup to thwart cyberattacks and is ideal for long-term retention, archiving, and second-tier backup. For more information about ETERNUS LT see: www.fujitsu.com/eternus-lt.

ETERNUS CS200c without license

- The 'ETERNUS CS200c without license' is the best choice for existing Commvault environments. The appliance is pre-configured and pre-installed offering an easy and quick start-up.
- Use this delivery model to deploy quickly new Commvault media agents into the existing environment.

Technical details

General Specification

| | ETERNUS CS200c ECO | ETERNUS CS200c FLEX | | ETERNUS CS200c FLEXC |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|---------------------------|---------------------------|
| Model | ECO08 | FLEX32 | FLEX48 | FLEXC |
| Capacity (net usable) | 8 TB | 16, 32 TB | 24, 48 TB | 24 - 144 TB |
| Backup Performance (max) | 17.2 TB/h | 20.6 TB/h | | 37.8 TB/h |
| Restore Performance (max) | | 1 TB/h | | 7.7 TB/h |
| Performance Notes | <p>The performance numbers depend on user data and environment. The dates were measured under the following conditions: ECO model: Backup: 1 client, 4 streams, data reduction 90%; Restore: 1 client, 2 streams FLEX model: Backup: 2 clients, 6 streams, data reduction 90%; Restore: 1 client, 2 streams FLEXC model: Backup: 6 clients, 18 streams, data reduction 90%; Restore: 7 client, 18 streams Restore values are limited by the client disk subsystem.</p> | | | |
| Note | Capacity value calculated using Base 10 (i.e. 1TB = 1,000,000,000,000 bytes) | | | |
| Ethernet Ports | 3 x 1 Gbps 2 x 10 Gbps | 3 x 1 Gbps 4 x 10 Gbps | 3 x 1 Gbps 4 x 10 Gbps | 3 x 1 Gbps 4 x 10 Gbps |
| Fibre Channel Ports | | | 2 x 16 Gbps | 2 x 16 Gbps |
| SAS Ports (external) | 8 x 12 Gbps | 8 x 12 Gbps | 8 x 12 Gbps | 8 x 12 Gbps |

Software

| | |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Appliance Software functions | Backup and Recovery; Archiving; Replication; Application support; Cloud attachment Compression und Deduplication to Disk; Primary and Secondary copy encryption Depending on licensing: Snapshot support; Snapshot replication; Tape attachment; Mailbox archiving; Endpoint data protection Unlimited file clients, NAS clients and VMs |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Installation specification

| | |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------|
| Dimension notes | 482.4 mm (Bezel) / 445 mm (Body) x 770 x 86.6 mm |
| 19" rackmount | Yes |
| Height Unit standard | 2 U |
| Weight | 25 kg |
| Power supply | 450W hot-plug, 94% (Platinum efficiency), 100-240V, 50 / 60Hz 800W hot-plug, 94% (Platinum efficiency), 100-240V, 50 / 60Hz |
| Note | ETERNUS CS200c FLEXC can scale and therefore have up to 12 HU and 200 kg (441 lb) in total |

Environment

| | |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Operating ambient temperature | 5 - 45 °C (41 - 113 °F) |
| Sound pressure (LpAm) | Minimum noise : 33 dB(A) (idle) / 33 dB(A) (operating) Typical noise : 44 dB(A) (idle) / 44 dB(A) (operating) |
| Sound power (LWAd; 1B = 10dB) | Minimum noise : 5.6 B (idle) / 5.6 B (operating) Typical noise : 7.5 B (idle) / 7.5 B (operating) |
| Noise notes | Noise emissions depends on operation modes, system configuration and ambient temperature. Typical hardware configuration which is the base for measurement according to ISO 7779: 2x PSU 450W. 2x CPU Xeon E5-2630 v4 2.20 GHz, 4x RAM 8GB, HDD 2x 500GB SATA |
| Operating environment | FTS 04230 – Guideline for Data Center (installation specification) |
| Operating environment link | http://docs.ts.fujitsu.com/dl.aspx?id=589915e9-1bf8-40f7-8ba4-7cac9371f2f0 |

Warranty

| | |
|-----------------------------|------------------------------------------------------------------------|
| Warranty period | 3 years |
| Warranty type | Onsite warranty |
| Warranty Terms & Conditions | www.fujitsu.com/warranty |

Product Support Services - the perfect extension

Warranty

| | |
|---------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Support Pack Options for HW-Services | Available in major business areas: 9x5, Next Business Day Onsite Response Time 9x5, 4h Onsite Response Time (depending on country) 24x7, 4h Onsite Response Time (depending on country) |
|---------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| | |
|---------------------------------------------|---------------------------------------------------------------|
| Support Pack Options for SW-Services | 9x5, 4h Remote Response Time 24x7, 4h Remote Response Time |
|---------------------------------------------|---------------------------------------------------------------|

| | |
|----------------------------|---------------------------------------------------------------------------------------------|
| Recommended Service | 24x7 Fujitsu support for enterprise class HW and SW services. SW-Services are mandatory. |
|----------------------------|---------------------------------------------------------------------------------------------|

| | |
|--------------------------|-----------------------------------|
| Service Lifecycle | 5 years after end of product life |
|--------------------------|-----------------------------------|

| | |
|---------------------------------|---------|
| Spare Parts availability | 5 years |
|---------------------------------|---------|

| | |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| Service Weblink | www.fujitsu.com/emeia/products/product-support-services |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------|

Compliance

| | |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Compliance notes | There is general compliance with the safety requirements of all European countries and North America. National approvals required in order to satisfy statutory regulations or for other reasons can be applied for on request. |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| | |
|------------------------|---------------------------------------------------------------------------------------------------------|
| Compliance link | https://sp.ts.fujitsu.com/sites/certificates |
|------------------------|---------------------------------------------------------------------------------------------------------|

Fujitsu products, solutions & services

In addition to FUJITSU ETERNUS CS200c S4, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Built on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offerings. This allows customers to select from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu ETERNUS CS200c S4, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
www.fujitsu.com/eternus

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html>
Copyright 2019 FUJITSU LIMITED

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

FUJITSU LIMITED
Website: www.fujitsu.com/eternus
2019-11-01 EM-EN