

Data Sheet ETERNUS CS800 M1

Data Protection Appliance for high performance backup to disk with deduplication

ETERNUS CS Data Protection Appliances

Data protection appliances and solutions from Fujitsu ensure data protection and 'always-on' availability across your hybrid cloud estate. Fujitsu's comprehensive range of backup and archiving solutions safeguard the right data service levels for the complete data lifecycle with the right protection and at optimized cost. The appliances protect sensitive data from threat, corruption, or loss addressing end-to-end operational security and data availability concerns from on-premises through to the cloud. The speedy recovery after downtime or ransomware attacks provides 24/7 business continuity, ensures highest data resiliency, and enhance your business agility.

The solutions comply with security, data, and industry regulations and transform your hybrid cloud into a genuine enabler for digital business growth, efficiency, and continuity.

ETERNUS CS800 M1

ETERNUS CS800 disk-based backup appliance delivers simple, economical, and scalable data protection. The scale-out architecture makes it suitable for entry level to enterprise class environments.

The pay-as-you-grow expansion flexibility provides high investment protection. The intelligent deduplication algorithm reduces storage capacity by up to 95% delivering superior price-performance. Optimized security capabilities like multi-site replication, secure snapshot and encryption protect your data from theft, corruption, ransomware, or loss and ensure speedy recovery. By supporting multiple protocols and all leading backup suites, the ETERNUS CS800 provides a perfect solution to consolidate your backup data. In addition, the tight integration of Veeam and Veritas software capabilities improves performance and ensures the 'always-on' availability across your hybrid cloud estate.



Features & Benefits

Main Features	Benefits
Flexible and efficient scale-out architecture with high scalability Pay-as-you-grow with easy incremental upgrades High density and efficient design	 Provides high investment protection Reduces floor space, power, and cooling cost Suitable for small and remote offices to enterprise environments
High performance backup appliance with intelligent deduplication Backup and restore with up to 99 TB/h data throughput Variable-length deduplication algorithm	 Cuts cost by reducing up to 95% disk capacity Maximizes data reduction and minimizes network traffic
Optimized, secure data protection and automated disaster recovery Implements industry-standard AES-256 bit encryption for data-atrest Multi-site, WAN-efficient replication and cloud hosted disaster recovery Immutable storage with Secure Snapshot	 High data resiliency across multiple sites in hybrid IT environments Fast recovery in case of ransomware attack
Advanced reporting and tight integration into data-centric, hybrid cloud environments Detailed view of appliance operations Integrated Path to Tape Option Multi-protocol support including NAS, VTL, Veritas OST and Veeam Data Mover Service	 Streamlines performance while reducing overall cost Reduces administration time and improves operations Greater data insights support extended trend and backup analysis

Technical details

Base unit	SCALE	ENTERPRISE SD	ENTERPRISE HD	ENTERPRISE X	
Performance (max. SPEED mode)	up to 95 TB/h	up to 98 TB/h	up to 98 TB/h	up to 99 TB/h	
Performance (max.)	up to 35 TB/h	up to 64 TB/h	up to 64 TB/h	up to 63 TB/h	
Note	The models ENTERPRISE SD/HD are available as ULTRA configuration, which provides more powerful CPU & Memory				
	to support Veeam parallel streaming.				
	To the extent that specific performance specifications for the product are indicated in the product data sheet, these are usually also dependent on the specific use and workload of the product and may therefore not be reached equally in all application situations. Such performance specifications thus do not represent a specifically agreed characteristic or feature of the product, but only serves as an orientation. The responsibility for a sufficient sizing of the overall system functionality lies solely with the user. ENTERPISE models are not available for APAC region				
Capacity (logical)	up to 6 PB	up to 20 PB	up to 20 PB	up to 40 PB	
Capacity (net usable)	11 TB - 315 TB	51 TB - 1,020 TB	204 TB - 1,020 TB	204 TB - 2,040 TB	
Capacity on Demand	16 TB base capacity, 18 TB incremental upgrades		51 TB incremental upgrades		
Appliance Software functions	Deduplication Replication OST Path-to-Tape			13	
Ethernet Ports (fixed)	2 x 1 GbE 2 x 10 (SFP+ or TWINAX) GbE	2 x 1 GbE 2 x 10 (SFP+ or TWINAX) GbE	2 x 1 GbE 2 x 10 (SFP+ or TWINAX) GbE	2 x 1 GbE 2 x 10 (SFP+ or TWINAX) GbE	
Ethernet Connectivity (optional)					
Base unit	SCALE		ENTERPRISE		
Ethernet Ports	Up to 4 of the following HBA including FC optional Quad-port 10 GbE (SFP+ or TWINAX) Quad-port 10 GBASE-T (RJ45) Dual port 25 GbE		Up to 4 of the following HBA including FC optional Quad-port 10 GbE (SFP+ or TWINAX) Quad-port 10 GBASE-T (RJ45) Dual port 25 GbE		
NAS – supported protocols	CIFS, NFS		CIFS, NFS		
NAS Shares (max.)	128		128		
Fibre Channel Connectivity (optional)					
Base unit	SCALE		ENTERPRISE		
Fibre Channel Ports	Dual-port 16 GbFC		Quad-port 16 GbFC		
Partitions (max.)	64		64		
Virtual Tape Cartridges (per partition)	61,000		61,000		
Virtual Tape Drives (max.)	150		512		
Supported environments - excerpt					
Supported backup and archiving software for open systems	Acronis (Cyber Protect) Arcserve (Backup, UDP) Atempo (Time Navigator) Bacula (Enterprise) Commvault Software Dell NetWorker HYCU Protégé IBM Storage Protect Micro Focus Data Protector Nakivo (BU and Replication) NovaStor (DataCenter) Oracle (RMAN) Veeam (Backup & Replication) Veritas (Backup Exec, NetBa SEP sesam - support on spe	on) ckup, System Recovery)	e contact vour Fuiitsu sales re	nrasentativa	

Installation specification	AC 200 - 240 V					
Power voltage	AC 200 - 240 V					
Installation specification						
Base unit	SCALE	ENTERPRISE SD	ENTERPRISE HD	ENTERPRISE X		
Dimensions (W x D x H)	434 x 678 x 86.8 mm 17.1 x 26.7 x 3.4 inch					
	2 U					
Weight	33.1 kg (73 lb)					
Environment						
Temperature (not operating)	15 - 35 °C					
Temperature (operating)	10 - 40 °C					
Humidity (operating)		v non-condensina)				
Humidity (not operating)	20 - 80 % (relative humidity, non-condensing) 20 - 80 % (relative humidity, non-condensing)					
Altitude	3,000 m (10,000 ft.)	y, non-condensing)				
Sound pressure (LpAm)	45 - 55 dB(A)					
Sound power (LWAd; 1B = 10dB)	6.6					
Noise notes		ation modes depend on sy	stem configuration			
Operating environment	Noise emissions and operation modes depend on system configuration. FTS 04230 – Guideline for Data Center (installation specification)					
Operating environment link	http://docs.ts.fujitsu.com/dl.aspx?id=e4813edf-4a27-461a-8184-983092c12dbe					
	Tittp://docs.ts.rajitsa.com/v	ui.u3px:1u=c+013cui +u27	4010 0104 303032C120DC			
Warranty						
Manufacturer warranty period	1 year					
Warranty type	Onsite warranty					
Warranty Terms & Conditions Product Support - the perfect extension	www.fujitsu.com/warranty	/				
Recommended Service	24x7 Onsite Service with 4h Onsite Response Time					
Service Lifecycle	at least 5 years after shipment, for details see https://support.ts.fujitsu.com/					
Service Weblink	www.fujitsu.com/services/	/product-services				
Compliance						
Product safety	CSA-C22.2 No. 60950-1, GC	OST-R, UL 60950-1, EN 609	50-1, IEC 60950-1			
Electromagnetic Compatibility	CNS 13438, FCC Part-15 Class A, ICES 003 Class A, BSMI Class A, C-Tick, AS/NZ CISPR 22 Class A, EN 55022 Class A, VCCI Class A					
Electromagnetic Immunity	EN 55024					
CE certification	2014/35/EU, 2014/30/EU, 2011/65/EU, 2009/125/EC					
Approvals	CE, EAC, GS, FCC, RoHS, WEEE					
Environmental compliance	RoHS compliant, WEEE compliant					
Compliance notes	There is general compliance with the safety/EMC requirements of all European countries and North America. National approvals required in order to satisfy statutory regulations or for other reasons can be applied for on request.					
Compliance link	https://sp.ts.fujitsu.com/si	tes/certificates				
Notes						
Compatibility	If and to the extent a list of components or certain compatibilities are specified in the product data sheet, these component lists and compatibility specifications are exhaustive. Using deviating or other system components and applications together with the product may but does not necessarily have to lead to compatibility problems. A final statement and/or commitment on the compatibility of such deviating or other system components and applications can only be provided after a corresponding verification through a dedicated compatibility testing.					
Security	However, these properties intrusion attempts, data exconfiguration options as a within the responsibility o	are not sufficient on their kfiltration and other forms vailable for the respective f the respective administra	of cyberattacks. To customize product. During operation, thator/end-user of the product. F	om all existing threats, such as security settings, please use the e IT security of this product is Please note, that Fsas Technologies		
	Inc. as a manufacturer doe practices and/or general p		scriptions or advocacy statem	ents regarding IT security best		

Notes

Continuity management

The product may in connection with and depending on the specific configuration include elements to support timeand performance-critical applications, however high availability (e.g., 99.9999%) and failsafe performance is not a standalone product feature. If and to the extent the product is to be used in such business-critical environments, it is within the sole responsibility of the user to set up the specific additional technical features (e.g., Storage Cluster), redundancies, and operational conditions as required to ensure such high availability or failsafe performance.

Software

Use of certified or supported operating systems and virtualization software is subject to proactive acceptance of the respective License Agreements/ EULAs/ Subscription and support terms of the Software manufacturer as applicable for the relevant Software whether preinstalled or optional. The software may only be available bundled with a software support subscription which – depending on the Software - may be subject to separate remuneration.

Use of accompanying and/or additional Software is subject to proactive acceptance of the respective License Agreements /EULAs/ Subscription and support terms of the Software manufacturer as applicable for the relevant Software whether preinstalled or optional. The software may only be available bundled with a software support subscription which – depending on the Software - may be subject to separate remuneration.

Fujitsu products, solutions & services

In addition to ETERNUS CS800 M1, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Built on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offerings. This allows customers to select from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products https://www.fujitsu.com/global/products/ computing/storage/

Software https://qsweb.quantum.com/downloads/ Fujitsu/

More information

Learn more about ETERNUS CS800 M1, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. https://www.fujitsu.com/global/products/computing/storage/data-protection/cs800/index3.html

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.

Please find further information at http://www.fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html
Copyright 2022 Fujitsu Limited

Disclaimer

Please note that the data sheet reflects the technical specification with the maximum selection of components for the named system and not the detailed scope of delivery. The scope of delivery is defined by the selection of components at the time of ordering. The product was developed for normal business use.

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

Fujitsu Limited Website: www.fujitsu.com/eternus 2024-11-27 WW-EN