

Data Sheet

Intel® CT Desktop LAN Adapter Server

CT Desktop single port 1Gbit PCIe Cu/Ip Card

Intel® CT Desktop LAN Adapter

For Servers with PCI Express (PCIe) slots, the Intel® Gigabit CT Desktop Adapter offers the newest technology for maximizing system performance and increasing end-user productivity.

Specifically, the Intel Gigabit CT Desktop Adapter uses auto-negotiation to ensure the adapter runs at the highest available network speed (10, 100, or 1000 Mbps), and it maintains full bandwidth capacity with the dedicated bandwidth of a PCI Express input/output (I/O) bus to provide connectivity you can count on.

Based on the low-power Intel® 82574L Gigabit Ethernet Controller, this desktop adapter offers optimal performance in a low-cost, low-power, compact profile. Teaming support and an array of other advanced features enable customers to utilize this adapter as an entry-level server adapter as well.



Main Features	Benefits
<ul style="list-style-type: none"> ■ Interrupt moderation ■ Compatible with Fast Ethernet and Ethernet ■ 10/100/1000 Mbps auto-negotiation ■ Advanced configuration and power interface (ACPI); Wake on LAN (WoL); Preboot Execution Environment (PXE) ■ Remote Management Support ■ Intel® PROSet Utility for Microsoft Device Manager ■ Advanced cable diagnostics 	<ul style="list-style-type: none"> ■ Delivers increased performance while significantly reducing CPU usage ■ Reduces deployment and training costs and enables easy, quick migration to Gigabit Ethernet ■ Automatically compatible with Ethernet, Fast Ethernet, and Gigabit Ethernet networks ■ Allows low-power consumption, remote wake, and remote booting ■ Reduces support costs with remote management based on industry-wide standards ■ Provides point-and-click power over individual adapters, advanced adapter features, connection teaming, and virtual local area network (VLAN) configuration ■ Dynamically tests and reports network problems (error rate, cable length) and automatically compensates for cable issues (cross-over cable, wrong pin-out/polarity)

Technical details

Technical details

Controller type	Ethernet Ctrl.
Controller Silicon	Intel® 82574L
Controller vendor	Intel®
Network protocol and standards compatibility	IEEE 802.3i 10BASE-T IEEE 802.3u 100BASE-TX IEEE 802.3ab 1000BASE-T IEEE 802.1q VLAN IEEE 802.1p Class of Service IPv4, IPv6 and mixed IPv4/IPv6 network protocols
Number of ports	1
Data transfer rate up to	1 Gbit/s
Auto Negotiation support	Yes
Bus interface	PCIe 1.1 x1
Bus transfer rate	2.5GT/s
Interrupt Levels	INTA MSI MSI-X
WoL	Yes
LEDs	LINK/ACTIVITY LED: off=NO LINK; on=LINK; blinking=ACTIVITY
Teaming	Yes
Remote boot support	PXE 2.0
Additional features	Jumbo Frames
Offloading	TCP segmentation/large send
iSCSI support	Yes

Environment

Temperature (operating)	0 - 55 °C
Storage temperature	-40 - 70 °C

Compliance

Compliance notes	According to the corresponding system
Compliance link	https://sp.ts.fujitsu.com/sites/certificates

More information

Fujitsu platform solutions

In addition to Fujitsu with Intel® CT Desktop LAN Adapter, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu Intel® CT Desktop LAN Adapter, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
<http://ts.fujitsu.com/Primergy>

Fujitsu green policy innovation

Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

Contact

FUJITSU LIMITED
Mies-van-der-Rohe-Straße 8
80807 München
Germany
Website: www.ts.fujitsu.com
2019-07-20 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions