

# Data Sheet

## FUJITSU Uninterruptible Online Power Supply (UPS) Power Protection

Power supply protection for systems and data – powerful and reliable (APC SURT Gen2)

Fujitsu Technology Solutions UPS devices ensure high-performance power supply protection for systems and data, and thus provide reliable protection against power failure, current fluctuations and electrical interference. Fujitsu Technology Solutions offers both line interactive (VI) and online (VFI) devices with double conversion technology in line with the UPS classification according to IEC 62040-3. Capacities of up to 10kVA provide the right power supply and technology for all individual requirements. The use of uninterruptible power supplies can particularly benefit your company from a financial viewpoint: Having to search for and restore lost or damaged data after a power failure can cost a great deal of time and money. In such incidents UPS helps to protect your data.

to door) on the UPS and the batteries, but also optimal integration of the control software into the network management solution ServerView Suite. Support of Windows / Linux and SOLARIS operating systems as well as virtualization layers is provided. In contrast to the VI (Voltage Independent) line interactive and VFD (Voltage and Frequency Dependent) offline versions, the output frequency of the VFI UPS devices is totally independent of any mains, voltage and frequency changes. The mains voltage is permanently rectified in order to then be inverted back to alternating voltage. Hence the rectifier/inverter combination, which achieves a constant power supply and a high filter effect. The VFI UPS devices also have a parallel bypass switch which compensates for overloads in problem situations.



### Uninterruptible Online Power Supply (UPS)

Fujitsu Technology Solutions VFI (Voltage and Frequency Independent) online UPS devices from APC are the only UPS devices to offer protection against all kinds of faults, such as power failures, frequency fluctuations, voltage swings and peaks as well as low voltage and surges. They also have precise frequency and voltage regulation as well as the Smart Slot interface for integration into SNMP-based network management. Another outstanding feature is the ability to replace used or faulty batteries during ongoing operation without any interruption. All these APC UPS devices can be converted for installation in racks / towers. Fujitsu Technology Solutions not only offers customers a 3-year manufacturer's warranty (door

Main Features	Benefits
<ul style="list-style-type: none"> <li>■ Protection against all interference</li> <li>■ Uninterruptible battery replacement</li> <li>■ Constant power supply and high filter effect</li> <li>■ Increase in battery autonomy times to hour range possible</li> <li>■ Battery status and condition on view at all times, also direct setting option on the UPS</li> </ul>	<ul style="list-style-type: none"> <li>■ Automatic internal bypass</li> <li>■ Hot-plug batteries</li> <li>■ Rectifier-inverter combination</li> <li>■ Additional battery extensions can be connected</li> <li>■ Intelligent battery management and monitoring of all connected extensions via LCD display</li> </ul>

# Technical details

## Technical details

	PY Online UPS 10kVA / 10kW	PY Online UPS 3kVA / 2,7W	PY Online UPS 5kVA / 4,5kW	PY Online UPS 8kVA / 8kW
<b>Input voltage</b>	220V - 240V 1-phase 380V - 415V 3-phase		220V - 240V 1-phase	220V - 240V 1-phase 380V - 415V 3-phase
<b>Input frequency</b>			50Hz / 60Hz	
<b>Output voltage</b>			230 V	
<b>UPS Slots</b>			1 smart card slot (free)	
<b>Input connections</b>	Hardwire 3-wire (1Ph+N+G) Hardwire 3-wire (2Ph+G) Hardwire 5-wire (3Ph+N+G) Dual Input for bypassing feature		Hardwire 3-wire (1Ph+N+G)	Hardwire 3-wire (1Ph+N+G) Hardwire 3-wire (2Ph+G) Hardwire 5-wire (3Ph+N+G) Dual Input for bypassing feature
<b>UPS Notes</b>	Integrated SNMP WEB management interface (Serial interface is not supported) APC SW, cable and manuals			
<b>Interfaces</b>	Integrated WEB management interface High Resolution Graphical LCD display			
<b>Output connections</b>	SOG #1: 6x IEC 320 C13 (10A) SOG #2: 2x IEC 320 C19 (16A) SOG #3: 2x IEC 320 C19 (16A) MOG HW 3-Wire (L+N+G)		SOG #1: 6x IEC 320 C13 (10A) SOG #2: 4x IEC 320 C19 (16A)	SOG #1: 6x IEC 320 C13 (10A) SOG #2: 2x IEC 320 C19 (16A) SOG #3: 2x IEC 320 C19 (16A) MOG HW 3-Wire (L+N+G)
<b>Output connection notes</b>	Switched Outlet Group(s) : Ability to control a group of output load receptacles independent from the main UPS			
<b>Input protection</b>	80A 1-phase (and L1 respectively) 25A 3-phase (L2 / L3)		32A 1-phase	63A 1-phase (and L1 respectively) 20A 3-phase (L2 / L3)
<b>UPS Battery Pack</b>	External runtime extension for APC Online (VFI) UPS - 5 kVA (3U rack version); Size (HxWxD) / Weight 130 x 432 x 640 mm / 80 kg - 8 to 10 kVA (3U rack version); Size (HxWxD) / Weight 30 x 432 x 640 mm / 80 kg - Cable to connect UPS and extension battery are part of the delivery	External runtime extension for APC Online (VFI) UPS - 3 kVA (2U rack version); Size (HxWxD) / Weight yyy x yyy mm / yy kg - 5 kVA (3U rack version); Size (HxWxD) / Weight 130 x 432 x 640 mm / 80 kg - 8 to 10 kVA (3U rack version); Size (HxWxD) / Weight 30 x 432 x 640 mm / 80 kg - Cable to connect UPS and extension battery are part of the delivery	External runtime extension for APC Online (VFI) UPS - 5 kVA (3U rack version); Size (HxWxD) / Weight 130 x 432 x 640 mm / 80 kg - 8 to 10 kVA (3U rack version); Size (HxWxD) / Weight 30 x 432 x 640 mm / 80 kg - Cable to connect UPS and extension battery are part of the delivery	
<b>Battery runtime half load</b>	11.5 min		11.8 min	14.8 min
<b>Battery runtime full load</b>	3.8 min		4 min	5.3 min
<b>Weight</b>	112 kg		55 kg	112 kg

**Technical details**

**Operating system**

<b>Certified or supported operating systems and virtualization software</b>	Microsoft® Windows Server® 2012 R2 Microsoft® Windows Server® 2012 Microsoft® Windows Server® 2008 R2 Microsoft® Windows Server® 2008 R2 (containing Hyper-V) SUSE Linux Enterprise Server Red Hat Enterprise Linux VMware Infrastructure Citrix® XenServer™
---	---

<b>Software Support</b>	PowerChute Network Shutdown 3.1
-------------------------	---------------------------------

<b>Order code</b>	<b>Product Name</b>	<b>Apparent power</b>	<b>Active Power</b>	<b>Dimensions mm (W x D x H)</b>
S26361-K915-V102	PY Online UPS 10kVA R/T	10000 VA	10000 W	432 x 715 x 263
S26361-K915-V302	PY Online UPS S2 3kVA R/T	3000 VA	2700 W	432 x 636 x 85
S26361-K915-V502	PY Online UPS 5kVA R/T	5000 VA	4500 W	432 x 719 x 130
S26361-K915-V802	PY Online UPS 8kVA R/T	8000 VA	8000 W	432 x 715 x 263

**Approvals & Conformity (Standards)**

<b>Europe</b>	CE
<b>Global</b>	CB
<b>Compliance link</b>	<a href="https://sp.ts.fujitsu.com/sites/certificates">https://sp.ts.fujitsu.com/sites/certificates</a>

**Warranty**

<b>Warranty period</b>	3 years (depending on country)
<b>Warranty type</b>	Door-to-Door Exchange Service
<b>Product Support Services - the perfect extension</b>	
<b>Recommended Service</b>	-
<b>Service Weblink</b>	<a href="https://www.fujitsu.com/emeia/support/">https://www.fujitsu.com/emeia/support/</a>

# More information

## Fujitsu products, solutions & services

In addition to FUJITSU Server Uninterruptible Online Power Supply (UPS), Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Fujitsu Portfolio

Built on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offerings. This allows customers to select from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

### Computing Products

[www.fujitsu.com/global/products/computing/](http://www.fujitsu.com/global/products/computing/)

### Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

## More information

Learn more about FUJITSU Server Uninterruptible Online Power Supply (UPS), please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.  
[www.fujitsu.com/primergy](http://www.fujitsu.com/primergy)

## Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



## Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html>  
Copyright 2019 FUJITSU LIMITED

## Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.