

Data sheet

Fujitsu FlexFrame® Orchestrator V1.1A Solution

FlexFrame® Orchestrator V1.1A.



INNOVATIVE IT MANAGEMENT FOR REAL-TIME ENTERPRISES WITH THE FLEXFRAME ORCHESTRATOR

FlexFrame Orchestrator is an open management platform that enables central and transparent management of SAP ERP environments and SAP-HANA infrastructures in one solution. The consistent administration, from the hardware layer to the application layer, extensive automation and integrated high availability, reduce workloads, all resulting in higher operational efficiency. FlexFrame Orchestrator enables enterprises to implement innovations from SAP much faster, making the operation of their SAP environments simpler, more efficient and less expensive. Customer benefits include high operational security of the entire SAP environment, consistently optimized processes and considerable cost savings.

In addition to the completely pre-configured, pre-tested, and pre-installed system, including all relevant HW and SW components, Fujitsu also offers FlexFrame Orchestrator as an open solution by lifting the restrictions that had applied to certain hardware and software components. More users can thus take advantage of the benefits offered by the FlexFrame technology. A certification program ensures that FlexFrame Orchestrator works

smoothly and seamlessly with data center components from third-party suppliers.

HIGH PERFORMANCE AND AVAILABILITY FOR SAP HANA ENVIRONMENTS

FlexFrame Orchestrator can be integrated in heterogeneous data center environments without interrupting live operations. It provides highly developed, integrated management functions to set up and run an SAP HANA-optimized infrastructure. Implementation, operation and enhancements have high levels of automation. To ensure efficient provisioning of optimal performance, system resources can be allocated dynamically and workloads can be distributed with flexibility.

In addition, FlexFrame Orchestrator is a unique high-availability solution for infrastructures running SAP HANA. Business-critical applications can for example be backed up by several failover servers whereas fewer critical services may share one failover server. Disaster-resilient two-site deployments can also be implemented without having to take additional steps, e.g. the implementation of complex cluster technology.

FLEXFRAME ORCHESTRATOR WITH INTEGRATED SERVER VIRTUALIZATION

Virtualization concepts play a fundamental role regarding flexibility and efficiency in IT environments. FlexFrame Orchestrator ensures a highly virtualized approach for SAP software landscapes. In addition to the virtualization of the SAP software and virtual IP addresses, FlexFrame also includes the use of virtualized servers since applications nodes can be based on leading virtualization technology with VMware ESX or Linux KVM. Consequently, each SAP application can be started on any virtual or physical server in the FlexFrame Orchestrator environment. SAP

applications can be relocated from any virtual server to any physical server and vice versa at any time. As a result, the application can be moved to the system with the best suited resources without any additional installation work.

All installed and configured resources are controlled by the FlexFrame Control Center. It can be assumed that an SAP environment basically consists of a mix of virtual and physical servers. The uniform management of all resources – virtual or physical – is therefore an important requirement for the IT infrastructure. Central management of the SAP services also offers many advantages in the event of a fault. If a server fails, the SAP application is automatically booted on a virtual or physical substitute system.

ROLE-BASED ACCESS CONTROL

Role-based access control (RBAC) is an approach to restrict system access to authorized users for computer systems security. Roles are created within an organization for various job functions. The permissions to perform certain operations are assigned to specific roles. Members of staff (or other system users) are assigned particular roles, and through those role assignments acquire the permissions to perform particular system functions.

IT MANAGEMENT OPTION: ACCOUNTING, PERFORMANCE AND CAPACITY MANAGEMENT

FlexFrame Orchestrator offers out-of-the-box efficient IT management functionality as "built-in" functions without installing further third-party components. This reduces the cost of the IT management process. The IT management option addresses:

- Event and fault management
- Performance and capacity management
- Accounting management

This innovative concept means that the management information of the network and server components inside a FlexFrame solution can be used and collected via a combined repository in a standardized structure. The solution provides key performance indicators, such as CPU, memory, workload in SAPS. The SAPS figures, which can be added and charged over different hardware platforms, are calculated from the CPU load and the maximum SAPS power of a server.

The advantage is in the simple and rapid use of the performance functions to integrate new nodes, application units and services into the concept. The application and database units can be distributed to any node within a FlexFrame solution. These changes are automatically detected by the FlexFrame performance functions.

SAN STORAGE SUPPORT FOR DATABASES

One base technology for the flexible, dynamic management platform for SAP services is the Network Attached Storage. However, in some special cases a higher performance is needed, e.g. to reduce the start time of a real big SAP HANA data base.

FlexFrame Orchestrator V1.1A enables the use of SAN-based storage for the database data files (sapdata) and database log files (saplog) of a SAP system.


FLEXFRAME ORCHESTRATOR LICENSE

Please note that the use of the standard FlexFrame Orchestrator features is licensed via the base SID runtime license.

However, a separate runtime license is necessary for the following optional enhanced and additional functionalities:

- Use of HANA OLAP databases
- Server virtualization via VMware vSphere ESX
- Server virtualization via Linux KVM
- Role-Based Access Control (RBAC) and Accounting
- SAN Support for databases

Main Features and benefits



Main features	Benefits
<ul style="list-style-type: none"> Uniform and consistent management of classical SAP operations and SAP HANA infrastructures Comprehensive automation of administration and maintenance tasks Consistent administration of physical and virtual resources Integrated automatic high availability – even for SAP HANA Support for every IT provisioning model Support for hardware from other vendors (certification program) Centralized administration 	<ul style="list-style-type: none"> Reduces the complexity of SAP infrastructures Drastically lowers the cost of investment and operation Reduced configuration efforts, no additional deployment software necessary, minimized risk on updates Combines classical SAP operations and SAP HANA infrastructures Can be integrated in every data center environment Available as a software appliance

Technical Details

General specification

Release Information for FlexFrame Orchestrator V1.1A	This Release Information is a summary of the major extensions, requirements & restrictions and operating information concerning FlexFrame Orchestrator V1.1A. Thus this work of reference outlines the scope of support within FlexFrame Orchestrator V1.1A.
FlexFrame Orchestrator V1.1A Support Matrix	The relationship between supported servers, storage subsystems, network switches, operating systems, databases and SAP software is shown in this matrix. The FlexFrame Orchestrator Support Matrix is available from our sales representative. This document describes the current valid support situation.
Note for using RBAC	The RBAC functionality is realized for all FlexFrame administration commands and scripts, which operate solely on the control node. In addition, there are further administration commands (normal system administration commands) which operate from the local application node, too. These functions need root rights or the use of sudo command and are not covered by RBAC.

Hardware prerequisites

Control Nodes	PRIMERGY RX300 S5/S6/S7/S8 PRIMERGY RX2540M1
Application Nodes	PRIMERGY Rack servers: RX300 S5/S6/S7/S8, RX2540M1, RX600 S4/S5/S6, RX900 S2, RX4770 M1 PRIMERGY Blade servers: BX620 S5/S6, BX920 S1/S2/S3/S4, BX924 S2/S3/S4 PRIMEQUEST: PQ2800B
Hypervisor Nodes	PRIMERGY Rack servers: RX300 S6 ¹ /S7/S8, RX2540M1 ² , RX600 S5/S6, RX900 S2, RX4770 M1 PRIMERGY Blade servers: BX620 S6 ¹ , BX920 S2/S3/S4, BX924 S2/S3/S4 PRIMEQUEST: PQ2800B
Storage	NetApp FAS Systems and V-Series equipped with ONTAP 8.2 7-Mode or cluster mode (or lower as the case may be; details see Support Matrix)
Network Switches	Cisco 3750G, 3750E and 3750X Series Cisco Nexus 50xx and 55xx Series Brocade ICX6430 and ICX6450 Series Brocade VDX6740
Professional Services	Installation, Configuration, Maintenance, Support
Further Information	Further details on the individual product specifications for the described components can be found in the relevant official Fujitsu data sheets and descriptions. The product specification as set out in these product data sheets will also remain applicable in case such infrastructure components are used in conjunction with FlexFrame Orchestrator V1.1A.

Software prerequisites

Control Nodes	SuSE SLES for SAP Applications SuSE SLES11 SP3 plus SuSE SLES11 HA Extension
Application Nodes	SuSE SLES for SAP Applications/SuSE SLES11 SP3
Databases	MaxDB 7.6 / 7.7 / 7.8 / 7.9 Oracle 9i / 10g / 11g IBM DB2 9.1 / 9.5 / 9.7 / 10.0 / 10.5 SAP Sybase ASE 15.7 / 16.0 SAP Sybase IQ 16.0 HANA DB 1.0
SAP Software	Regarding SAP software, FlexFrame Orchestrator V1.1A supports SAP systems based on the above mentioned databases and the following kernels or bases by SAP: SAP Basis 4.6D SAP WebAS 6.20 / 6.40 / 7.0 SAP NetWeaver 7.1 / 7.2 / 7.3 / 7.4 / 7.4. SR2 SAP HANA® Software 1.0 SPS08 BOBJ – Business Objects Enterprise 3.1 / 3.2 / 4.0 / 4.1 CMS – Content Server 6.40 MDM – Master Data Management 7.1

¹ VMware ESXi only

² VMware ESXi via Special Release Request

	SMD – Solution Manager Diagnostics 7.1 / 7.3 SP2 TREX – Search and Classification 7.1 Web Dispatcher 7.3 / 7.4 Be aware that restrictions by SAP’s “Product Availability Matrix” are still valid.
VMware	VMware vSphere ESXi 5.5 U1

Distribution; Implementation; Documentation & Support

User Interface	English
Installation	Realized from FlexFrame consultants certified through Fujitsu in accordance with the installation guide and the HW Characteristics documents.
Documentation	User manuals are part of the media CD or can be downloaded from http://manuals.ts.fujitsu.com .
User Skills	Knowledge of FlexFrame Orchestrator is presumed. Installation, configuration, and operation require detailed knowledge of the FlexFrame® software, the operating systems and of SAP Basis.
Conditions	This software product is supplied under conditions described in our current license agreement.
Warranty	Class: A Closure of a FlexFrame for SAP SolutionContract is mandatory.
Media	Control Node - Image (DVD) Application Node - Image (DVD) Service and Documentation (DVD)
Ordering and Delivery	This software product may be obtained from your local Fujitsu sales representative / regional office

More information

Fujitsu OPTIMIZATION Services

In addition to Fujitsu FlexFrame Orchestrator Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as a Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing products

www.fujitsu.com/global/services/computing/

- PRIMERGY: Industrial standard servers
- SPARC Enterprise: UNIX servers
- PRIMEQUEST: Mission-critical IA servers
- ETERNUS: Storage systems
- BS2000 mainframes

Software

www.fujitsu.com/software/

- Interstage: Application infrastructure software
- Systemwalker: System management software

More information

Learn more about Fujitsu FlexFrame Orchestrator, please contact your Fujitsu sales representative, Fujitsu business partner, or visit our website. www.fujitsu.com/flexframeorchestrator

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at: www.fujitsu.com/global/about/environment/



Copyright

© Copyright 2014 FUJITSU Technology Solutions
Fujitsu, the Fujitsu logo, are trademarks or registered trademarks of Fujitsu Limited in Japan and other countries. Other company, product and service names may be trademarks or registered trademarks of their respective owners.

Disclaimer

Technical data subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

FUJITSU

Email: expert.sap@ts.fujitsu.com

Internet: <http://www.fujitsu.com/fts/solutions/hightech/solutions/datacenter/sap/flexframe/>

2014-12-15 [EN]