

# Datasheet

## FUJITSU Software BS2000 MT9750 (Windows) V8.0

Terminal emulation

---

### Multi-terminal emulation software for the connection of personal computers to BS2000 systems

MT9750 is a 32-bit MS Windows® application which can emulate the display terminals of the 9750 terminal family (up to 9763) on a PC. Apart from a few exceptions due to system dependencies, all of the terminal features can be emulated on the PC. In addition, functionalities are made available which go beyond pure terminal functions, for example a ftp based file transfer.

MT9750 V8.0 is installable on Windows workstations as well as on terminal-servers from Citrix or Microsoft.

MT9750 V8.0 is also runs on Windows V8.0/V8.1 and Windows 10.

MT9750 V8.0 contains the Unicode-Support for European-characters in the Unicode range U+0000 to U+2FFF. With this feature it is possible that symbols from various character-sets can be displayed in one form.

MT9750 V8.0 also supports the Kerberos authentication protocol, enabling a Single Sign On (SSO) to the TIAM application \$DIALOG.

For this features a corresponding BS2000-Version is required.

High-light of this version: Connections via IPv6 networks

# Topics

---

## Installation and configuration

Windows 2003, Windows XP, Windows Vista, Windows 2008, Windows 7, Windows 2012, Windows 8/8.1, Windows 10 install / uninstall with version checking and updating.

After successful installation, the acquired license must be activated before the first using.

## Interface

A well-designed user interface makes it very easy to use the emulation:

- Up to 16 windows (16 logical terminals on one screen) can be displayed simultaneously.
- Simultaneous connections can be set up to several BS2000 systems.
- Online help system.
- Configurable decimal character (decimal point or comma). Configurable key for line feed or entering data on the numeric keypad.
- If you want the option of using programmable P keys, a programmable keys (P keys) editor can be called up from the menu, allowing you to display and/or change the current assignments saved in a file (session-specific).
- The emulation can be operated in 7-bit mode with the following character sets: International (US), German, Belgian, Danish, English, French, Italian, Spanish and Swedish.
- The ISO character sets 8859-1, -2, -5, -7, 9, -15 are supported in 8-bit- and Unicode-mode; these can be selected from the menu.
- In 8-bit- and Unicode-mode any characters that are not available on the keyboard can be generated with the COMPOSE key function.
- Unicode-characters can be inserted with the clipboard.
- Freely selectable session title.
- Easy switching between the session windows using a key combination.
- Operation is made easier with a toolbar for frequently used menu items which can be enabled in the session window and in the keyboard mapping program.
- All session parameters are saved (e.g. current window size/position, connection parameters). User and session-specific. Previously saved session parameters can be created, modified and deleted.
- Foreground and background colors can be set and saved for individual sessions.
- Function key assignments can be displayed in a separate window.
- Selection of frequently used function keys in a session-specific function key window.
- The cursor can be positioned in the emulation window using the mouse.
- Dynamic font change for higher screen resolutions.

- Support of changing to all 9763 screen-formats (80 x 24, 80 x 32, 80 x 43 and 132 x 27) under control of host application.
- Full screen mode can also be enabled, if required, where the Windows scrollbars are hidden and the view for the user is very similar to the original terminal.
- Support for the Euro currency symbol.

## Printing

Comprehensive print functionalities:

- Programmable (initiated by host) hardcopy
- User-defined hardcopy
- Printing a marked area of the screen
- Transparent printing:  
The print data is output on the printer attached to the PC without further conversion.
- Printing (GDI printing):  
The control characters of the TRANSDATA print data stream are converted into Windows print control characters.
- Configuration during existing session.
- Portrait, landscape and rotated landscape can be set.

## Data exchange

- Data can be transferred into other applications via the Windows Clipboard, via DDE or via a file.
- File transfer "VFT" (FTP)
- "openFT" file transfer available as option

## Communication

- The PC is connected to the BS2000 system via a LAN link. Communication takes place using the Microsoft Windows Socket-API.
- The network protocol IPv4 and IPv6 is supported.

## API

The following programming interface is supported:

- EHLAPI (Extended High Level Language Application Program Interface) programming interface.

## Peripherals

- Printer  
Both Windows and Transdata printers.  
The following TRANSDATA printer data streams can be output on PC printers which are connected via the MS Windows Print Manager:
  - 9001 format
  - 9011 format
  - 9012 format
  - 9013 format
  - HP LaserJet format
  - Diabolo 630 format
  - IBM Proprinter format

■ Keyboard

- PC standard keyboard (MF2)
- ID card reader:  
German system keyboard with integral ID card reader

Because the driver of the trimodal keyboards was realized on basis of Windows 9x, it can use under Windows XP very restricted only and cannot use under Windows Vista, Windows 2008 and Windows 7. Therefore the driver becomes with this MT9750 version as announced in the version before, delivered no longer. The trimodal keyboards are supported in the version 8.0 consequently no longer.

**Tools**

■ Keyboard assignment:

An easy-to-use tool with a graphical user interface is included in the set of functions, allowing custom keyboard

assignments to be programmed. It not only allows function keys to be reassigned, but also permits user-defined assignment of all keys, macro keys and hotspots on the keyboards supported by the emulation.

■ Menu lock:

Menu items can be selectively locked by means of entries in a file, e.g. to prevent the user from changing parameters.

■ Macro recorder:

A macro recorder permits inputs made during a session to be recorded and the recorded sequence to be played back.

■ Simple SW-licensing per type in the license-key.

■ Session logging:

An integrated trace function for recording the data stream from and to the BS2000 system simplifies troubleshooting in the event of an error

# Technical details

---

## Technical requirement

<b>Hardware</b>	MT9750 emulation runs on Windows PCs and notebooks with at least an 80586 processor (or compatible), a minimum of 32 Mbytes RAM and a hard disk with approx. 9 Mbytes capacity. For the connection to the BS2000-System a TCP/IP LAN-connection is necessary.
<b>Software</b>	Software requirements: Windows 2008 Server Windows 7 32-bit and 64-bit Windows 2012 Server Windows 8 32-bit and 64-bit Windows 10  Software requirements on the BS2000 system: BS2000 V5.0 or higher for LAN (TCP/IP) connections
<b>Operating mode</b>	Dialog
<b>Implementation language</b>	C, C++
<b>User interface</b>	German or English
<b>Installation</b>	The emulation is installed by the customer according to the instructions in the user guide and release notice.
<b>Documentation</b>	User guide (German or English) and programmer reference guide (German or English) is part of the product CD as a file, online-access is possible with the „help function“. The User guides are available as online manuals in addition <a href="http://manuals.ts.fujitsu.com">http://manuals.ts.fujitsu.com</a>
<b>Demands on the user</b>	None
<b>Training</b>	On request courses can be arranged.
<b>Conditions</b>	This software product is transferred to the customer for a one-off payment in accordance with the terms of the system contract.
<b>Ordering and delivery</b>	The software product can be purchased from your local Fujitsu Technology Solutions regional office.

# More information

## Fujitsu platform solutions

In addition to Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as a Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

### Computing products

[www.fujitsu.com/global/services/computing/](http://www.fujitsu.com/global/services/computing/)

- PRIMERGY: Industrial standard server
- SPARC Enterprise: UNIX server
- PRIMEQUEST: Mission-critical IA server
- ETERNUS: Storage system
- BS2000 mainframes

### Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

- Interstage: Application infrastructure software
- Systemwalker: System management software

## More information

Learn more about Fujitsu BS2000, please contact your Fujitsu sales representative, Fujitsu business partner, or visit our website. <http://ts.fujitsu.com/bs2000>

## Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at: [http://de.ts.fujitsu.com/aboutus/company\\_information/index.html](http://de.ts.fujitsu.com/aboutus/company_information/index.html)



## Copyright

© Copyright 2016 Fujitsu Technology Solutions  
Fujitsu, the Fujitsu logo and Fujitsu brand names are trademarks or registered trademarks of Fujitsu Limited in Japan and other countries. Other company, product and service names may be trademarks or registered trademarks of their respective owners.

## Disclaimer

Technical data subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.  
[Other disclaimers]

## Contact

FUJITSU Technology Solutions GmbH  
Mies-van-der-Rohe-Str. 8, 80807 Munich, Germany  
Website: <http://ts.fujitsu.com/bs2000>  
2016-11-09 EM EN