

# Data Sheet

## FUJITSU PRIMERGY LTO-7 HH Ultrium Backup Tape Device

### Backup and archive solution

Have you ever lost data from your computer for some unfathomable reason? Then you will know that data saved on your hard disk is not always available and secure for all times. If you want to be on the safe side, then you should save your data regularly using an external medium.

The PRIMERGY backup solutions provide reliable protection against losing data and a fast data backup combined with a large amount of storage capacity. You can choose between backup technologies, such as LTO tape drives or RDX from the latest Removable Disk technology. Each company can thus find the perfect data backup solution for its particular requirements.

Downwards compatibility with the respective predecessors is sensible not only regarding upgrades for the future but also as a secure investment.

The half-height of the current models enables you to install the drives directly into the servers and thus save space and money.

read compatibility for LTO-5 media. In addition, the LTO-7 tape drive continues to support media partitioning, encryption of data and WORM media. All the improvements make the LTO-7 tape drive suited for handling backup, restore, and archive of higher data capacities at higher data transfer rates as compared with the previous LTO-7 tape drive. The industry standard SAS 3.0 interface ensures ease of installation and integration in your server or data center. With its high storage capacity and transfer rate the LTO-7 offers a trend-setting safeguard for your server systems.



#### PRIMERGY LTO-7 HH Ultrium

For the first time, the seventh generation of the Linear Tape Open (LTO-7) tape drive offers uncompressed storage capacity of 6.0 TB per tape and a transfer rate of up to 300 MB/s. With enabled compression up to 15.0 TB can be backed up on a single drive with up to 600 MB/s transfer rate. The advantage is that the LTO-7 drive guarantees the protection of your investment by ensuring read/write compatibility with LTO-6 and

Main Features	Benefits
<ul style="list-style-type: none"> <li>■ Compact size as well as high transfer rates of up to 300 MB/s.</li> <li>■ Energy efficient design</li> <li>■ Investment protection</li> <li>■ AES-GCM-256-Bit encryption</li> </ul>	<ul style="list-style-type: none"> <li>■ Fastest and smallest (half height) LTO drive for integration in all servers.</li> <li>■ Low power consumption and cooling costs plus excellent performance</li> <li>■ Read/write compatibility with LTO-6 media and read compatibility with LTO-5</li> <li>■ Ensures that data can still be deciphered after a few years.</li> </ul>

# Technical details

## Backup and archiving solutions

Capacity	6.0 TB (Uncompressed), 15.0 TB (Compressed)
Buffer size	1024 MB
Transfer rate	300 MB/s (Uncompressed), 600 MB/s (Compressed), Variable Speed recording 101.46 to 306.00 MB/s
Recording format	Ultrium LTO7
Interface	SAS 6Gb/sec
Device load / unload cycles	80,000
Cartridge load / unload cycles	100,000
Backwards compatible	Read/write compatibility with LTO-6 Read compatible with LTO-5
Data compression	ALDC

## Security

Data encryption	AES-GCM 256
Certification level	FIPS140-2 certification level 1

## Reliability

MTBF	250,000 hours
Hard Read Error Rate	1 x 10 <sup>-17</sup>
Delivery and Media Link	<a href="http://docs.ts.fujitsu.com/dl.aspx?id=2201cb10-c310-461e-9920-0f1effa5ab03">http://docs.ts.fujitsu.com/dl.aspx?id=2201cb10-c310-461e-9920-0f1effa5ab03</a>

## Dimensions / Weight

Dimensions (W x D x H)	146.0 mm x 205 mm x 41.0 mm
Weight	1.7 K g

## Environment

Operating ambient temperature	10 - 40 °C
Operating relative humidity	20 - 80 % (relative humidity, non-condensing)
Temperature note	Storage ambient temperature: -40 - 66°C Storage/transport relative humidity: 10 - 95 %

## Electrical values

Apparent power (max. configuration)	5 * 3.7 VA 12 * 2.3 VA
-------------------------------------	---------------------------

## Compliance

Compliance notes	According to the corresponding system
Compliance link	<a href="https://sp.ts.fujitsu.com/sites/certificates">https://sp.ts.fujitsu.com/sites/certificates</a>

# More information

## Fujitsu products, solutions & services

In addition to FUJITSU Server PRIMERGY LTO-7 HH Ultrium, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Fujitsu Portfolio

Built on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offerings. This allows customers to select from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

### Computing Products

[www.fujitsu.com/global/products/computing/](http://www.fujitsu.com/global/products/computing/)

### Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

## More information

Learn more about FUJITSU Server PRIMERGY LTO-7 HH Ultrium, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.  
<http://www.fujitsu.com/primergy>

## Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.  
Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



**Green  
Policy  
Innovation**

## Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see <http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html>

Copyright 2018 FUJITSU LIMITED

## Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

## Contact

FUJITSU LIMITED

Website: [www.fujitsu.com](http://www.fujitsu.com)  
2018-02-16 WW-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see <http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html>  
Copyright 2018 FUJITSU LIMITED