

# Data Sheet

## Fujitsu PRIMERGY BX Ethernet Pass Thru 1/10Gbit/s 18/18

Fast and universal connection to LAN and SAN

---

### PRIMERGY BX Ethernet Pass Thru 1/10Gbit/s 18/18

Each of the up to six auto-sensing 1/10Gbit/s Ethernet Pass-Thru Blades in a PRIMERGY BX Blade Server is an ideal complement for clients looking to enable up to 18 end-to-end non-blocking and lossless, direct 1 and 10 Gbit/s connections between server blades and the network. Its transparent behavior permits support of both Standard Ethernet and Converged Enhanced Ethernet (CEE) packets and thus, it allows the connection of a Blade Server chassis to FCoE-capable top-of-rack switches from e. g. Cisco (optical connectivity only) or Brocade. The module perfectly cooperates with 10 Gbit/s CNA (Converged Network Adapter) as well as with 1 or 10 Gbit/s pure Ethernet Mezzanine cards or on board controllers that are installed in the PRIMERGY BX server blades. This highly flexible usability, supported by low latency for wirespeed performance, paves the way for an easy and cost sensitive transition from today's separate Ethernet and FibreChannel topologies towards the converged operation of both via one cable and with one type of I/O controller. Free choice of connectors (copper or optical) for the provided SFP (1 Gbit/s) and SFP+ (10 Gbit/s) interfaces allow for optimal integration into different operational environments.



# Features & Benefits

Main Features	Benefits
<b>Safe operation</b> <ul style="list-style-type: none"><li>■ 10 Gbit/s Ethernet pass thru technology with 18 physically separated lines</li></ul>	<ul style="list-style-type: none"><li>■ Most secure transmission of data between server blades and LAN at high, native speed</li><li>■ Hassle-free connection to all Ethernet networks, avoiding any dependency on proprietary protocols, protecting investments in existing LAN environments</li><li>■ Maximum 6 pass-thru blades within one chassis offer scalability for up to 6 Ethernet connections per server blade</li><li>■ Flexible connectivity to external network components that provide different interconnect speeds</li><li>■ Price sensitive customers, who don't see the necessity of switched connectivity, will be highly satisfied by this connection blade</li></ul>
<b>Universal use</b> <ul style="list-style-type: none"><li>■ Protocol-free operation</li></ul>	
<b>Scalability provided</b> <ul style="list-style-type: none"><li>■ Installation in Fabric 1 to 3 of BX400 (as soon as released) or BX900 system unit</li></ul>	
<b>Flexible connection</b> <ul style="list-style-type: none"><li>■ Auto-sensing for transmission speeds of 1Gbit/s and 10 Gbit/s</li></ul>	
<b>Optimal CAPEX</b> <ul style="list-style-type: none"><li>■ Pass-thru characteristics allow cost optimized production compared to switch technology, including SFP and SFP+ interface modules</li></ul>	

# Technical details

## PRIMERGY BX Ethernet Pass Thru 1/10Gbit/s 18/18

<b>Connection type</b>	LAN Connection Blade 1/10 Gbit/s Ethernet Pass Through Blade
<b>Supported system units</b>	PRIMERGY BX400 S1, PRIMERGY BX900 S1, PRIMERGY BX900 S2
<b>Max. number per BX unit</b>	4 in PRIMERGY BX400 S1, 6 in PRIMERGY BX900 S1/S2
<b>Supported Server Blades</b>	PRIMERGY BX9xx Server Blade w. 1 Gbit/s LAN on board PRIMERGY BX9xx Server Blade w. 10 Gbit/s LAN on board PRIMERGY BX9xx S3/S4 Server Blades w. 10 Gbit/s CNA on Board PRIMERGY BX25xx Server Blades w. 10Gbit/s CNA on Board
<b>Supported Mezzanine Cards</b>	PRIMERGY BX Eth Mezz Card 1 Gbit/s 4 port PRIMERGY BX Eth Mezz Card 10 Gbit/s 2 port PRIMERGY BX CNA Mezz Card 10 Gbit/s 2 port (MC-CNA102E) PRIMERGY BX CNA Mezz Card 10 Gbit/s 2 port (MC-CNA112E)

## Interfaces

<b>Down-link ports</b>	18 x 1/10 Gbit/s Eth
<b>Up-link ports</b>	18 x 1/10Gbit/s Eth Port types: 1 Gbit/s (SFP) or 10 Gbit/s (SFP+) full-duplex

## Supported Interface Modules / Cables

Order code	Application	Type / mode	Connector / cable Length
S26361-F3989-E600	Ethernet 10 Gbit/s	SFP+ Twinax Cable / active	SFP+ / 2m or 5m
S26361-F3989-L102	Ethernet 10 Gbit/s	SFP+ Twinax Cable / active	SFP+ / 2m
S26361-F3989-L105	Ethernet 10 Gbit/s	SFP+ Twinax Cable / active	SFP+ / 5m
S26361-F3989-L110	Ethernet 10 Gbit/s	SFP+ Twinax Cable / active	SFP+ / 10m
S26361-F3873-E500	Ethernet 10 Gbit/s	SFP+ Twinax Cable / active	SFP+ / 3m or 5m
S26361-F3873-L501	Ethernet 10 Gbit/s	SFP+ Twinax Cable / active	SFP+ / 1m
S26361-F3873-L503	Ethernet 10 Gbit/s	SFP+ Twinax Cable / active	SFP+ / 3m
S26361-F3873-L505	Ethernet 10 Gbit/s	SFP+ Twinax Cable / active	SFP+ / 5m
Interface Module notes	Only Fujitsu certified modules and cables are supported Order codes starting with "S26361-F3873" are Brocade branded cables, required for connections to Brocade switches Cisco twinax cables cannot be supported		

## Technical specifications

<b>DCB features</b>	the Ethernet Pass Through is fully transparent to Ethernet protocols
<b>Performance</b>	1Gbit/s or 10Gbit/s Ethernet full duplex, non blocking
<b>Interoperability</b>	Cisco Nexus product family Brocade 8000, Brocade VDX family all 1GbE switches fulfilling the standards for 1000BASE-SX and 1000BASE-T all 10GbE switches fulfilling the standards for 10GBASE-SR
<b>Management</b>	managed by the Management Blade of the chassis

## Dimensions / Weight

<b>Dimensions (W x D x H)</b>	192.6 x 267.9 x 27.9 mm
<b>Weight</b>	ca. 1.5 kg

## Environment

<b>Temperature note</b>	see corresponding PRIMERGY BX System Unit
<b>Maximum altitude</b>	see corresponding PRIMERGY BX System Unit

## Electrical values

<b>Active power (max. configuration)</b>	42 W
<b>Heat emission (max. configuration)</b>	151.2 kJ/h (143.3 BTU/h)
<b>Electrical value notes</b>	Including 18 SFP+ modules

**Compliance**

<b>Germany</b>	GS
<b>Europe</b>	CE Class A *
<b>Global</b>	CB RoHS WEEE
<b>Japan</b>	VCCI:V3 Class A + JIS 61000-3-2
<b>Australia/New Zealand</b>	C-Tick
<b>Taiwan</b>	BSMI
<b>Compliance notes</b>	In combination with corresponding PRIMERGY BX system unit There is general compliance with the safety requirements of all European countries and North America. National approvals required in order to satisfy statutory regulations or for other reasons can be applied for on request.
<b>Compliance link</b>	<a href="https://sp.ts.fujitsu.com/sites/certificates">https://sp.ts.fujitsu.com/sites/certificates</a>

# More information

## Fujitsu platform solutions

In addition to Fujitsu PRIMERGY BX Ethernet Pass Thru 1/10Gbit/s 18/18, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

### Computing Products

[www.fujitsu.com/global/products/computing/](http://www.fujitsu.com/global/products/computing/)

### Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

## More information

Learn more about Fujitsu PRIMERGY BX Ethernet Pass Thru 1/10Gbit/s 18/18, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. <http://ts.fujitsu.com/Primergy>

## Fujitsu green policy innovation

## Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see <http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html>

Copyright 2017 FUJITSU LIMITED

## Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

## CONTACT

FUJITSU LIMITED

Address: x-xx-x, street, city, state, ZIP code, country

Phone: xx-xxxx-xxxx

Fax : xx-xxxx-xxxx

Email: xxx.xxxxx@xx.fujitsu.com

Website: [http://\[country\].fujitsu.com](http://[country].fujitsu.com)

2018-12-18 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see <http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html>

Copyright 2017 FUJITSU LIMITED