

# Data Sheet

## Fujitsu PRIMERGY BX Fibre Channel Pass Thru 8Gbit/s 18/18

Fast and direct connection to SAN

---

### **PRIMERGY BX Fibre Channel Pass Thru 8Gbit/s 18/18**

Blade Servers and Fibre Channel SANs build an ideal infrastructure for maximizing the benefits of consolidation and server virtualization. In addition to Fibre Channel switch blades Fujitsu offers a connection blade for direct transmission of sensitive data between servers and storage. Each of the maximum 3 (4) Fibre Channel pass-thru blades within a BX400 (BX900) blade server enclosure provides secure interconnectivity with up to 8 Gbit/s for up to 18 FC ports. The small pass-thru form factor (single width and height) allows connection of up to 72 FC ports whilst leaving 2 more IO fabrics of the BX system unit usable for additional types of transmission, e. g. for Infiniband. At twice the bandwidth of 4 Gbit/s networks, each Server Blade can host more virtual machines ensuring high performance and availability.



# Features & Benefits

Main Features	Benefits
<p><b>Safe operation</b></p> <ul style="list-style-type: none"> <li>■ 4/8 Gbit/s Fibre Channel pass thru technology with 18 physically separated lines</li> </ul>	<ul style="list-style-type: none"> <li>■ Most secure transmission of data between server blades and SAN at high, native speed</li> <li>■ Hassle-free connection to all market relevant FC networks, avoiding any dependency on proprietary protocols, protecting investments in existing storage and SAN environments</li> <li>■ Maximum 4 pass-thru blades within one chassis offer scalability for up to 4 FC connections per server blade</li> <li>■ Flexible connectivity to external network components that provide different interconnect speeds</li> <li>■ Price sensitive customers, who don't see the necessity of switched connectivity, will be highly satisfied by this connection blade</li> <li>■ If overall throughput maximization in a blade server chassis is required, pass-thru blades are the better solution than switch blades; in addition they are generally cheaper when purchased, even though the number of cables needed is high</li> <li>■ Easy and efficient high availability for always accessible SAN located storage</li> </ul>
<p><b>Universal use - Independence</b></p> <ul style="list-style-type: none"> <li>■ Protocol-free operation</li> </ul>	
<p><b>Scalability provided</b></p> <ul style="list-style-type: none"> <li>■ Installation in Fabric 2 and 3 of the BX400 (3 times) or BX900 (4 times) system units</li> </ul>	
<p><b>Flexible connection</b></p> <ul style="list-style-type: none"> <li>■ Auto-sensing for transmission speeds of 4 and 8 Gbit/s</li> </ul>	
<p><b>Optimal CAPEX</b></p> <ul style="list-style-type: none"> <li>■ Pass-thru characteristics allow cost optimized production compared to switch technology, including SFP and SFP+ interface modules</li> </ul>	
<p><b>Always maximal performance at low costs</b></p> <ul style="list-style-type: none"> <li>■ 18x18 - End-to-End connection with up to 18 Gbit/s per single connection</li> </ul>	
<p><b>High availability</b></p> <ul style="list-style-type: none"> <li>■ Up to 2x 2 pass-thru blades may be installed in a blade server enclosure, offering either up to 72 active connections, or 2x 36 connections, where the second 36 are redundant.</li> </ul>	

# Technical details

## PRIMERGY BX Fibre Channel Pass Thru 8Gbit/s 18/18

Connection type	SAN Connection Blade 8 Gbit/s Fibre Channel Pass Through Blade
Supported system units	PRIMERGY BX400 S1, PRIMERGY BX900 S1, PRIMERGY BX900 S2
Max. number per BX unit	3 in PRIMERGY BX400 S1, 4 in PRIMERGY BX900 S1/S2
Supported Server Blades	all PRIMERGY BX9xx and BX25xx Server Blades
Supported Mezzanine Cards	PRIMERGY BX FC Mezz Card 8 Gbit/s 2 port (MC-FC82E)

### Interfaces

Down-link ports	18 x 8 Gbit/s FC
Up-link ports	18 x Universal (SFP, SFP+) full-duplex, auto-sensing

### Supported Interface Modules / Cables

Order code	Application	Type / mode	Connector / cable Length
S26361-F3873-E109	Fibre Channel 8 Gbit/s	SFP+ / MMF (SWL)	LC-style / max. 190 m
Interface Module notes	Only Fujitsu certified modules are supported Max. distance varies according to FC speed and cable type		

### Technical specifications

Fibre Channel features	4 Gbit/s and 8 Gbit/s Fibre Channel Pass Thru with auto speed negotiation. The device is 100% transparent to the Fibre Channel protocol.
Interoperability	Brocade 16Gbit/s switches: Brocade 6000 series Brocade 8 Gbit/s switches: Brocade 300, 5100, 5300 and director modules Brocade 4 Gbit/s switches: Brocade 200e, 4100, 4900, 5000 and director modules Cisco MDS 9000 Family Hardware
Management	Self-managing component

### Dimensions / Weight

Dimensions (W x D x H)	192.6 x 267.9 x 27.9 mm
Weight	ca. 1.5 kg

### Environment

Temperature note	see corresponding PRIMERGY BX System Unit
Maximum altitude	see corresponding PRIMERGY BX System Unit

### Electrical values

Active power (max. configuration)	42 W
Heat emission (max. configuration)	151.2 kJ/h (143.3 BTU/h)
Electrical value notes	Including 18 SFP+ modules

### Compliance

Germany	GS
Europe	CE Class A *
Global	CB RoHS WEEE
Japan	VCCI:V3 Class A + JIS 61000-3-2
Australia/New Zealand	C-Tick
Taiwan	BSMI
Compliance notes	In combination with corresponding PRIMERGY BX system unit There is general compliance with the safety requirements of all European countries and North America. National approvals required in order to satisfy statutory regulations or for other reasons can be applied for on request.
Compliance link	<a href="https://sp.ts.fujitsu.com/sites/certificates">https://sp.ts.fujitsu.com/sites/certificates</a>

## More information

### Fujitsu platform solutions

In addition to Fujitsu PRIMERGY BX Fibre Channel Pass Thru 8Gbit/s 18/18, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

#### Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

#### Computing Products

[www.fujitsu.com/global/services/computing/](http://www.fujitsu.com/global/services/computing/)

#### Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

### More information

Learn more about Fujitsu PRIMERGY BX Fibre Channel Pass Thru 8Gbit/s 18/18, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. <http://www.fujitsu.com/fts/products/computing/servers/primergy/blades/connection/cb-pmod-80444.html>

### Fujitsu green policy innovation

### Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see [http://ts.fujitsu.com/terms\\_of\\_use.html](http://ts.fujitsu.com/terms_of_use.html)

Copyright © Fujitsu Technology Solutions

### Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

#### CONTACT

FUJITSU LIMITED

Address: x-xx-x, street, city, state, ZIP code, country

Phone: xx-xxxx-xxxx

Fax : xx-xxxx-xxxx

Email: xxx.xxxxx@xx.fujitsu.com

Website: [http://\[country\].fujitsu.com](http://[country].fujitsu.com)

2019-08-01 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see [http://ts.fujitsu.com/terms\\_of\\_use.html](http://ts.fujitsu.com/terms_of_use.html)

Copyright © Fujitsu Technology Solutions