

Data Sheet

Emulex Dual port 8 Gbit/s Fibre Channel Mezzanine Card

High-speed SAN connectivity based on standards


To connect your PRIMERGY Blade Server to outside networks and storage, Fujitsu offers a variety of options to support your familiar standards such as Ethernet, Fibre Channel, SAS and InfiniBand. They connect directly to the high performance midplane and guarantees lossless, highly efficient data transfer to and from the Connection Blades. In order to optimally meet your needs, Fujitsu provides a wide range of various Mezzanine Cards starting from 1 and 10 Gbit/s Ethernet, 8 and 16 Gbit/s Fibre Channel, 40 and 56 Gbit/s InfiniBand to 6 Gbit/s SAS with RAID functionality. Even Converged Network Adapters (CNAs) that provide multiple network connections and Fibre Channel over Ethernet (FCoE) as well as iSCSI are part of the portfolio.

Dual port 8 Gbit/s Fibre Channel Mezzanine Card

Streamlined installation and management, unrivaled scalability, and industry-leading virtualization support make the dual-channel MC-FC82E Fibre Channel host bus adapter (HBA) ideal solutions for enterprise, mixed-OS and virtual server environments. With powerful management capabilities and broad platform support, they deliver maximum performance in the broadest range of applications and environments.

Emulex LightPulse HBAs' highly integrated processor design minimized onboard components to improve host performance and efficiency. Advanced error-checking features ensure the integrity of block data as it traverses the SAN. Emulex's firmware-based architecture enables feature and performance

upgrades without costly hardware changes. The unique Service Level Interface (SLI™) allows use of a common driver across all models of Emulex HBAs on a given OS platform. Installation and management facilities are designed to minimize server reboots and further simplify deployment. The new Fibre Channel Mezzanine Card is fully functional compatible with the Emulex LPe12002 Host Bus Adapter.



Main Features	Benefits
<ul style="list-style-type: none"> Support for Message Signaled Interrupts eXtended (MSI-X), improves host utilization & enhances application performance Support for 8Gb/s, 4Gb/s & 2Gb/s Fibre Channel devices Comprehensive virtualization capabilities with support for N_Port ID Virtualization (NPIV and Virtual Fabric) Host to Fabric FC-SP authentication BlockGuard® ready - ensures end-to-end data integrity Common driver model allows a single driver to support all Emulex HBAs on a given OS Easy deployment of new firmware with minimal server reboots 	<ul style="list-style-type: none"> Provides superior performance for the enterprise Integrates seamlessly into existing SANs Supports IT server consolidation and energy conservation initiatives Allows application of SAN best practices, tools and processes with virtual server deployments Protects sensitive data from unauthorized access Assures data availability and data integrity Improves IT staff productivity through simplified deployment and management

Technical details

Technical details

Controller type	Fibre Channel Mezzanine Card
Supported system units	PRIMERGY BX400 S1 PRIMERGY BX900 S1 PRIMERGY BX900 S2
Supported Server Blades	all PRIMERGY BX9xx Server Blades
Operating system pre-installed	Information to released operating systems can be found in the server datasheets. Details can be found in the released drivers list on the support portal.
Released drivers list link	http://support.ts.fujitsu.com/Download/Index.asp
Number of ports	2
Bus interface	PCIe 2.0 x8
Bus transfer rate	5GT/s
Interrupt Levels	MSI-X; INTA; MSI
Standards	<ul style="list-style-type: none"> · ANSI Fibre Channel: FC-PI-4, FC-FS-2, FC-FS-2/AM1, FC-LS, FC-AL-2, FC-GS-6, FC-FLA, FC-PLDA, FC-TAPE, FC-DA, FCP through FCP-4, SBC-3, FC-SP, FC-HBA and SMI-S v1.1 · PCI Express base spec 2.0 · Fibre Channel class 2 and 3

Order code	Product Name	Formfactor
S26361-F3874-E1	PY FC Mezz Card 8Gb 2 Port (MC-FC82E)	BX900 Mezzanine
S26361-F3874-L1	PY FC Mezz Card 8Gb 2 Port (MC-FC82E)	BX900 Mezzanine

Environment

Power consumption	10 W
Temperature (operating)	0 - 55 °C
Storage temperature	-40 - 70 °C

Compliance

Product	The Mezz Card fulfills the same certifications as the Server Blade where it will be installed
Compliance notes	According to the corresponding system
Compliance link	https://sp.ts.fujitsu.com/sites/certificates

More information

Fujitsu products, solutions & services

In addition to Fujitsu with Dual port 8 Gbit/s Fibre Channel Mezzanine Card, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Server Dual port 8 Gbit/s Fibre Channel Mezzanine Card, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/primergy

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html>
Copyright 2019 FUJITSU LIMITED

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.