

# Data Sheet

## FUJITSU 43 cm / 17-inch TFT rack console RC25

User-friendly rack console (only 1 U)

The rack consoles from Fujitsu Technology Solutions are specially designed for installation in 19-inch rack systems. The console is secured on guide rails and is a component of the central control unit in server systems.

The rack console opens just like a laptop as soon as it leaves the rack housing; the central monitor unit and input interfaces then become accessible. Several rack servers can be easily and securely managed via the rack console.

### 43 cm / 17-inch TFT rack console RC25

Standard racks enable reliable and maintenance-friendly operation of servers and other 19-inch rack systems. The rack console RC25 is an ergonomically optimized, central administration workplace within a rack. In a single height unit it is used to manage rack systems easily and reliably with optimized space and energy consumption. The RC25 console has various national keyboard layouts and can integrate an analog KVM switch behind the console as well as have optionally an external USB drive directly connected to the front USB port of the console.



#### Main Features

- 43cm/17-inch TFT flat screen display
- Keyboard with 87-92 keys in various languages
- Integrated touchpad
- Out-of-band management
- Rack mount kit, cable and cable management integrated
- Virtual Media Port
- KVM integration in same U space

#### Benefits

- Brilliant display for eye friendly usage
- Keyboard is MS Windows® compatible, Windows shortcut keys
- Scroll function as well as additional left and right-hand mouse key
- Reliable secure access to KVM switch or server
- Tool less rack installation, 1 U rack space, detend slides, ergonomic work, secure cable guides
- Front USB passthrough with compatible KVM switches
- Optional mounting of analog KVM switches from Fujitsu Technology Solutions

# Technical details

Base unit	Order code	Dimensions (W x D x H)	Vertical Slots	Transport Dimensions (W x D x H)	Max. pay load / dynamic load	Net weight

## Environment

Operating ambient temperature	Recommended range 10° - 35°C, tolerance limits -20° - 60°C
Temperature and humidity notes	20-85%

## Approvals & Conformity (Standards)

Germany	GS
Europe	CE EN
USA/Canada	FCC Class A UL/cUL
Global	CB WEEE (Waste electrical and electronical equipment) RoHS (Substance limitations in accordance with global RoHS regulations)
Japan	VCCI Class A
South Korea	KCC
China	CCC (AC-Adapter)
Australia/New Zealand	C-Tick
Taiwan	BSMI
Argentina	IRAM
Mexico	NOM
Compliance link	<a href="https://sp.ts.fujitsu.com/sites/certificates">https://sp.ts.fujitsu.com/sites/certificates</a>

# More information

## Fujitsu products, solutions & services

In addition to FUJITSU Server 43 cm / 17-inch TFT rack console RC25, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Fujitsu Portfolio

Built on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offerings. This allows customers to select from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

### Computing Products

[www.fujitsu.com/global/products/computing/](http://www.fujitsu.com/global/products/computing/)

### Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

## More information

Learn more about FUJITSU Server 43 cm / 17-inch TFT rack console RC25, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. <http://www.fujitsu.com/primergy>

## Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



## Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html>  
Copyright 2019 FUJITSU LIMITED

## Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

## Contact

FUJITSU LIMITED

Website: [www.fujitsu.com](http://www.fujitsu.com)  
2019-02-21 WW-EN

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html>  
Copyright 2019 FUJITSU LIMITED