Fujitsu recommends Windows 11 Pro.

# Data Sheet Fujitsu Notebook LIFEBOOK E5413

### Your Powerful and Modern Business Device

The Fujitsu LIFEBOOK E5413 is designed for office workers needing a powerful and fully equipped notebook. Thanks to the 13th generation Intel® Core™ processor you can work efficiently wherever you are. Advanced security features like PalmSecure™ are protecting your business data against unauthorized access. Modern Standby provides you an instantly ready and always connected notebook.

Ultra-slim and lightweight design

Reliable mobility, ease of use and modern good looks for everyday business demands

- Ultra-slim 19.9 mm entry notebook starting at 1.35 kg with magnesium LCD lid
- Enjoy an ergonomic viewing experience with a 14.0-inch outdoor friendly anti-glare FHD display with touch option

Reliable and secure performance

Protect your business data from unauthorized access at all times

- Integrated PalmSecure<sup>™</sup> or fingerprint sensor
- Infrared Camera: Allows face recognition with Windows Hello
- Intel<sup>®</sup> Iris<sup>®</sup> Xe Graphics
- Built-in Privacy Camera Shutter: Protecting your privacy
- SmartCard reader

### Best in class connectivity

Be flexible and stay productive anywhere, anytime

- Compact and versatile Intel<sup>®</sup> Thunderbolt<sup>™</sup> 4 USB Type-C connector to charge your laptop, transfer files at fast speeds, connect external monitors and other peripherals
- Full set of ports with a full-sized HDMI and LAN connector and USB Type-C
- Based on the latest 13th Gen Intel<sup>®</sup> Core<sup>™</sup> processors, enabling data to be processed faster

### Convenient serviceability and upgradeability

Easy access to key components reduces upgrade time and costs

Battery, memory, internal storage and connectivity components can be changed with ease

### Long-term stable platform

Protect your investments and be ready for shared desk concepts

This LIFEBOOK E5 Series provides an extraordinary guaranteed product lifecycle of 24 months









# Components

Base unit	LIFEBOOK E5413	
Operating systems		
Operating system pre-installed	Windows 11 Pro. Fujitsu recommends Windows 11 Pro for business. Windows 11 Home Windows 10 Pro. Fujitsu recommende Windows 11 Pro for business.	
Microsoft OS support information	Windows 10 Pro. Fujitsu recommends Windows 11 Pro for business.	
Microsoft OS support information	Windows 11 requires for first device setup: - Internet connectivity	
	- Microsoft account for Home editions or organizational account (e.g. ADD) for Pro editions	
	After product end of life, Fujitsu continues to test and support new Windows releases for max. 5 years, depending or	
	extension of hardware services through warranty top ups.	
	For more details please visit our Fujitsu Service Statement under https://support.ts.fujitsu.com/IndexProdSupport. asp?Ing=com&OpenTab=	
Operating system notes	The use of Windows Operating System is subject to acceptance of the End User License Agreement of Microsoft as	
	applicable under the relevant Microsoft program.	
Processor	Intel® Core™ i7-1365U processor (10 Cores, up to 5.2 GHz) **	
	Intel® Core™ i7-1355U processor (10 Cores, up to 5.0 GHz) *, ***	
	Intel® Core™ i5-1345U processor (10 Cores, up to 4.7 GHz) **	
	Intel <sup>®</sup> Core™ i5-1335U processor (10 Cores, up to 4.6 GHz) *, ***	
	Intel® Core™ i3-1315U processor (6 Cores, up to 4.5 GHz) *	
	* Processor only for retail, SMB, education and government	
	** Processor supports Intel® vPro® Enterprise	
	***Processor supports Intel® vPro® Essential	
Memory modules	8 GB (1 module(s) 8 GB) DDR4, 3,200 MT/s, SO DIMM	
	16 GB (1 module(s) 16 GB) DDR4, 3,200 MT/s, SO DIMM	
	32 GB (1 module(s) 32 GB) DDR4, 3,200 MT/s, SO DIMM	
Hard disk drives (internal)	PCIe-SSD, 512 GB M.2 NVMe module, SED	
	PCIe-SSD, 256 GB M.2 NVMe module, SED	
	PCIe-SSD, 2 TB M.2 NVMe module, SED	
	PCIe-SSD, 1 TB M.2 NVMe module, SED	
Hard disk notes	Accessible capacity may vary, also depending on used software.	
Interface add on cards/components		
(optional)		
4G/ LTE (optional)	Quectel EM120R-GL (4G Cat.12) (Downlink speed 600 MB/s, Uplink speed 150 MB/s)	
Display	35.6 cm (14.0-inch), IPS, FHD, 1,920 x 1,080 pixel, Anti-glare multi-touch, 300 cd/m <sup>2</sup> (Touch), 700:1 (Touch)	
	35.6 cm (14.0-inch), FHD, 1,920 x 1,080 pixel, Anti-glare IPS display, 400 cd/m <sup>2</sup> (FHD), 800:1 (FHD)	
	35.6 cm (14.0-inch), FHD, 1,920 x 1,080 pixel, Anti-glare IPS display, 250 cd/m <sup>2</sup> (FHD), 700:1 (FHD)	
Multimedia		
Camera	Built-in webcam (HD) with Status LED Built-in Infrared webcam (HD) with Status LED	
Camera notes	720p, 1 megapixels, 1280 x 720, with Privacy Camera Shutter	
Microphone	dual digital array microphone	

## Base unit

Base unit


General system information				
Chipset	Integrated in CPU			
Supported capacity RAM (min.)	Integrated in CPU			
Supported capacity RAM (min.)	8 GB 64 GB			
Memory slots				
	2 SO DIMM (DDR4, 3200 MHz)			
Memory notes	Dual channel support			
	10/100/1,000 MBit/s Intel® I219LM			
Integrated WLAN	Intel WiFi 6E AX211 - WLAN, BT, SRD	cat. 2		
BIOS version	UEFI Specification 2.8			
BIOS features	InsydeH2O BIOS			
Audio type	On board			
Audio codec	Realtek ALC257			
Audio features	2x built-in speakers (stereo)			
Graphics				
Base unit	LIFEBOOK E5413			
Graphics brand name	Intel <sup>®</sup> UHD Graphics (with Single cha	nnel memory), Intel® Iris® Xe Graphics (w	ith Dual channel memory)	
Graphics notes	Shared memory depending on main	memory size and operating system		
Interfaces				
Audio: line-in / line-out	1			
Internal microphones	2x digital array microphones (option	al)		
USB 3.2 Gen1 (5 Gbps) total	2x Type-A (1 with Anytime USB charge functionality)			
Thunderbolt <sup>™</sup> 4 total	2x Type-C with USB4 (40 Gbps, Power Delivery (15W), DP 1.4 out)			
HDMI	1 Supports 4k@60Hz as specified in I			
Ethernet (RJ-45)	1 (with status LED)			
Memory card slots	1 microSD 3.0 Standard			
	microSD card: 2GB			
	microSDHC card: 32GB			
	microSDXC card: 2TB			
	Speed Class: up to UHS-I (104MB/s)			
SmartCard slot	1 (optional)			
SIM card slot	1 (Nano-SIM, only for models with configuration WWAN ready or with 4G LTE modules)			
eSIM card	eSIM integrated in 4G LTE module			
Docking connector for Port Replicator	1 - PR Model: NPR50			
Kensington Lock support	1 - Recommendation: Kensington's Micro Security Saver			
Port Replicator interfaces (optional)				
	USB Type-C PR	Thunderbolt™ 4 PR	Mechanical PR	
			Model: NPR50	
DC-in	1 (19V/90W required)	1 (20V/170W required)	1 (19V/90W required)	
Power on switch	1	1	1	
Audio: line-in / line-out	1	1	1	
Audio: comments	Combo jack for headset usage	Combo jack for headset usage	Combo-Port	
USB 3.2 Gen1 (5 Gbps) total	3x Type-A - 5V/0.9A, 4.5W		4x Type-A	
	1x Type-C - 15W		2x Type-C	
USB 3.2 Gen2 (10 Gbps) total		2x Type-A - 5 V/0.9 A, 4.5 W		
		1x Type-A - 5 V/2.4 A, 12 W 2x Type-C - 5 V/1.5 A, 4.5 W charging		
		port		
USB 4.0 Gen3 (20 Gbps) total		1x Type-C - TBT4 up to 60 W (PD v2.0-		
		1.1), 5-20 V/3. 0A upstream (PC), Intel		
		AMT support (vPRO) to client		
		AMT support (vPRO) to client 1x Type-C - TBT4 up to 15 W (PD v2.0-		
		AMT support (vPRO) to client 1x Type-C - TBT4 up to 15 W (PD v2.0- 1.1), 5 V/3.0 A downstream, power		
DisplayPort	1x v1.2	AMT support (vPRO) to client 1x Type-C - TBT4 up to 15 W (PD v2.0-	2 (up to 2x 3840x2160 60Hz)	

Port Replicator interfaces (optional)			
VGA	1		1 (up to 1920x1200 6Hz)
HDMI text	1 -Supports 4k@60Hz as specified in HDMI 2.0b	1 - supports 4k@60Hz as specified in HDMI 2.0b	1 -Supports 4k@60Hz as specified ir HDMI 2.0b
Interface Notes	1x USB Type-C to Client - Up to 60 W (PD v2.0-1.1) power output to client or 4.5W input	1x USB Type-C to Client - Thunderbolt™ 4 up to 60 W (PD v2.0- 1.1), 5-20V/3.0A upstream (PC), Intel AMT support (vPRO)	
Kensington Lock support	no	1	1 (lock Portrep only)
Ethernet (RJ-45)	1 (10/100/1000)	1 (10/100/1000 Mbit/s, 2,5 Gbps)	1 (10/100/1000)
Notes	Number of simultaneous used displays and its possible resolutions and frequencies depend on mobile system an display interface type. Please consult always also the manual of the connected client.		
Keyboard and pointing devices			
	Spill-resistant keyboard, Available with	n standard keyboard or backlit keyboar	d
	Number of keyboard keys: 85, Keyboar	rd pitch: 19 mm, Keyboard stroke: 1.7 n	nm
	Multi gesture touchpad with two mouse buttons		
Wireless technologies			
Antennas	2 Dual band WLAN antennas, +2 4G LT	E antennas optional	
Bluetooth	v5.3 hardware ready but may run at lo	•	
Integrated WLAN	Intel WiFi 6E AX211 - WLAN, BT, SRD ca		
WLAN encryption	WPA/WPA2/WPA3 (Wi-Fi Protected Acc		
WLAN notes	WiFi 6E is supported by Windows 11 OS only - Windows 10 OS supports WiFi 6 only. Import and usage according to country-specific regulations.		
LTE/UMTS/GPS notes	Optional		
Integrated WWAN	(4G) LTE Quectel EM120R-GL (Cat.12) - eSIM integrated - UMTS,LTE (4G) LTE Quectel EM05-G (Cat.4) - eSIM integrated - UMTS,LTE		
NFC	No		
GPS	Embedded in 4G module if configured	with WWAN	
AC Adapter	20 V / 65 W (3.25 A), 100 V - 240 V, 50 H	z - 60 Hz, 3-pin (grounded) Type-C AC-	Adapter slim&light
AC Adapter	20 V / 65 W (3.25 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Type-C AC-Adapter standard		
1st battery options	Li-lon battery 4-cell, 3,915 mAh, 60 Wh		
1st battery	Lithium polymer battery 4-cell, 60 Wh,	3915 mAh	
Battery features	Quick Charge: 80% in 1h		
Runtime 1st battery	11h (up to)		
Battery notes	Battery runtime information is based of com for additional details. The BAPCo® MobileMark® Benchmark manufacturers. It does not guarantee a depending on product model, configu decreases slightly with every re-charge	provides results that enable direct proc any specific battery runtime which actur iration, application and power manage	duct comparisons between Jally can be lower and may vary
Noise emission			
Noise emission	Please refer to the Eco Declaration		
Dimensions / Weight / Environmental			
Dimensions (W x D x H)	322 x 211 x 19.9 mm		
	12.68 x 8.31 x 0.78 inch		
Weight	1.35 kg (starting from)		
Weight (lbs)	starting from 2.98 lbs		
Weight notes	Weight may vary depending on actual configuration		
Operating ambient temperature	5 - 35 °C (41 - 95 °F)		
Operating relative humidity	20 - 80 %		
Compliance			

Compliance			
Model	5E14A3		
Germany	GS		
Europe	CE CB		
USA/Canada	FCC (depending on configuration)		
Global	ENERGY STAR® 8.0 MIL-STD-810H tested EPEAT® Gold (dedicated regions) TCO Certified 9.0		
China	CCC (planned)		
Compliance link	https://sp.ts.fujitsu.com/sites/certificates		
Additional Software			
Additional software (preinstalled)	Microsoft Office (1 month trial for new Microsoft® Office 365 customers. Buy Microsoft Office.) McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial pre- installed) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Function Manager Fujitsu Battery Utility Fujitsu Deskl Indate (driver and utility tool)		
Additional software (optional)	Fujitsu DeskUpdate (driver and utility tool)   Drivers & Utilities DVD (DUDVD)   Recovery DVD for Windows®   Nero Essentials XL   Microsoft® Office Professional 2021   Microsoft® Office Home and Business 2021   (Need to buy license to activate the pre-installed Microsoft Office. Purchase and activation only in the region in which it was acquired.)		
Additional software (notes)	Use of accompanying and/or additional Software is subject to proactive acceptance of the respective License Agreements /EULAs/ Subscription and support terms of the Software manufacturer as applicable for the relevant Software whether preinstalled or optional. The software may only be available bundled with a software support subscription which – depending on the Software - may be subject to separate remuneration.		
Manageability technology	Intel® vPro™ technology/iAMT (depending on processor) PXE Boot code Wake-on-LAN		
Manageability software	DeskView Client DeskView Instant BIOS Management		
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)		
Manageability link	https://www.fujitsu.com/global/products/computing/pc/manageability/		
Physical Security	Kensington Lock support		
System and BIOS Security	User and supervisor BIOS password		
User Security	Embedded fingerprint sensor (optional) Embedded PalmSecure® sensor (optional) Smartcard reader (optional) TPM 2.0 Hard disk password		
Security Notes	The properties of the product provide a baseline for product security and therefore end-customer IT security. However, these properties are not sufficient on their own to protect the product from all existing threats, such as intrusion attempts, data exfiltration and other forms of cyberattacks. To customize security settings, please use the configuration options as available for the respective product. During operation, the IT security of this product is within the responsibility of the respective administrator/end-user of the product. Please note, that Fujitsu as a manufacturer does not make any policy prescriptions or advocacy statements regarding IT security best practices and/or general product operation.		

Warranty		
Warranty period	1 year (for countries in EMEIA)	
Warranty type	Bring-in Service / Collect & Return Service (depending on country)	
Warranty Terms & Conditions	http://www.fujitsu.com/warranty	
Digital bug fixes	Subject to availability and following their generic release for the product, bug fixes and function-preserving patche for product-related software (firmware) can be downloaded from the technical support at: https://support.ts.fujitsu com/ free of charge by entering the respective product serial number. For application software supplied together with the product, please directly refer to the support websites of the respective software manufacturer.	
Product Support - the perfect extension		
Recommended Service	9x5, Onsite Response Time: Next Business Day	
Spare Parts availability	at least 5 years after shipment, for details see https://support.ts.fujitsu.com/	
Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/	

### **Recommended Accessories**





2x Bluetooth and 1x wireless USB Type-C dongle. With the blue optical sensor, it works on nearly all surfaces with an 3-step adjustable DPI selector (800/1600/2400).

The mouse charges wirelessly through Qi or by USB Type-C cable. A utility button on the side is programmable. The default functions are optimized for Teams calls.

### More information

#### Fujitsu products, solutions & services

In addition to Fujitsu Notebook LIFEBOOK E5413, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

#### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products www.fujitsu.com/global/products/ computing/

Software www.fujitsu.com/software/

#### More information

Learn more about Fujitsu Notebook LIFEBOOK E5413, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/emeia/products/ computing/pc/notebooks/index.html

#### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.

Please find further information at http://www. fujitsu.com/global/about/environment



### Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see https://www.fujitsu.com/ global/about/resources/terms/ Copyright 2024 Fujitsu Technology Solutions GmbH

### Disclaimer

Please note that the data sheet reflects the technical specification with the maximum selection of components for the named system and not the detailed scope of delivery. The scope of delivery is defined by the selection of components at the time of ordering.

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

The overall product has been designed and manufactured for general office use, regular personal use and ordinary industrial use.

Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2024-04-06 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see https://www.fujitsu.com/global/about/resources/terms/ Copyright 2024 Fujitsu Technology Solutions GmbH