

## Fujitsu Software BS2000

### FHS V8.3

FHS enables BS2000 applications to be equipped with an alphanumeric, mask-oriented user interface.

## Topics

### Product characteristic

Thanks to the use of dialog elements conforming to the Alpha Style Guide it is possible to design user interfaces that correspond to the "Guidelines for the design of character-oriented user interfaces" (Alpha Style Guide, see Fig. 1). The use of FHS makes application programming largely independent of the physical characteristics of the data display terminal peripherals connected. FHS also enables formatted messages to be printed out on terminal printers or, subject to restrictions, on high-speed printers in the computer center. FHS is available for programs in interactive mode (TIAM), in openNet Server (DCAM) applications, and in transaction processing mode (openUTM).



### Functional description

#### Basic functions

- Creation of formats in conjunction with the Interactive Format Generator (IFG).
- Formatting of input/output messages.
- Possibility of specifying different field characteristics of formats either at the time of creation or at the time of utilization (runtime).
- Addressing aids for input and output data for all important programming languages are available for application programs. These enable the application program to access the relevant parts of the message via symbolically defined fields.

- Separate transfer areas for field contents and their attributes
- Transmission of either net data only or modified data only.
- Possibility of field handling by the application program during formatting.
- Utilization of the maximum number of fields per line on the screen, in accordance with the type of data display terminal used.
- Exchange of subformats on screen (for other subformats of the same size).
- Loading the P keys of data display terminals by means of special formats. (The service routine PLUS, which is contained in the software products VTSU and DCAM, is also required in order to assign user-determined information to the keys).
- Editing of messages for terminal printers, either as hardcopies or as printed forms. Operation of the printer either connected to the data display terminal or a printer controller. Unsolicited messages are also edited.
- Printouts of formats on highspeed printer for test purposes.
- FHS calls via Assembler interface or COBOL-CALL interface for COBOL programs under TIAM or DCAM.
- Edit functions: support for data editing and testing such as decimal and digital separation, sign, date, input duty, and minimum input length, etc.
- Optional integrated or decoupled interface during transaction operations with UTM.
- Support for 8-bit terminals (coded character set corresponding to ISO 8859).
- From an UTM application, any RSO printer can be accessed.

#### **Dialog expansions that conform to Alpha Style Guide**

- Standardized mask layout in accordance with Alpha Style Guide (Fig. 1).
  - Display of single and multiple selection fields.
  - Support during list display.
  - Display of format name.
  - Display of dialog boxes.
  - Extensive help system (fieldrelated help, mask-related help, help with the Help functions, help with key assignment, help with FHS system commands).
  - Choice of national language format.
  - Command processing.
  - Support for menu bar and pulldown menus.
- Support for cross-references.

#### **Changes since the preceding version V8.2D**

- Support of Unicode
- Support of PI up to 65K

# Technical Details

## Requirements

<b>Technical Requirements Hardware</b>	BS2000 Business Server, supported Data Display Terminals
<b>Technical Requirements Software</b>	BS2000 OS DX V1.0 BS2000 OSD/BC V11.0, OSD/XC V11.0
<b>User Requirements</b>	Knowledge of BS2000

## Installation

<b>Operating Mode</b>	Dialog
<b>Implementation Language</b>	C/C++, SPL4 and Assembler
<b>User Interface</b>	English and German
<b>Installation</b>	Please refer to the relevant release notices.

## Documentation and Training

<b>Documentation</b>	The manuals are available on the <a href="#">manual server</a> .
<b>Training</b>	See <a href="#">course offer</a> (German only)

## Purchase and Delivery

<b>Conditions</b>	This software product is provided to customers under the terms and conditions for the use of software products in return for ongoing or one-time payment.
<b>Order and Delivery</b>	This software product may be obtained from your local Fujitsu regional office.

### Fujitsu Platform Solutions

In addition to Fujitsu Software BS2000, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio Built on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions, and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offerings. This allows customers to select from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products  
[www.fujitsu.com/global/products/computing/](http://www.fujitsu.com/global/products/computing/)

Software  
[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

### More Information

Learn more about Fujitsu Software BS2000, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

[www.fujitsu.com/emeia/bs2000](http://www.fujitsu.com/emeia/bs2000)

### Fujitsu Green Policy Innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at <https://www.fujitsu.com/global/about/environment>



### Copyright

© Copyright 2022 Fujitsu Limited

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see [www.fujitsu.com/global/about/resources/terms/](http://www.fujitsu.com/global/about/resources/terms/)

### Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

### Contact

Fujitsu  
BS2000 Services  
Email: [bs2000services@fujitsu.com](mailto:bs2000services@fujitsu.com)  
Website: [www.fujitsu.com/emeia/bs2000](http://www.fujitsu.com/emeia/bs2000)  
2022-05-20 EM EN

© Fujitsu 2022. All rights reserved. Fujitsu and Fujitsu logo are trademarks of Fujitsu Limited registered in many jurisdictions worldwide. Other product, service and company names mentioned herein may be trademarks of Fujitsu or other companies. This document is current as of the initial date of publication and subject to be changed by Fujitsu without notice. This material is provided for information purposes only and Fujitsu assumes no liability related to its use.