

DATA SHEET

LEASY (BS2000/OSD)

Version 6.2

Linear Input/Output System

Issue June 2009

Pages 2

LEASY is a transaction-oriented data management and access system which supports simple transactions consisting of DVS accesses using the SAM, ISAM and UPAM access methods. LEASY can be used in transaction mode with openUTM or openNet Server and/or in batch/interactive mode. The central I/O handler can be used in batch/interactive mode to relieve applications of memory tasks.

Functional Description

LEASY contains the following functions:

- Transaction concept and transaction security (Before-Image/After-Images),
- openNet Server connection,
- Link to openUTM,
- Record-oriented direct access method (DAM),
- Secondary indexing for DAM/UPAM/ISAM files,
- CALL interface,
- Link facility to DRIVE for data queries and to create an application,
- I/O handler for applications in batch/interactive mode.

Transaction Concept and Transaction Security

Transaction access supported by LEASY as regards file processing is based on series of LEASY statements (record access via the LEASY CALL interface). LEASY coordinates parallel accesses with the aid of central tables which enable the anticipation of possible deadlocks. A transaction can consist of accesses to one or more files.

One of the central features of the transaction concept is the possibility of using transaction-oriented before-images to cancel individual transactions which have not yet been completed. This enables an automatic warm start (ROLLBACK) after a system crash, in which case all file updates performed by canceled transactions are reset.

In addition, transactions are automatically reset (by means of the STXIT routine) in the event of program abortion, and can also be reset in response to a programmed request.

To protect against hardware errors (destruction of a file), it is possible to keep transaction-oriented after-images on tape or disk. The reconstruction of damaged files is effected with the aid of save copies and a utility routine which reads in the after-images and updates the LEASY files.

In order to minimize data saving during operation, a shadow file concept is supported, whereby the shadow files can be updated in parallel with the application currently running.

Secondary Indexing

Up to 255 secondary indices can be defined for each ISAM, DAM or UPAM file. This means that files can be processed either on a logical sequential basis or directly via primary and secondary keys. A secondary key can comprise several key parts, which may overlap. When several record types are used per file, various secondary keys can be defined in accordance with the record type. All the secondary keys for a file are stored in a secondary key file (ISAM file) created by means of a utility routine.

Call Interface

LEASY is called via a CALL interface. This means that the LEASY functions are also available in higher-level programming languages. The CALL interface is a subset of the KSDS/KLDS interfaces.

LEASY provides a number of macros to support Assembler programming.

TECHNICAL DETAILS

LEASY V6.2

Technical requirements

Hardware

BS2000/OSD Business Server

Software

BS2000/OSD-BC V5.0 or higher or OSD/XC V1.0 or higher
ARCHIVE V6.0 or higher (when using LEASY-SAVE)
SORT V7.8 or higher (when using secondary indices)
optional: openUTM V5.2 or higher, DRIVE V3.1

Operating mode

Transaction processing, interactive and batch mode

Implementation language

Assembler

Installation

By the user as per the release notice

Documentation

LEASY Program Interface and Strategies
LEASY Utility Routines
LEASY Ready Reference

Conditions

This software product can be purchased by the customer against a single payment or leased in accordance with the conditions for the use of software products.

Ordering and delivery

This software product may be obtained from your local Fujitsu Technology Solutions GmbH regional office.

Information about environmental care, policies, programs and our Environmental Guideline FSC03230:

ts.fujitsu.com/aboutus

Take back and Recycling information: ts.fujitsu.com/recycling

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see: ts.fujitsu.com/terms_of_use.html

Copyright © Fujitsu Technology Solutions GmbH 2009

Published by:
Fujitsu Technology Solutions GmbH
ts.fujitsu.com