

Overview of released Fujitsu Servers for SAP on Linux

Please find more detailed information about Fujitsu Server [here](#).

The supported Linux distributions are SUSE Linux Enterprise Server and Red Hat Enterprise Linux.

For SAP HANA, the OS releases supported in detail can be found in SAP Note 2235581.

For SAP components other than SAP HANA all OS releases certified for the listed system are supported.

Please visit [Server Operating Systems and Virtualization Software](#) for more information.

Current Models	Processor Generation		Certified for HANA
PRIMERGY RX2540 M7	4th Generation Intel Xeon Scalable Processors (Sapphire Rapids SP)	(2-way)	yes
PRIMERGY RX2530 M7	4th Generation Intel Xeon Scalable Processors (Sapphire Rapids SP)	(2-way)	yes
PRIMERGY TX2550 M7	4th Generation Intel Xeon Scalable Processors (Sapphire Rapids SP)	(2-way)	yes
PRIMERGY CX2560 M7	4th Generation Intel Xeon Scalable Processors (Sapphire Rapids SP)	(2-way)	yes
PRIMERGY CX2550 M7	4th Generation Intel Xeon Scalable Processors (Sapphire Rapids SP)	(2-way)	yes
PRIMERGY RX2450 M1	AMD EPYC 7003 Series (Milan)	(2-way)	no
PRIMERGY RX2450 M1	AMD EPYC 7002 Series (Rome)	(2-way)	no
PRIMERGY RX4770 M6	3rd Generation Intel Xeon Scalable Processors (Cooper Lake SP)	(4-way)	yes
PRIMERGY RX2540 M6	3rd Generation Intel Xeon Scalable Processors (Ice Lake SP)	(2-way)	yes
PRIMERGY RX2530 M6	3rd Generation Intel Xeon Scalable Processors (Ice Lake SP)	(2-way)	yes
PRIMERGY CX2560 M6	3rd Generation Intel Xeon Scalable Processors (Ice Lake SP)	(2-way)	yes
PRIMERGY CX2550 M6	3rd Generation Intel Xeon Scalable Processors (Ice Lake SP)	(2-way)	yes

PRIMERGY RX4770 M5	2nd Generation Intel Xeon Scalable Processors (Cascade Lake SP)	(4-way)	yes
PRIMERGY RX2540 M5	2nd Generation Intel Xeon Scalable Processors (Cascade Lake SP)	(2-way)	yes
PRIMERGY RX2530 M5	2nd Generation Intel Xeon Scalable Processors (Cascade Lake SP)	(2-way)	yes
PRIMERGY TX2550 M5	2nd Generation Intel Xeon Scalable Processors (Cascade Lake SP)	(2-way)	yes
PRIMERGY CX2560 M5	2nd Generation Intel Xeon Scalable Processors (Cascade Lake SP)	(2-way)	yes
PRIMERGY CX2550 M5	2nd Generation Intel Xeon Scalable Processors (Cascade Lake SP)	(2-way)	yes
PRIMERGY RX4770 M4	Intel Xeon Scalable Processors (Skylake SP)	(4-way)	yes
PRIMERGY RX2540 M4	Intel Xeon Scalable Processors (Skylake SP)	(2-way)	yes
PRIMERGY RX2530 M4	Intel Xeon Scalable Processors (Skylake SP)	(2-way)	yes
PRIMERGY TX2550 M4	Intel Xeon Scalable Processors (Skylake SP)	(2-way)	yes
PRIMERGY CX2560 M4	Intel Xeon Scalable Processors (Skylake SP)	(2-way)	yes
PRIMERGY CX2550 M4	Intel Xeon Scalable Processors (Skylake SP)	(2-way)	yes
PRIMEQUEST 3800 E2	2nd Generation Intel Xeon Scalable Processors (Cascade Lake SP)	(2/4/6/8-way)	yes
PRIMEQUEST 3800 B2	2nd Generation Intel Xeon Scalable Processors (Cascade Lake SP)	(2/4/6/8-way)	yes
PRIMEQUEST 3400 E2/S2	2nd Generation Intel Xeon Scalable Processors (Cascade Lake SP)	(2/4-way)	yes
PRIMEQUEST 3800 B/E	Intel Xeon Scalable Processors (Skylake SP)	(2/4/6/8-way)	yes
PRIMEQUEST 3400 E/S	Intel Xeon Scalable Processors (Skylake SP)	(2/4-way)	yes

Overview of released Fujitsu Servers for SAP on Linux – retired models

The supported Linux distributions are SUSE Linux Enterprise Server and Red Hat Enterprise Linux.

For SAP HANA, the OS releases supported in detail can be found in SAP Note 2235581.

For SAP components other than SAP HANA all OS releases certified for the listed system are supported.

Retired Models		Certified for HANA
PRIMERGY RX4770 M3	(4-way)	yes
PRIMERGY RX4770 M2	(4-way)	yes
PRIMERGY RX2540 M2	(2-way)	yes
PRIMERGY RX2530 M2	(2-way)	yes
PRIMERGY TX/RX2560 M2	(2-way)	yes
PRIMERGY BX2580 M2	(2-way)	yes
PRIMERGY BX2560 M2	(2-way)	no
PRIMERGY RX4770 M1	(4-way)	yes
PRIMERGY RX2540 M1	(2-way)	yes
PRIMERGY RX2530 M1	(2-way)	yes
PRIMERGY TX/RX2560 M1	(2-way)	yes
PRIMERGY BX2580 M1	(2-way)	yes
PRIMERGY BX2560 M1	(2-way)	no
PRIMERGY BFi20 S6	(2-way blade)	no
PRIMERGY BFi40 S5	(4-way blade)	no
PRIMERGY BFi20 S5	(2-way blade)	no
PRIMERGY BFi40 S4	(4-way blade)	no
PRIMERGY BFi20 S4	(2-way blade)	no
PRIMERGY BX960 S1	(2-way blade)	no
PRIMERGY BX924 S4	(2-way blade)	no
PRIMERGY BX924 S3	(2-way blade)	no
PRIMERGY BX924 S2	(2-way blade)	no
PRIMERGY BX922 S2	(2-way blade)	no

Overview of released Fujitsu Servers for SAP on Linux / 2023-01-11

PRIMERGY BX920 S4	(2-way blade)	no
PRIMERGY BX920 S3	(2-way blade)	no
PRIMERGY BX920 S2	(2-way blade)	no
PRIMERGY BX920 S1	(2-way blade)	no
PRIMERGY BX630	(2/4/8-way blade)	no
PRIMERGY BX630 S2	(2/4-way blade)	no
PRIMERGY BX620 S6	(2-way blade)	no
PRIMERGY BX620 S5	(2-way blade)	no
PRIMERGY BX620 S4	(2-way blade)	no
PRIMERGY BX620 S3	(2-way blade)	no
PRIMERGY BX620 S2	(2-way blade)	no
PRIMERGY CX122 S1	(2-way cloud server unit)	no
PRIMERGY RXI600	(4-way)	no
PRIMERGY RXI300	(2-way)	no
PRIMERGY RX900 S2	(4/8-way)	no
PRIMERGY RX900 S1	(4/8-way)	no
PRIMERGY RX800 S3	(4/8-way)	no
PRIMERGY RX800 S2	(4/8-way)	no
PRIMERGY RX600 S6	(4-way)	no
PRIMERGY RX600 S5	(4-way)	no
PRIMERGY RX600 S4	(4-way)	no
PRIMERGY TX600 S3/RX600 S3	(4-way)	no
PRIMERGY TX600 S2/RX600 S2	(4-way)	no
PRIMERGY RX500 S7	(4-way)	no
PRIMERGY RX350 S8	(2-way)	yes
PRIMERGY RX350 S7	(2-way)	no
PRIMERGY RX330 S1	(2-way)	no
PRIMERGY TX300 S8/RX300 S8	(2-way)	yes
PRIMERGY TX300 S7/RX300 S7	(2-way)	no
PRIMERGY TX300 S6/RX300 S6	(2-way)	no
PRIMERGY TX300 S5/RX300 S5	(2-way)	no
PRIMERGY TX300 S4/RX300 S4	(2-way)	no
PRIMERGY TX300 S3/RX300 S3	(2-way)	no
PRIMERGY TX300 S2/RX300 S2	(2-way)	no
PRIMERGY TX200 S7	(2-way)	no
PRIMERGY TX200 S6	(2-way)	no
PRIMERGY TX200 S5	(2-way)	no
PRIMERGY TX200 S4	(2-way)	no

Overview of released Fujitsu Servers for SAP on Linux / 2023-01-11

PRIMERGY TX200 S3	(2-way)	no
PRIMERGY TX200 S2	(2-way)	no
PRIMERGY RX200 S8	(2-way)	no
PRIMERGY RX200 S7	(2-way)	no
PRIMERGY RX200 S6	(2-way)	no
PRIMERGY RX200 S5	(2-way)	no
PRIMERGY RX200 S4	(2-way)	no
PRIMERGY RX200 S3	(2-way)	no
PRIMERGY RX200 S2	(2-way)	no
PRIMERGY RX220	(2-way)	no
PRIMERGY TX150 S5	(1-way)	no
PRIMERGY TX120 S2	(1-way)	no
PRIMERGY RX100 S6	(1-way)	no
PRIMERGY RX100 S5	(1-way)	no
PRIMERGY RX100 S4	(1-way)	no
PRIMEQUEST 2800 B3/E3	(2/4/6/8-way)	yes
PRIMEQUEST 2400 E3/S3	(2/4-way)	yes
PRIMEQUEST 2800 B2/E2	(2/4/6/8-way)	yes
PRIMEQUEST 2400 E2/S2	(2/4-way)	yes
PRIMEQUEST 2000 Series	(2/4/6/8-way)	yes
PRIMEQUEST 1800 E2	(2/4/6/8-way)	no
PRIMEQUEST 1800 E	(4/8-way)	no
PRIMEQUEST 520/540/580	(8/16/32-way)	no
PRIMEQUEST 420/440/480	(8/16/32-way)	no
BS2000/OSD Business Server SQ100	(4-way, SLES guest OS)	no
BS2000/OSD Business Server SQ200	(4-way, SLES guest OS)	no

Contact

Fujitsu

Web: www.fujitsu.com

2023-01-11

© Fujitsu 2023. All rights reserved. Fujitsu and Fujitsu logo are trademarks of Fujitsu Limited registered in many jurisdictions worldwide. Other product, service and company names mentioned herein may be trademarks of Fujitsu or other companies. This document is current as of the initial date of publication and subject to be changed by Fujitsu without notice. This material is provided for information purposes only and Fujitsu assumes no liability related to its use.