


# Get connected in a second


## FUJITSU Accessories - Connectivity



Fujitsu	USB 3.0 Port Replicator PR08	USB Port Replicator PR 8.1	USB Port Replicator PR09	USB Type-C Port Replicator	USB 3.0 Hub 4 Ports
Data Rates	up to 2.7 Gbp/s	up to 1 Gbp/s	up to 10 Gbit/s	up to 5 Gbit/s	5 Gbit/s
Power supply	AC Adapter	AC Adapter	AC Adapter 20 VDC	AC Adapter	AC and bus-powered
Resolution	All standards from 640 x 480 to 2560 x 1152 (16/32 bit) 2560 x 1600 pixel (max. resolution, DisplayPort single-mode) 2048 x 1152 pixel (max. resolution, DVI-I, dual-mode)	All standards from 640 x 480 to 2048 x 1152 and 2048 x 1280 to 3840 x 2160 pixel (DP only)	1x up to 5120 x 2880 @ 60Hz or 2x up to 4096 x 2160 @ 60Hz	For 1 external display: HDMI up to 4096 x 2160 @24Hz DP up 3840 x 2160@30Hz For 2 external + 1 internal displays: 1920 x 1080 p60Hz For 3 external + 1 internal displays: 1600 x 900 p60 or 1280 x 1024 p60Hz	-
Required interface	USB 3.0 (or USB 2.0)	USB 3.0	USB Type-C	USB Type-C	USB 3.0 (or USB 2.0)
DisplayLink	Certified	Certified	Certified	-	-
LAN	10/100/1000	10/100/1000	10/100/1000	10/100/1000	-
Graphic	DisplayPort, DVI-I	Use of either DisplayPort or HDMI	2 x DisplayPort 1.2a DP++	1 x DisplayPort 1.2, 1 x HDMI, 1 x VGA (VGA: support on USB type-C port replicator only if not used on client)	-
Hub	2 x USB 2.0, 2 x USB 3.0	3 x USB 3.0	1 x USB Type-C (UFP) 3 x USB Type-C 3.1 Gen2 (DFP) 4 x USB Type-A 3.1 Gen1 (DFP)	USB Type-C (to Devices): 1 x USB 3.1 Gen1, up to 5V/3A power output USB Type-C (to PC/Tablet): x USB 3.1 Gen1, up to 60 W power output USB Type-A: 3 x USB 3.1 Gen1	4 x USB 3.0
Line in / out USB	Line in / out USB	Line in / out USB	SPDIF	-	-
<b>Packaging information</b>					
Package Content	USB 3.0 Port Replicator PR08	USB Port Replicator PR8.1 Power adapter Exchangeable AC plugs for EU, US, UK, CN, AUS/NZ USB 3.0 Type-A to Type-B Cable (100 cm), USB CTS certified Quick Start Guide Driver CD with manual	USB Port Replicator PR09 AC/DC Adapter 20V, 120W EU-power cord, 1.8 m USB Type-C cable, 1 m Quick Start Guide Service Desk & Warranty Informations Safety Notes Informationcard for driver download	USB Type-C Port Replicator 3-pin AC-adapter 19V/90W USB-C cable	USB 3.0 Hub 4 Ports
VGA Adapter	yes	Supported with adapter S26391-F6055-L260 (not included)	-	-	-
<b>Order information</b>					
Order code	S26391-F6007-L400 S26391-F6007-L406 (6 pieces)	S26391-F6007-L410	S26391-F6007-L500	S26391-F1667-L100	S26391-F6099-L304

# Clean desk for efficient working

## FUJITSU Accessories - Connectivity



Fujitsu	Workplace Connect Kit 1.0	Workplace Connect Kit 2.0	EVoline Dock Square for PR09
Power supply	240 VAC	240 VAC	240 VAC
On / off switch	yes	yes	yes
Power sockets on desk	2 / integrated	2 / integrated	2 / integrated
Power sockets under desk	2 x 3 power socket	2 x 3 power socket	2 x 3 power socket
Features	See USB 3.0 Port Replicator PR08	See USB Port Replicator PR09	-
<b>Packaging information</b>			
Package Content	Workplace Connect Gate 2.0 USB 3.0 Port Replicator PR08 Dual USB Quick Charge Adapter Notebook AC Adapter, 19V 80W Power Cable EU	EVoline Dock Square USB Port Replicator PR09	EVoline Dock Square
<b>Order information</b>			
Order code	S26391-F6055-L710	BDL:F6055L720-DE	S26391-F6055-L630

# Get connected in a second


## FUJITSU Accessories - Connectivity



<b>Fujitsu</b>	USB to UHD DP Adapter
Data Rates	5 Gbit/s
Power supply	Bus-powered
Resolution	3840 x 2160 on DisplayPort
Required interface	USB 3.0
DisplayLink	yes
LAN	-
Graphic	DisplayPort 1.2
Hub	-
Audio	-
<b>Packaging information</b>	
VGA Adapter	Possible
<b>Order information</b>	
Order code	S26391-F6099-L500


# Get connected in a second

## FUJITSU Accessories - Connectivity



Fujitsu	DP1.2 to HDMI2.0 Adapter	DVI to VGA Adapter	VGA Conversion Cable	DisplayPort to DisplayPort 1.4 Cable	HDMI to HDMI Cable	USB 3.0 certified cable 2m	VGA to VGA Cable
Length	0.15 m	0.04 m	0.18 m	2 m	1.8 m	2.0 m	1.8 m
Color	Black	Black	Black	Black	Marble grey	Black	Black
Specification	DisplayPort 1.2/ HDMI 2.0	165 MHz	165 MHz	DisplayPort 1.4	HDMI version: 1.3	USB A / USB B	-
Interface	male / female	male / female	male / female	male / male	male / male	male / male	male / male

Order information							
Order code	S26391-F6055-L212 S26391-F6055-L224 (20 pieces)	S26391-F6055-L260	S26391-F938-L900	S26391-F6055-L219 S26391-F6055-L223 (20 pieces)	S26391-F6055-L230 S26391-F6055-L233 (20 pieces)	S26391-F6055-L320 S26391-F6055-L321 (20 pieces)	S26391-F6055-L261





Fujitsu	DVI-D to DVI-D Cable	HDMI to DVI-D Cable	Mini-DP to DP 1.4 Cable	USB to Serial Adapter Cable	DisplayPort to DVI Cable	DisplayPort to VGA Adapter	Micro HDMI to HDMI Cable
Length	1.8 m	1.8 m	2.2 m	0.85 m	0.4 m	0.18 m	2.0 m
Color	Black	Black	black	Black	Black	Black	Black
Specification	165 MHz	HDMI version 1.3	DisplayPort 1.4	USB 1.1 or higher	DVI-D (Dual Link)	DisplayPort 1.2a	-
Interface	male / male	male / male	male / male	male / male	male / female	male / female	male / male

Order information							
Order code	S26391-F6055-L240	S26391-F6055-L250	S26391-F6055-L222 (1 piece) S26391-F6055-L221 (20 pieces)	S26391-F6055-L570	S26391-F6055-L270 S26391-F6055-L271 (20 pieces)	S26391-F6055-L280 S26391-F6055-L281 (100 pieces)	S26391-F6055-L231

# Get connected in a second

## FUJITSU Accessories - Connectivity



Fujitsu	USB-C to HDMI2.0 Adapter	USB Type-C to USB Type-A Adapter	USB-A to USB-C Adapter	USB Type-C Cable 5A Gen2	USB Type-C to VGA Adapter	USB Type-C to DP Adapter	USB Type-C to Gb-LAN Adapter
<b>Length</b>	186 mm	0.15 m	44 mm	1 m	0.15 m	0.15 m	0.175 m
<b>Color</b>	black	black	black	black	black	black	black
<b>Specification</b>	HDMI 2.06	USB 3.0	USB 3.1 Gen1	USB 3.1 Gen2	ALT-Mode	ALT-Mode	IEEE 802.3 / 802.3u
<b>Interface</b>	male / male	male / female	male / female	male / male	male / female	male / female	male / female
<b>Order information</b>							
<b>Order code</b>	S26391-F6058-L130 (1 piece) S26391-F6058-L131 (20 pieces)	S26391-F6058-L100 (1 piece) S26391-F6058-L120 (20 pieces)	S26391-F6058-L102 (1 piece) S26391-F6058-L122 (20 pieces)	S26391-F6058-L101 (1 piece) S26391-F6058-L121 (20 pieces)	S26391-F6058-L203 (1 piece) S26391-F6058-L224 (20 pieces)	S26391-F6058-L201 (1 piece) S26391-F6058-L223 (20 pieces)	S26391-F6058-L301 (1 piece) S26391-F6058-L321 (20 pieces)