

# A Feast for Your Eyes

FUJITSU Displays are Ultra secure, highly Energy efficient and Enhance Office Ergonomics



## ALL-ROUND

Energy saving



Fujitsu Displays E-line

### E line

E-line are entry-level displays ideal for everyday office scenarios.

- Screen sizes: 49.5 cm (19.5 inch) to 60.5 cm (23.8-inch)
- Interfaces: VGA, DVI, HDMI\* and DisplayPort\*
- Energy Efficiency: ECO operation mode, ECO key and Status LED
- Backpack support: for Fujitsu FUTRO Thin Clients and ESPRIMO Q Mini PCs
- Energy class: E-line displays have a minimum grading of Energy Efficiency Label A

Learn more on FUJITSU Display Offerings:

- [fujitsu.com/GLOBAL](http://fujitsu.com/GLOBAL)
- [fujitsu.com/fts/DISPLAYS](http://fujitsu.com/fts/DISPLAYS)
- [fujitsu.com/fts/PRODUCT-FINDER](http://fujitsu.com/fts/PRODUCT-FINDER)
- [fujitsu.com/fts/DATASHEET-FINDER](http://fujitsu.com/fts/DATASHEET-FINDER)

Our maintenance and Product Support Services:

- [fujitsu.com/fts/servicepositioning](http://fujitsu.com/fts/servicepositioning)

\*Available in select models

## ADVANCED

Energy saving and Ergonomic



Fujitsu Displays B-line

### B line

B-line Displays are designed for Advanced scenarios that require ergonomics for user comfort and reliability with near-zero failure rates ideal for 24/7 scenarios.

- Screen sizes: 48.3 cm (19-inch) to 86.3 cm (34-inch)
- Interfaces\*: 2 digital and 1 analog input
- Audio: Built-in speakers, headphone connectors
- Ergonomics\*: 5-in-1 stand, Cable guide, Picture over desk (down to 40mm)
- Energy class: B-line displays have a minimum grading of Energy Efficiency Label A

### XL line

XL-line displays are ideal for meetings rooms and collaboration spaces in your office. XL-line Display highlights:

- Screen sizes: 139 cm (55-inch)
- Touch: 10 finger IR Touch Technology
- Interfaces: DisplayPort, HDMI, DVI-I
- Certification: EPA 7.0
- Audio: Built-in speakers (2 x 10W)
- Energy Class: XL-line displays have a minimum grading of Energy Efficiency Label B
- Backpack support: For ESPRIMO Q Mini PCs

## SUPERIOR

High performance and Ultra secure



Fujitsu Displays P-line

### P line

P-line are Superior Displays for high-end Design scenarios such as CAD, Product Design, Architecture, Healthcare applications and so on.

- Screen sizes: 60.5 cm (23.8-inch) to 68.5 cm (27-inch)
- Multi-monitor setups: Display Port In/Out for daisy chaining multiple displays that help enhance productivity
- Pre-calibrated for high performance:
  - High-precision color calibration  $\Delta E \leq 2$
  - 100% coverage sRGB color space
  - DICOM compatible greyscale standard preset for clinical review applications
- Ergonomics: 5-in-1 stand, Cable guide, Picture over desk (50 mm) and height adjustment (130 mm)
- Built-in Sensors: enables Presence sensing for better Workplace Security, Auto Brightness Control for energy efficiency and Workplace Lighting Guide for user comfort and ergonomics
- UC&C ready: UC&C status indicator\* for Microsoft Skype for Business
- Modern Interfaces: USB Type-C\*, USB 3.0, DisplayPort, HDMI
- Energy class: All P-line displays have a minimum grading of Energy Efficiency Label A

## Latest Releases | FUJITSU Displays



Display B34-9 UE



Display XL55-1 TOUCH



Display P24-8 WE/WS Neo



Display B27-8 TE Pro



Display E24-9 TOUCH

# A Feast for Your Eyes

## FUJITSU Superior Displays (P-Line)



### SUPERIOR



Features	P27-8 TS UHD	P27-8 TS Pro	P27-8 TE Pro	P24-9 TE	P24-8 WS Neo	P24-8 WE Neo	P24-8 TE Pro
Size	27 in (68.5 cm)	27 in (68.5 cm)	27 in (68.5 cm)	23.8 in (60.5 cm)	24.1 in (61.1 cm)	24.1 in (61.1 cm)	23.8 in (60.5 cm)
Aspect Ratio	16:9	16:9	16:9	16:9	16:10	16:10	16:9
Native resolution	3840 x 2160	2560 x 1440	2560 x 1440	1920 x 1080	1920 x 1200	1920 x 1200	1920 x 1080
USB (Downstream)	4 x USB 3.1 Gen1	4 x USB 3.1 Gen1	4 x USB 3.1 Gen1	4 x USB 3.1 Gen1	4 x USB 3.1 Gen1	4 x USB 3.1 Gen1	3 x USB 3.1 Gen1
Interfaces	1 x Mini DisplayPort 1 x DisplayPort 1.2 2 x HDMI 2.0	1 x DisplayPort Out (DaisyChain) 1 x DisplayPort 1.2 1 x HDMI 1.4 1 x DualLink DVI	1 x DisplayPort Out (DaisyChain) 1 x DisplayPort 1.2 1 x HDMI 1.4 1 x DualLink DVI	1 x DisplayPort Out (DaisyChain) 1 x DisplayPort 1 x HDMI 1 x D-SUB	1 x DisplayPort Out (DaisyChain) 1 x DisplayPort 1.2 1 x HDMI 1.4 1 x DVI-D (HDCP)	1 x DisplayPort Out (DaisyChain) 1 x DisplayPort 1.2 1 x HDMI 1.4 1 x DVI-D (HDCP)	1 x DisplayPort 1 x DVI-D (HDCP) 1 x D-SUB
Stand type	4-in-1	4-in-1	4-in-1	5-in-1	5-in-1	5-in-1	5-in-1
Height adjust range	130 mm	130 mm	130 mm	150 mm	130 mm	130 mm	150 mm
Special Features	Presence Sensor, Pivot, Auto Brightness Control (ABC), Eco Button, Integrated speakers	Presence Sensor, Pivot, Auto Brightness Control (ABC), Eco Button, Integrated speakers	Presence Sensor, Pivot, Auto Brightness Control (ABC), Eco Button, Integrated speakers	Presence Sensor, Eco Button, Auto Brightness Control (ABC), Integrated speakers, USB Type C Docking	Presence Sensor, Pivot, Eco Button, Auto Brightness Control (ABC), Integrated speakers	Presence Sensor, Pivot, Eco Button, Auto Brightness Control (ABC), Integrated speakers	Call & Status Indicator, Presence Sensor, Pivot, Eco Button, Auto Brightness Control (ABC), Integrated speakers
Energy Class	B	A	A	A+	A+	A+	A
Audio	2 x 2W	2 x 2W	2 x 2W	2 x 2W	2 x 2W	2 x 2W	2 x 2W
Datasheet	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">V140, V141</a>	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>
Product page	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>

Create the ideal Future Workplace scenarios with these recommended FUJITSU products and accessories for FUJITSU P/B/E/XL-line Displays



Dual Monitor Stand



USB Port Replicator PR09



UC&C USB Value Headset



ESPRIMO Q957/MRE Mini PC



UC&C Keyboard KB950 Phone

# A Feast for Your Eyes

## FUJITSU Advanced Displays (B-Line)



### ADVANCED



Features	B34-9 UE	B27-8 TE Pro	B27-8 TS Pro	B24-9 TE	B24-9 TS	B24-9 WE	B24-9 WS	B24-8 TE Pro
Size	34 in (86.3 cm)	27 in (68.5 cm)	27 in (68.5 cm)	23.8 in (60.5 cm)	23.8 in (60.5 cm)	24 in (61 cm)	24 in (61 cm)	23.8 in (60.5 cm)
Aspect Ratio	21:9	16:9	16:9	16:9	16:9	16:10	16:10	16:9
Native resolution	3400 x 1440	1920 X 1080	1920 X 1080	1920 x 1080	1920 x 1080	1920 x 1200	1920 x 1200	1920 x 1080
USB (Downstream)	4 x USB 3.1 Gen1	2 x USB 3.1 Gen1	2 x USB 3.1 Gen1	2 x USB 3.1 (Gen 1)	2 x USB 3.1 (Gen 1)	2 x USB 2.0	2 x USB 2.0	2 x USB 2.0
Interfaces	1 x DisplayPort 2 x HDMI 2.0	1 x DisplayPort 1 x HDMI 1.4 1 x D-SUB	1 x DisplayPort 1 x HDMI 1.4 1 x D-SUB	1 x DisplayPort 1 x HDMI 1 x D-SUB	1 x DisplayPort 1 x HDMI 1 x D-SUB	1 x DisplayPort 1 x HDMI 1 x D-SUB	1 x DisplayPort 1 x HDMI 1 x D-SUB	1 x DisplayPort 1 x DVI-D (HDCP) 1 x D-SUB
Stand type	4-in-1	5-in-1	5-in-1	5-in-1	5-in-1	5-in-1	5-in-1	5-in-1
Height adjust range	130 mm	130 mm	130 mm	150 mm	150 mm	130 mm	130 mm	150 mm
Special Features	Eco Button, Integrated speakers	Eco Button, Pivot, Integrated speakers	Eco Button, Pivot, Integrated speakers	Eco Button, Pivot, Integrated speakers	Eco Button, Pivot, Integrated speakers	Eco Button, Pivot, Integrated speakers	Eco Button, Pivot, Integrated speakers	Eco Button, Pivot, Integrated speakers
Energy Class	A	A+	A+	A+	A+	A+	A+	A+
Audio	2 x 3W	2 x 2W	2 x 2W	2 x 2W	2 x 2W	2 x 2W	2 x 2W	2 x 2W
Datasheet	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>
Product page	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>

Create the ideal Future Workplace scenarios with these recommended FUJITSU products and accessories for FUJITSU P/B/E/XL-line Displays



Dual Monitor Stand



USB Port Replicator PR09



UC&C USB Value Headset



ESPRIMO Q957/MRE Mini PC



UC&C Keyboard KB950 Phone

# A Feast for Your Eyes

## FUJITSU Advanced (B-Line) and All-round (E-Line) Displays



### ADVANCED

### ALL-ROUND



Features	B24-8 TS Pro	B24W-7 LED (S)	B24W-7 LED	B22-8 TS Pro	B22-8 WE Neo	B19-7 LED	E24-9 TOUCH	E24-8 TS Pro
Size	23.8 in (60.5 cm)	24 in (61 cm)	24.1 in (61 cm)	21.5 in (54.6 cm)	22 in (55.9 cm)	19 in (48.3 cm)	23.8 in (60.5 cm)	23.8 in (60.5 cm)
Aspect Ratio	16:9	16:10	16:10	16:9	16:10	5:4	16:9	16:9
Native resolution	1920 x 1080	1920 x 1200	1920 x 1200	1920 x 1080	1680 x 1050	1280 x 1024	1920 x 1080	1920 x 1080
USB (Downstream)	2 x USB 2.0	2 x USB 2.0	2 x USB 2.0	2 x USB 2.0	2 x USB 2.0	-	2 x USB 3.1 (Gen 1)	-
Interfaces	1 x HDMI 1 x DVI-D (HDCP) 1 x D-SUB	1 x DisplayPort 1.2 1 x DVI-D (HDCP) 1 x D-SUB	1 x DisplayPort 1.2 1 x DVI-D (HDCP) 1 x D-SUB	1 x DisplayPort 1 x DVI-D (HDCP) 1 x D-SUB	1 x DisplayPort 1 x DVI-D (HDCP) 1 x D-SUB	1 x DVI-D (HDCP) 1 x D-SUB	1 x DisplayPort 1 x HDMI 1 x D-SUB	1 x DisplayPort 1 x DVI-D (HDCP) 1 x D-SUB
Stand type	5-in-1	4-in-1	4-in-1	5-in-1	5-in-1	4-in-1	Frame type stand	Removable
Height adjust range	150 mm	130 mm	130 mm	150 mm	130 mm	130 mm	-	-
Special Features	Eco Button, Pivot, Integrated speakers	Eco Button, Pivot, Integrated speakers	Eco Button, Pivot, Integrated speakers	Eco Button, Pivot, Integrated speakers	Eco Button, Pivot, Integrated speakers	Eco Button, Pivot, Integrated speakers	10 point projected capacitive touch (PCT), Eco button, Integrated speakers	Eco Button, Integrated speakers
Energy Class	A+	A+	A+	A+	A+	A	A	A+
Audio	2 x 2W	2 x 1.5W	2 x 1.5W	2 x 2 W	2 x 1.5W	2 x 1.5W	2 x 2W	2 x 2W
Datasheet	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>
Product page	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>

Create the ideal Future Workplace scenarios with these recommended FUJITSU products and accessories for FUJITSU P/B/E/XL-line Displays



Dual Monitor Stand



USB Port Replicator PR09



UC&C USB Value Headset



ESPRIMO Q957/MRE Mini PC



UC&C Keyboard KB950 Phone

# A Feast for Your Eyes



## FUJITSU All-round (E-Line) and Meeting Room (XL-Line) Touch Displays

### ALL-ROUND

### XL-TOUCH



Features	E22-8 TS Pro	E20T-7 LED	XL55-1 TOUCH
Size	21.5 in (54.6 cm)	19.5 in (49.5 cm)	55 in (139 cm)
Aspect Ratio	16:9	16:9	16:9
Native resolution	1920 x 1080	1600 x 900	1920 x 1080
USB (Downstream)	-	-	-
Interfaces	1 x DisplayPort 1.2 1 x DVI-D (HDCP) 1 x D-SUB	1 x DVI-D (HDCP) 1 x D-SUB	1 x DisplayPort 1.2 2 x HDMI 1.4 1 x DVI-I
Stand type	Removable	Removable	-
Height adjust range	-	-	-
Special Features	Eco Button, Integrated speakers	Integrated speakers	10 point IR Touch Technology, IR Remote, 8H hardness coating, Integrated speakers, Backpack mount for ESPRIMO Q
Energy Class	A+	A+	B
Audio	2 x 1.5W	2 x 2 W	2 x 10W
Datasheet	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>
Product page	<a href="#">Link</a>	<a href="#">Link</a>	<a href="#">Link</a>

## FUJITSU Displays (P/B/E/XL) | Highlights and Use cases


### HIGHLIGHTS

Features | Benefits

#### Ultra-thin bezel frame

Ultra-thin bezel frame that enables multi-monitoring scenarios that help enhance user productivity.

#### Multi-monitoring



Screen sizes ranging from 19-inches to 55-inches suitable for most business scenarios.

#### UWQHD

Screen resolution ranging from FHD to UWQHD ideal for normal and special scenarios.

#### FHD

#### Interfaces

Range of interfaces and built-in sensors for flexible, secure and human-centric computing .

#### Sensors

### USAGE

Sectors | Scenarios

#### WHERE?

#### WHY?

CAD/CAE	Hi-resolution displays with consistent color accuracy and ultra-thin bezel housing.
AEC	4K UHD displays with ultra thin housing enabling multi-monitoring set ups for precision work
MEDIA	Factory calibrated enabling you to start straight out of the box for your creative projects.
FINANCE	Reliable displays with low failure rates ideal for 24/7 usage and multi-monitoring workspaces.
HEALTHCARE	Specific P-line displays can be used for clinical review applications.
EDUCATION	Versatile displays that can be used by design- and general purpose schools.
RETAIL	Reliable and robust 19- and 20-inch displays with low failure rates that are ideal for 24/7 usage.

Create the ideal Future Workplace scenarios with these recommended FUJITSU products and accessories for FUJITSU P/B/E/XL-line Displays



Dual Monitor Stand



USB Port Replicator PR09



UC&C USB Value Headset



ESPRIMO Q957/MRE Mini PC



UC&C Keyboard KB950 Phone