

# Spec Sheet

## Fujitsu Integrated System PRIMEFLEX for VMware vSAN – Ready Nodes

PRIMEFLEX for VMware vSAN is an integrated system from Fujitsu to simplify the deployment of a VMware-based hyper-converged IT infrastructure. The integrated system combines benchmark-leading Fujitsu PRIMERGY standard x86 servers and software-defined server and storage technology from VMware to setup a high-performance, highly reliable and cost-efficient virtual infrastructure. In order to meet specific customer requirements, Fujitsu offers a broad range of validated server configurations based on VMware vSAN ReadyNodes™ with pre-installed software and single point of contact for support covering the complete hardware and software stack.



The spec sheet gives an overview of all certified Fujitsu vSAN ReadyNode configurations based on the latest Fujitsu PRIMERGY M6 standard x86-server models. For a complete list of all Fujitsu vSAN ReadyNodes please see the [VMware Compatibility Guide](#). The configurations outlined below are designed to meet the minimum requirements necessary for a vSAN ReadyNode profile (HY-2 to AF-8). However, there is flexibility to adapt these configurations to specific customer needs (i. e use another capacity tier device or use a better processor) without losing the certification status. For guidelines on what components can be changed in a vSAN ReadyNode configuration, please see this [article](#) from the VMware Knowledge Base.

### HY-2 Series

Fujitsu		
HY2-Fujitsu-RX2530M6 / Raw Storage Capacity: 2.4 TB		
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2530 M6 8x 2.5"	1
CPU	Intel Xeon Silver 4310 CPU 2.10Ghz 12Core	1
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	2
Caching Tier	SSD 400GB SFF SAS 12G MLC 10DWPD	1
Capacity Tier	HD SAS 12G 1.2TB 10K HOT PL 2.5" EP	2
Controller	PSAS CP503i	1
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3), ESXi 7.0 U2 (vSAN 7.0 Update 2)	

### HY-2 Series (continued)

Fujitsu		
HY2-Fujitsu-RX2530M6 / Raw Storage Capacity: 2.4 TB		
Components	Details	Quantity
SKU	FUJITSU CONFIGURATION TOOL: HY-2 series for PY RX2530 M6	
ESXi Pre-Installed?	Yes	
System	PY RX2530 M6 10x 2.5"	1
CPU	Intel Xeon Silver 4310 CPU 2.10Ghz 12Cores	1
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	2
Caching Tier	SSD 400GB SFF SAS 12G MLC 10DWPD	1
Capacity Tier	HD SAS 12G 1.2TB 10K HOT PL 2.5" EP	2
Controller	Fujitsu PSAS CP503i	1
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3), ESXi 7.0 U2 (vSAN 7.0 Update 2)	

### HY-4 Series

Fujitsu		
HY4-Fujitsu-RX2540M6 / Raw Storage Capacity: 4.8 TB		
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2540 M6 8x 2.5"	1
CPU	Intel Xeon Gold 6330 CPU 2.00Ghz 28Core	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	12
Caching Tier	SSD 400GB SFF SAS 12G MLC 10DWPD	1
Capacity Tier	HD SAS 12G 1.2TB 10K HOT PL 2.5" EP	4
Controller	PSAS CP503i	1
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3), ESXi 7.0 U2 (vSAN 7.0 Update 2), ESXi 6.7 U3 (vSAN 6.7 Update 3)	

Fujitsu		
HY4-Fujitsu-RX2530M6 / Raw Storage Capacity: 4.8 TB		
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	Primergy RX2530 M6	1
CPU	Intel Intel Xeon Gold 6330 CPU 2.00Ghz 28Core Speed: 2.00Ghz Cores: 28	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC 32GB Speed: DDR4-3200	12
Caching Tier	SSD 400GB SFF SAS 12G MLC 10DWPD SAS	1
Capacity Tier	HD SAS 12G 1.2TB 10K HOT PL 2.5" EP SAS	4
Controller	Fujitsu PSAS CP503i SAS	1
NIC	Model: Intel Intel(R) Ethernet Connection X722 for 10GBASE-T Network	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3), ESXi 7.0 U2 (vSAN 7.0 Update 2)	

## HY-4 Series (continued)

Fujitsu		HY4-Fujitsu-RX2530M6 / Raw Storage Capacity: 7.2 TB
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2530 M6 8x 2.5"	1
CPU	Intel Xeon Gold 6330 CPU 2.00Ghz 28Core	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	12
Caching Tier	SSD 400GB SFF SAS 12G MLC 10DWPD	2
Capacity Tier	HD SAS 12G 1.2TB 10K HOT PL 2.5" EP	6
Controller	Adaptec SmartHBA 2100-8i	1
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3)	

Fujitsu		HY4-Fujitsu-RX2540M6 / Raw Storage Capacity: 4.8 TB
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2540 M6 8x 2.5	1
CPU	Intel Xeon Gold 6330 CPU 2.00Ghz 28Core	2
Memory	16GB (1x16GB) 2Rx4 DDR4-3200 R ECC	8
Caching Tier	SSD 400GB SFF SAS 12G MLC 10DWPD	1
Capacity Tier	HD SAS 12G 1.2TB 10K HOT PL 2.5" EP	4
Controller	PSAS CP2100-8i	1
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3)	

## HY-6 Series

Fujitsu		HY6-Fujitsu-RX2530M6 / Raw Storage Capacity: 9.6 TB
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2530 M6 10x 2.5"	1
CPU	Intel Xeon Gold 6330 CPU 2.00Ghz 28Core	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	12
Caching Tier	SSD 400GB SFF SAS 12G MLC 10DWPD	2
Capacity Tier	HD SAS 12G 1.2TB 10K HOT PL 2.5" EP	8
Controller	PSAS CP503i	1
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3), ESXi 7.0 U2 (vSAN 7.0 Update 2)	

### HY-6 Series (continued)

Fujitsu		HY6-Fujitsu-RX2530M6 / Raw Storage Capacity: 9.6 TB
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2530 M6 10x 2.5"	1
CPU	Intel Xeon Gold 6330 CPU 2.00Ghz 28Core	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	12
Caching Tier	SSD 400GB SFF SAS 12G MLC 10DWPD	2
Capacity Tier	HD SAS 12G 1.2TB 10K HOT PL 2.5" EP	8
Controller	Adaptec SmartHBA 2100-8i	1
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3)	

### HY-8 Series

Fujitsu		HY8-Fujitsu-RX2540M6/ Raw Storage Capacity: 14.4 TB
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2540 M6 24x 2.5"	1
CPU	Intel Xeon Gold 6330 CPU 2.00Ghz 28Core	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	12
Caching Tier	SSD 400GB SFF SAS 12G MLC 10DWPD	2
Capacity Tier	HD SAS 12G 1.2TB 10K HOT PL 2.5" EP	12
Controller	PSAS CP503i	1
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3), ESXi 7.0 U2 (vSAN 7.0 Update 2)	

Fujitsu		HY8-Fujitsu-RX2540M6 / Raw Storage Capacity: 14.4 TB
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2540 M6 24x 2.5"	1
CPU	Intel Xeon Gold 6330 CPU 2.00Ghz 28Core	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	12
Caching Tier	SSD 400GB SFF SAS 12G MLC 10DWPD	2
Capacity Tier	HD SAS 12G 1.2TB 10K HOT PL 2.5" EP	12
Controller	Adaptec SmartHBA 2100-8i	1
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3)	

## AF-6 Series

Fujitsu		AF6-Fujitsu-RX2530M6 AFA / Raw Storage Capacity: 8 TB
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2530 M6 10x 2.5" NVMe	1
CPU	Intel Xeon Gold 6330 CPU 2.00Ghz 28Core	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	12
Caching Tier	Intel® SSD DC P4610 Series SSDPE2KE016T8 (1.6TB, 2.5" U.2)	2
Capacity Tier	Intel® SSD DC P4510 Series SSDPE2KX010T8 (1.0 TB, 2.5" U.2)	8
Controller	N/A	0
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3), ESXi 7.0 U2 (vSAN 7.0 Update 2)	

Fujitsu		AF6-Fujitsu-RX2540M6 / Raw Storage Capacity: 11.52 TB
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2540 M6 8x 2.5"	1
CPU	Intel Xeon Gold 6330 CPU 2.00Ghz 28Core	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	12
Caching Tier	SSD 400GB SFF SAS 12G MLC 10DWPD	2
Capacity Tier	MTFDDAK1T9TDT-1AW1ZABYY	6
Controller	PSAS CP503i	1
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3), ESXi 7.0 U2 (vSAN 7.0 Update 2), ESXi 6.7 U3 (vSAN 6.7 Update 3)	

Fujitsu		AF6-Fujitsu-RX2540M6 / Raw Storage Capacity: 11.52 TB
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2540 M6 8x 2.5"	1
CPU	Intel Xeon Gold 6330 CPU 2.00Ghz 28Core	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	12
Caching Tier	KCM61VUL1T60	2
Capacity Tier	Samsung SATA SSD SM883 Series MZ7KH1T9HAJR00005 (1.92TB, 2.5-inch)	6
Controller	PSAS CP503i	1
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3), ESXi 7.0 U2 (vSAN 7.0 Update 2)	

## AF-6 Series (continued)

Fujitsu	AF6-Fujitsu-RX2540M6 / Raw Storage Capacity: 11.52 TB	
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2540 M6 24x 2.5"	1
CPU	Intel Xeon Silver 4310 CPU 2.10Ghz 12Core	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	8
Caching Tier	SSD 400GB SFF SAS 12G MLC 10DWPD	2
Capacity Tier	MTFDDAK1T9TDT-1AW1ZABYY	6
Controller	PSAS CP503i	1
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3), ESXi 7.0 U2 (vSAN 7.0 Update 2)	

Fujitsu	AF6-Fujitsu-RX2540M6 / Raw Storage Capacity: 11.52 TB	
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2540 M6 8x 2.5	1
CPU	Intel Xeon Gold 6330 CPU 2.00Ghz 28Core	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	12
Caching Tier	Intel® Optane™ SSD DC P4800X Series SSDPE21K750GA (750 GB, 2.5" U.2)	2
Capacity Tier	Samsung SATA SSD SM883 Series MZ7KH1T9HAJR00005 (1.92TB, 2.5-inch)	6
Controller	PSAS CP503i	1
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3), ESXi 7.0 U2 (vSAN 7.0 Update 2)	

Fujitsu	AF6-Fujitsu-RX2540M6 / Raw Storage Capacity: 11.52 TB	
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2540 M6 8x 2.5"	1
CPU	Intel Xeon Gold 6330 CPU 2.00Ghz 28Core	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	12
Caching Tier	Intel® SSD DC P4610 Series SSDPE2KE016T8 (1.6TB, 2.5" U.2)	2
Capacity Tier	Samsung SATA SSD SM883 Series MZ7KH1T9HAJR00005 (1.92TB, 2.5-inch)	6
Controller	PSAS CP503i	1
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3), ESXi 7.0 U2 (vSAN 7.0 Update 2)	

## AF-6 Series (continued)

Fujitsu		AF6-Fujitsu-RX2530M6 / Raw Storage Capacity: 11.52 TB
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	Primergy RX2530 M6	1
CPU	Intel Intel Xeon Gold 6330 CPU 2.00Ghz 28Core Speed: 2.00Ghz Cores: 28	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC 32GB Speed: DDR4-3200	12
Caching Tier	SSD 400GB SFF SAS 12G MLC 10DWPD SAS	2
Capacity Tier	MTFDDAK1T9TDT-1AW1ZABYY SATA	6
Controller	Fujitsu PSAS CP503i SAS	1
NIC	Model: Intel Intel(R) Ethernet Connection X722 for 10GBASE-T Network	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3), ESXi 7.0 U2 (vSAN 7.0 Update 2)	

Fujitsu		AF6-Fujitsu-RX2530M6 AFA / Raw Storage Capacity: 8 TB
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2530 M6 10x 2.5" NVMe	1
CPU	Intel Xeon Gold 6330 CPU 2.00Ghz 28Core	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	12
Caching Tier	Intel® Optane™ SSD DC P4800X Series SSDPE21K750GA (750 GB, 2.5" U.2)	2
Capacity Tier	Intel® SSD DC P4510 Series SSDPE2KX010T8 (1.0 TB, 2.5" U.2)	8
Controller	N/A	0
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3), ESXi 7.0 U2 (vSAN 7.0 Update 2)	

Fujitsu		AF6: Fujitsu-RX2540M6 / Raw Storage Capacity: 11.52 TB
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2540 M6 24x 2.5"	1
CPU	Intel Xeon Silver 4310 CPU 2.00Ghz 12Core	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	12
Caching Tier	Intel® Optane™ SSD DC P4800X Series SSDPE21K750GA (750 GB, 2.5" U.2)	2
Capacity Tier	Samsung SATA SSD SM883 Series MZ7KH1T9HAJR00005 (1.92TB, 2.5-inch)	6
Controller	PSAS CP503i	1
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3), ESXi 7.0 U2 (vSAN 7.0 Update 2)	

AF-6 Series (continued)

Fujitsu	AF6: Fujitsu-RX2540M6 / Raw Storage Capacity: 11.52 TB	
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2540 M6 24x 2.5"	1
CPU	Intel Xeon Silver 4310 CPU 2.00Ghz 12Core	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	12
Caching Tier	Intel® SSD DC P4610 Series SSDPE2KE016T8 (1.6TB, 2.5" U.2)	2
Capacity Tier	Samsung SATA SSD SM883 Series MZ7KH1T9HAJR00005 (1.92TB, 2.5-inch)	6
Controller	PSAS CP503i	1
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3), ESXi 7.0 U2 (vSAN 7.0 Update 2)	

Fujitsu	AF-6-Fujitsu-RX2530M6 / Raw Storage Capacity: 11.52 TB	
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2530 M6 10x 2.5"	1
CPU	Intel Xeon Gold 6330 CPU 2.00Ghz 28Core	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	12
Caching Tier	SSD 400GB SFF SAS 12G MLC 10DWPD	2
Capacity Tier	MTFDDAK1T9TDT-1AW1ZABYY	6
Controller	Adaptec SmartHBA 2100-8i	1
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3)	

Fujitsu	AF6-Fujitsu-RX2540M6 / Raw Storage Capacity: 11.52 TB	
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2540 M6 24x 2.5"	1
CPU	Intel Xeon Gold 6330 CPU 2.00Ghz 28Core	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	12
Caching Tier	SSD 400GB SFF SAS 12G MLC 10DWPD	2
Capacity Tier	MTFDDAK1T9TDT-1AW1ZABYY	6
Controller	Adaptec SmartHBA 2100-8i	1
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3)	



AF-6 Series (continued)

Fujitsu		AF6-Fujitsu-RX2540M6 / Raw Storage Capacity: 11.52 TB
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2540 M6 8x 2.5"	1
CPU	Intel Xeon Gold 6330 CPU 2.00Ghz 28Core	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	12
Caching Tier	SSD 400GB SFF SAS 12G MLC 10DWPD	2
Capacity Tier	MTFDDAK1T9TDT-1AW1ZABYY	6
Controller	Adaptec SmartHBA 2100-8i	1
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3)	

Fujitsu		AF6-Fujitsu-RX2530M6 / Raw Storage Capacity: 11.52 TB
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2530 M6 10x 2.5"	1
CPU	Intel Xeon Gold 6330 CPU 2.00Ghz 28Core	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	12
Caching Tier	Intel® SSD DC P4610 Series SSDPE2KE016T8 (1.6TB, 2.5" U.2)	2
Capacity Tier	Samsung SATA SSD SM883 Series MZ7KH1T9HAJR00005 (1.92TB, 2.5-inch)	6
Controller	PSAS CP2100-8i	1
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3)	

Fujitsu		AF6-Fujitsu-RX2530M6 / Raw Storage Capacity: 11.52 TB
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2530 M6 8x 2.5"	1
CPU	Intel Xeon Gold 6330 CPU 2.00Ghz 28Core	2
Memory	16GB (1x16GB) 2Rx4 DDR4-3200 R ECC	16
Caching Tier	SSD 400GB SFF SAS 12G MLC 10DWPD SAS	2
Capacity Tier	MTFDDAK1T9TDT-1AW1ZABYY SATA	6
Controller	Adaptec SmartHBA 2100-8i	1
NIC	Model: Intel Intel(R) Ethernet Connection X722 for 10GBASE-T Network	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3)	

## AF-6 Series (continued)

Fujitsu	AF6-Fujitsu-RX2540M6 / Raw Storage Capacity: 11.52 TB	
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2540 M6 24x 2.5"	1
CPU	Intel Xeon Gold 6330 CPU 2.00Ghz 28Core	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	12
Caching Tier	Intel® SSD DC P4610 Series SSDPE2KE016T8 (1.6TB, 2.5" U.2)	2
Capacity Tier	Samsung SATA SSD SM883 Series MZ7KH1T9HAJR00005 (1.92TB, 2.5-inch)	6
Controller	Adaptec SmartHBA 2100-8i	1
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3)	

Fujitsu	AF6-Fujitsu-RX2540M6 / Raw Storage Capacity: 11.52 TB	
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2540 M6 8x 2.5"	1
CPU	Intel Xeon Gold 6330 CPU 2.00Ghz 28Core	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	12
Caching Tier	Intel® SSD DC P4610 Series SSDPE2KE016T8 (1.6TB, 2.5" U.2)	2
Capacity Tier	Samsung SATA SSD SM883 Series MZ7KH1T9HAJR00005 (1.92TB, 2.5-inch)	6
Controller	Adaptec SmartHBA 2100-8i	1
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3)	

## AF-8 Series

Fujitsu	AF8-Fujitsu-RX2530M6 / Raw Storage Capacity: 15.36 TB	
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2530 M6 10x 2.5"	1
CPU	Intel Xeon Gold 6330 CPU 2.00Ghz 28Core	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	12
Caching Tier	SSD 400GB SFF SAS 12G MLC 10DWPD	2
Capacity Tier	MTFDDAK1T9TDT-1AW1ZABYY	8
Controller	PSAS CP503i	1
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3), ESXi 7.0 U2 (vSAN 7.0 Update 2)	

## AF-8 Series (continued)

Fujitsu	AF-8: Fujitsu-RX4770M6 / Raw Storage Capacity: 12.8 TB	
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX4770 M6	1
CPU	Intel Xeon Platinum 8376 CPU 2.60Ghz 28Core	4
Memory	64GB (1x64GB) 2Rx4 DDR4-3200 R ECC	24
Caching Tier	Intel® Optane™ SSD DC P4800X Series SSDPE21K750GA (750 GB, 2.5" U.2)	2
Capacity Tier	Intel® SSD DC P4610 Series SSDPE2KE016T8 (1.6TB, 2.5" U.2)	8
Controller	N/A	0
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3), ESXi 7.0 U2 (vSAN 7.0 Update 2), ESXi 7.0 U1 (vSAN 7.0 Update 1)	

Fujitsu	AF8-Fujitsu-RX2540M6 / Raw Storage Capacity: 12 TB	
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2540 M6 24x 2.5" NVMe	1
CPU	Intel Xeon Gold 6330 CPU 2.00Ghz 28Core	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	12
Caching Tier	Intel® SSD DC P4610 Series SSDPE2KE016T8 (1.6TB, 2.5" U.2)	2
Capacity Tier	Intel® SSD DC P4510 Series SSDPE2KX010T8 (1.0 TB, 2.5" U.2)	12
Controller	N/A	0
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3), ESXi 7.0 U2 (vSAN 7.0 Update 2)	

Fujitsu	AF8: Fujitsu-RX2540M6 AFA / Raw Storage Capacity: 12 TB	
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2540 M6 24x 2.5" NVMe	1
CPU	Intel Xeon Gold 6330 CPU 2.00Ghz 28Core	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	12
Caching Tier	Intel® SSD DC P4610 Series SSDPE2KE016T8 (1.6TB, 2.5" U.2)	2
Capacity Tier	Intel® SSD DC P4510 Series SSDPE2KX010T8 (1.0 TB, 2.5" U.2)	12
Controller	N/A	0
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3), ESXi 7.0 U2 (vSAN 7.0 Update 2)	

AF-8 Series (continued)

Fujitsu		AF8-Fujitsu-RX2530M6 / Raw Storage Capacity: 15.36 TB
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	PY RX2530 M6 10x 2.5"	1
CPU	Intel Xeon Gold 6330 CPU 2.00Ghz 28Core	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	12
Caching Tier	Intel® Optane™ SSD DC P4800X Series SSDPE21K750GA (750 GB, 2.5" U.2)	2
Capacity Tier	MTFDDAK1T9TDT-1AW1ZABYY	8
Controller	PSAS CP503i	1
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3), ESXi 7.0 U2 (vSAN 7.0 Update 2)	

Fujitsu		AF8-Fujitsu-RX2530M6 / Raw Storage Capacity: 15.36 TB
Components	Details	Quantity
ESXi Pre-Installed?	Yes	
System	Primergy RX2530 M6	1
CPU	Intel Xeon Gold 6330 CPU 2.00Ghz 28Core	2
Memory	32GB (1x32GB) 2Rx4 DDR4-3200 R ECC	12
Caching Tier	Intel® SSD DC P4610 Series SSDPE2KE016T8 (1.6TB, 2.5" U.2)	2
Capacity Tier	MTFDDAK1T9TDT-1AW1ZABYY	8
Controller	PSAS CP503i	1
NIC	Model: Intel(R) Ethernet Connection X722 for 10GBASE-T	1
Boot Device	SSD SATA 6G 240GB M.2 H-P for VMware	1
Supported Releases	ESXi 7.0 U3 (vSAN 7.0 Update 3), ESXi 7.0 U2 (vSAN 7.0 Update 2)	