

Infrastructure Manager: Third Party vendor device support White Paper

Features and functions supported with the third party vendor device management using Infrastructure Manager

This document describes supported features, caveats of third party vendor servers, and other devices when using Infrastructure Manager (hereafter referred to as ISM). The third party vendor servers and other devices referred to in this document are about hardware that is neither listed in the Support Matrix nor in the datasheet (under supported nodes).

This document does not guarantee support for all ISM operations and fixes for all possible issues with third party vendor devices.

Devices supported on ISM

This section describes devices ISM can manage. They can be classified into three categories:

1. Fujitsu owned and supported devices

This includes servers, storages, and network switches that are supported.

The models currently supported are listed in the support matrix or the datasheet, which is available in the link below. Any updates can be found there.

<https://sp.ts.fujitsu.com/dmsp/Publications/public/ds-ism.pdf>


2. Third party vendor devices supported by Fujitsu

These devices go through Fujitsu testing and qualification process. The models currently supported are listed in the support matrix.

3. Third party vendor devices excluding category 2

Third party vendor devices that are not supported (i.e. not included in category 2) belong to this category. It can be

distinguished between standard x86 servers and other devices. Since these products do not go through the extensive qualification and testing process, certain functions in ISM are restricted on these devices. The next section in this document defines, which features and functions are supported using ISM on these third party vendor devices. One of the generic prerequisites is compliance with the IPMI interface for communication with the BMC mounted on the respective third party device.



Available ISM operations with third party vendor devices

Available functions are not only dependent on third party vendor devices, but also on the ISM edition (Essential, Advanced, for PRIMEFLEX). Please find supported functions in the table below. Please note that. The monitoring capabilities of ISM depending on the third party vendor device itself. Hence, even if ISM manages third party vendor devices, not all the operations in ISM can be guaranteed.

Category-3 third party devices	ISM Advanced			ISM Essential		
	Standard x86 servers	SNMP compliant device	Other	Standard x86 servers	SNMP compliant device	Other
Registered hardware is displayed in the Datacenter rack view The information of the mounting position in the rack that was set when the hardware was registered to ISM, is displayed on the screen.	X	X	X	-	-	-
Display 3D View It displays floors, racks, and device positions within the racks in three dimensional images.	X	X	X	-	-	-
Display hardware status It displays the hardware status using icons.	X	X	-	-	-	-
Receive SNMP trap It receives incoming event notifications (SNMP traps) from the hardware.	X	X	-	X	X	-
Display SNMP trap message ISM displays the SNMP trap messages received from the hardware.	X	X	-	X	X	-
Display Virtual Machine and Virtual Resource Information ISM displays information of virtual machines and resources acquired from the virtual management software.	X	-	-	-	-	-
Display the following operation status of the hardware CPU usage Disk R/W speed Memory usage Network traffic speed	X	-	-	-	-	-
Display power consumption The current power consumption value can be confirmed if it isa device that the power consumption value can be retrieved for.	X	-	-	-	-	-

Conclusion

ISM provides a converged view of the entire datacenter, which includes third party vendor devices. This helps to track and highlight the status of these devices through a single user interface. To manage the third party vendor devices through ISM, the devices are required to have BMC based on IPMI interface for communication. The information that can be retrieved and managed by ISM on the third party devices are dependent on the device itself. Also note that the information that can be obtained for each third party vendor device varies.

Appendix

Please check the following URL.

- Infrastructure Manager

<http://www.fujitsu.com/fts/products/computing/servers/infrastructure-management/>

- Intel DCM Supported Servers

https://www.intel.com/content/dam/www/public/us/en/documents/technical-specifications/int_dcm_supported_servers.pdf

Disclaimers

Fujitsu Limited assumes no responsibility for any claims for losses, damages or other liabilities arising from the use of this product. The content of this document are subject to change without notice.

Trademarks

Intel and Xeon are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

All other company and product names are trademarks or registered trademarks of the respective companies.

All other products are owned by their respective companies.

Contact

Fujitsu Technology Solutions GmbH
Mies-van-der-Rohe-Strasse 8
D-80807 Munich

Website: www.fujitsu.com

2024-06-06

© Copyright Fujitsu Limited 2024, the Fujitsu logo, are trademarks or registered trademarks of Fujitsu Limited in Japan and other countries. Other company, product and service names may be trademarks or registered trademarks of their respective owners. Technical data subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.